## **BRITISH COLUMBIA**



# LIMITED ENTRY HUNTING REGULATIONS SYNOPSIS

2011-2012

#### **CLOSING DATE**

APPLICATIONS MUST REACH THE VICTORIA ADDRESS BY 4:30 p.m. May 20, 2011

MINISTRY OF FORESTS, LANDS AND NATURAL RESOURCE OPERATIONS HONOURABLE STEVETHOMSON, MINISTER

\*\*SPECIAL MOUNTAIN SHEEP RESIDENT DRAW IS BACK, SEE PAGE 5 FOR DETAILS\*\*

\*\*\*EARLY SKEENA MOUNTAIN SHEEP DRAW - SEE PAGE II FOR DETAILS\*\*\*

MAJOR REGULATION CHANGES ARE HIGHLIGHTED IN COLOUR

#### LIMITED ENTRY HUNTING

Limited Entry Hunting, or LEH, is a system by which hunting authorizations are awarded to resident hunters based on a lottery, or random draw. The purpose of LEH is to achieve wildlife management objectives and maintain hunting opportunity.

LEH seasons are introduced where it has become necessary to limit the number of hunters or limit the number, class or sex of animals that may be taken. The following species of game are available under LEH within certain areas of the province: Bison, Caribou, Elk, Grizzly Bear, Moose, Mountain Goat, Mountain Sheep, and Mule (Black-tailed) Deer. All of these species, with the exception of Bison and Grizzly Bear, may also be available through a General Open Season, or GOS.

Although 'general' open seasons may precede or coincide with LEH seasons for the same species in the same area, the class of animal available during the 'general' open season will often be different from the class of animal available during the LEH seasons.

#### **HOW TO USE THIS SYNOPSIS**

Each year nearly I in 4 LEH applications has an error of one kind or another which requires Fish, Wildlife and Habitat Management staff to examine the application and make a judgment about whether to include it in the draw or not. This takes a substantial amount of time and is the major factor in determining when the draw occurs.

In previous years, Ministry staff have made tremendous efforts to 'save' applications that were completed incorrectly. This is no longer the case and you can greatly improve your chances of being in the draw by following these instructions carefully. Double check your hunter number and the hunt codes on your card. Once your application is submitted, changes will not be allowed.

This synopsis will show you how to apply for a LEH hunt. Hunting opportunities advertised in this synopsis are arranged by species, then by region, followed by class of animal, and finally by the Management Unit (M.U.) where the hunt takes place. Management Units may also be divided into zones for certain species. The 'MAP SECTION' of this synopsis displays these zone boundaries. Where a LEH occurs over an entire M.U., a map of that M.U. is not provided in this synopsis; for maps of M.U. boundaries, consult the Hunting and Trapping Regulations Synopsis www.env.gov.bc.ca/fw/wildlife/hunting/regulations/.

The term 'species' as used in this booklet refers to the type of game animal, such as Moose, Elk, Caribou, etc., and encompasses all classes, such as bulls, cows, calves, etc., of that species. For example, if an applicant includes both a bull Moose hunt and an antlerless Moose hunt on the same application, they would be applying for the same species.

Each hunt is given its own unique 4-digit HUNT CODE, which is highlighted on the left of each column on each page. DO NOT use last year's LEH synopsis, because the hunt codes change each year.

#### WHO CAN APPLY?

Any resident of British Columbia who holds a Resident Hunter Number in good standing may apply. A resident may not apply for a LEH authorization if the resident's hunting licence or hunter number has been suspended, cancelled, or the resident has unpaid fines under the Wildlife Act or the Firearms Act. Applications made by a person who is ineligible will not be entered in the draw and NO refund will be issued. Also please note that if you have moved out of the province you must re-establish your residency in B.C. in order to be eligible.

#### A resident is:

I) a person who is a Canadian citizen or a permanent resident of Canada, whose only or primary resident is in British Columbia, and has been physically present in British Columbia for the greater portion of each of 6 calendar months out of the I2 calendar months immediately preceding the date of making an application under the Wildlife Act or doing another thing relevant to the operation of the Wildlife Act, or

2) a person who is not a Canadian citizen or a permanent resident of Canada, but whose only or primary residence is in British Columbia, and has been physically present in British Columbia for the greater portion of each of the 12 calendar months immediately preceding the date of making an application under the *Wildlife Act* or doing another thing relevant to the operation of the *Wildlife Act*.

#### **FIRST NATIONS APPLICANTS**

The Ministry of Forests, Lands and Natural Resource Operations is responsible for balancing land and resource conservation and protection with the economic and social benefits of recreational activities and a sustainable environment. It maintains this balance while respecting the aboriginal rights and title of the First Nations in the province.

A First Nation's aboriginal rights may include the right to harvest wild-life for food, social and ceremonial purposes within that First Nation's traditional territory. These harvesting rights may be limited by government regulations regarding conservation and public health and safety. Government regulations apply to any harvesting of wildlife species for sale or barter, in whole or in part, unless there is a demonstrable aboriginal or treaty right to sale or barter.

Under the Wildlife Act, 'Indian' means a person who is defined as a status Indian under the Indian Act (Canada). Indians who are residents of British Columbia are not required to obtain any type of hunting licence under the Wildlife Act.

Indians who are residents of British Columbia and are exercising their aboriginal right to hunt for food, social and ceremonial purposes within their First Nation's traditional territory may be required to comply with conservation-based hunting regulations. Prior to undertaking any hunting activity, First Nation individuals who are residents of B.C. should inquire with their appropriate First Nation officials or with the Regional Fish and Wildlife Office with respect to any requirements that may apply to them. First Nations whose traditional harvest rights are affected by conservation or public safety regulations would have been consulted in accordance with provincial policy and Ministry guidelines.


THE FISH, WILDLIFE AND HABITAT MANAGEMENT BRANCH CANNOT ACCEPT RESPONSIBILITY FOR ANY APPLICATION CARD THAT IS NOT COMPLETED ACCORDING TO THE INSTRUCTIONS CONTAINED IN THIS BOOKLET OR FOR THE NON-ARRIVAL OF AN APPLICATION AT ITS VICTORIA ADDRESS.


Each year, almost one in every four LEH applications is completed incorrectly. Fixing errors on LEH applications is the primary factor in delaying the LEH draw. Fish, Wildlife and Habitat Management staff will no longer be making many of the efforts we have in the past to correct applications, and applications may be disqualified if they are illegible or the instructions are not followed closely.

#### **EXAMPLES OF HOW TO COMPLETE YOUR APPLICATION**

#### NAME CHANGE

If for any reason your name has changed since you last purchased hunting licences, please enter your previous name in brackets above your present name.





If applying as a group or shared hunt, remember to record this serial number in the 'group hunt' section of the other group members application cards.

This is the phone number we will contact if we have any concerns.

Your second choice must be for the same species as your first choice (i.e. the first number in the hunt code must match).

This portion is only for **group** & shared hunts. Make sure the serial numbers of the applications in your group are identified in this section of the application. Mail all applications for the group together in one envelope. Group applications not mailed together will be entered as single applications. Make sure hunt codes match for the entire group. If they don't match they will be entered as singles.

Indians who are residents of B.C. and wish to hunt outside their traditional territory must do so in accordance with the Hunting Regulations. This includes submitting applications for a LEH authorization via the LEH draw. When completing their application card(s), 'INDIAN' should be entered in the space allotted for Resident Hunter Number. This is required as a means of identification to prevent computer rejection of an incomplete application card. Indian applicants must enter their complete mailing address including the postal code on the application card. Indians who are successful in the draw must comply with the requirements of Compulsory Reporting/Inspection or any other Hunting Regulations.

#### **HOW TO APPLY**

Eligible residents of B.C. must apply for a LEH draw by filling out an official application for each species for which they wish to be entered.

Application cards may be obtained in person from any issuer of hunting licences, or by any Service BC Office. The fee for an application card is \$6.72, including taxes. This fee is not refundable.

## GENERAL APPLICATION REQUIREMENTS

- Please use a pen to make the entries on your application card(s). All entries should be legible and printed in CAPITAL LETTERS.
- DO NOT use 'liquid whitener' to make any alterations on application cards. If you make a mistake, draw a single line through the error and print the correction(s) above the incorrect entry.

- If you are applying for a Group or Shared hunt, application cards must be sent together in one envelope and the word 'GROUP' or 'SHARED' must be written in the bottom left corner on the front of the envelope.
- DO NOT staple, pin or tape application cards together.
- DO NOT send money, licences, etc., with your application card.
- Please ensure there is sufficient postage on the envelope.
- Address the envelope to the same address that is printed on the back of the application cards.

#### **SECOND CHOICES**

An application card presents an option for you to make a second hunt choice for the SAME SPECIES. Entering a second choice is optional. If applying as a group, make sure that both first and second hunt choices match on ALL group member's applications. If you would like to learn more about how second choices operate, please consult: www.env.gov.bc.ca/fw/wildlife/hunting/resident/leh.html.

#### WHAT AREYOUR CHANCES?

For the main (June 11) draw in 2010, the Fish, Wildlife and Habitat Management Branch received more than 165,000 applications and issued roughly 27,000 authorizations for 8 species. Therefore on average, only one in every 6 applications was successful in 2010. The LEH draw is random, like a lottery, and there are no guarantees that any individual will be successful over time.

However, if you were successful in receiving an authorization for any species except antlerless deer, your odds may be reduced. For Elk in Regions I or 2 and for moose anywhere in the province, your odds are reduced by 66% for 3 years after being successful. For any other species (except deer) your odds are reduced by 50% for one year only. This is called 'enhanced odds' and it reduces the number of people who receive authorizations repeatedly.

#### **GRIZZLY BEAR SUBSTITUTE HUNTS**

Occasionally, some Grizzly Bear hunts have so few applicants that there are hunting opportunities remaining following the initial LEH application processing. Any such left over hunts will be assigned to applicants who indicate on their LEH application(s) that they wish to be considered for a substitute hunt. An applicant should be aware that, by entering (x) in the YES box for a substitute Grizzly Bear hunt, they may be authorized for a Grizzly Bear hunt in a location that is unfamiliar to them. Enhanced odds will apply in subsequent years if you are successful for a substitute hunt.

#### **INDIVIDUAL (SINGLE) APPLICATIONS**

Hunters applying for an individual hunt should complete all information on the LEH application except the lower, 'group' portion of the application card. This 'group' portion should be removed before submission. See the 'Examples of How to Complete Your Application' for detailed instructions for completion.

#### **GROUP HUNTS**

Group Hunts are available to hunters who wish to apply with a group of hunting partners with the chance that every person in the group will be allotted a LEH authorization.

Under this system, the application cards of the group members are combined and entered in the draw as 'one' application. If this 'one' application is drawn, each hunter in the group receives an authorization and each hunter may harvest an animal matching the description on the authorization.

Group Hunt applications are not accepted for Bison hunts or Elk hunts in Regions I and 2. For Moose, group hunt applications have been replaced by Shared Hunt applications (see 'Shared Hunts' section).

When applying for a Group Hunt, ensure that the desired hunts have sufficient authorizations to allow everyone in the group to receive an authorization otherwise each applicant in the group will be entered in the draw as an individual.

#### **SHARED HUNTS**

Shared hunts are currently for Moose only, and they are intended to increase the number of people drawn for moose without increasing the number of Moose that may be harvested in a given year. Applicants can apply for moose as an individual, or a group of two, three or four.

When applying for a shared moose hunt, each member is entered in the draw individually, meaning your group has up to 4 chances to win. Groups of two will be allowed to take one Moose only, and a group of three or four will be allowed to take two Moose only. No group member may take more than one Moose and must cease hunting in the LEH shared hunt when he or she has harvested a Moose, as the annual Moose bag limit for a hunter is one.

All members of the group must have a valid Moose species licence and any group member may take a Moose until the group limit has been reached.

Communication is necessary within the group while hunting in order to avoid exceeding the group limit. The Harvest Details section of each group member's authorization must be filled out immediately following a kill. If a member of a group cannot participate, the others may still hunt and the non-participating member(s) may join the hunt later if the group quota has not been reached, but must first update the Harvest Details section of their LEH shared hunt authorization appropriately. See the 'Examples of How to Complete Your Application' for detailed instructions for completion.

#### **FALL HUNT DEADLINE**

The deadline for the fall (main draw) LEH applications to reach the Victoria address is **4:30 p.m. Friday May 20, 2011**.

#### **SPRING HUNT DEADLINE**

The deadline for the spring 2012 Grizzly Bear and early Skeena Mountain Sheep LEH applications to reach the Victoria address is **4:30 p.m. Friday February 3, 2012**. Do NOT submit the application for the spring 2012 LEH draw until after July 31, 2011.

#### **ONE APPLICATION PER SPECIES**

An applicant may only enter one application per LEH species in one calendar year, regardless of the class of the animal. The exception to this regulation is for an applicant that applied for a Grizzly Bear and/or Skeena Mountain Sheep in the spring draw. This applicant may apply for either (or both) of these species in the fall LEH draw providing that they did NOT receive an LEH authorization for that species in the spring draw.

#### **TWO LICENCES REQUIRED**

If you obtain LEH authorization(s), you must also possess and carry your valid B.C. resident hunting licence and the appropriate valid B.C. species licence(s) while hunting under authority of LEH authorization(s).

#### **BAG LIMIT**

A LEH authorization does not permit a person to exceed the regular hunting season bag limit for any species of game. See the 2010/2012 Hunting and Trapping Regulations Synopsis for information on provincial and regional bag limits. Please note that any big game animal taken by a licensed junior hunter is counted in the bag limit of the accompanying adult holder of a LEH authorization.

#### **COMPULSORY INSPECTION**

All Elk in Regions 2 and 8, and all Grizzly Bear, Mountain Sheep, Mountain Goat, Caribou, bull Moose in Region 4, and moose in M.U.s 6-19, 6-20, and 6-22 to 6-25, and from the Nass Wildlife Area harvested must undergo a Compulsory Inspection. Please also refer to the 2010/2012 Hunting and Trapping Regulations Synopsis for updated Compulsory Inspection species requirements. For information on where you can obtain a Compulsory Inspection, please refer to the 'Compulsory Inspection Centres' section on the regional pages of the Hunting and Trapping Regulations Synopsis or www.env.gov.bc.ca/fw/wildlife/hunting/ci.html.

Anyone who kills a bull Elk or a bull Moose under the authority of a LEH authorization must, while returning from the hunt, keep the antlers of the animal available for inspection by an officer.

#### WHAT IS UP FOR 2012?

To improve customer service and LEH application processing efficiency, official LEH application purchase and completion will be available online in the near future. One year after this service becomes available, hardcopy LEH application cards will NOT be accepted.

For more information about this and other changes to the hunting program visit the Fish, Wildlife and Habitat Management website at www.env.gov.bc.ca/fw/wildlife/hunting/resident/leh.html or sign up to receive notification and regulation changes via RSS feed, see page 5 for details.

## CHANGE TO LEH

This year, to reduce costs, the Fish, Wildlife and Habitat Management Branch will not be mailing notices to applicants who are not successful in the draw. Once the draw has been run, please check the online draw status page for your results and be sure to call if you do not receive an authorization that you should. Notification of the results of the LEH draw will be available online at:

www.env.gov.bc.ca/fw/wildlife/hunting/ resident/leh.html

#### **MORE INFORMATION**

Additional LEH information (e.g. how the LEH draw works; substitute hunts) can be accessed at www.env.gov.bc.ca/fw/wildlife/hunting/resident/leh.html.

# THIS SYNOPSIS IS NOT A COMPLETE LIST OF REQUIREMENTS FOR HUNTING IN BRITISH COLUMBIA.

All persons hunting under LEH authorization in B.C. are required to comply with hunting regulations under the *Wildlife Act* as outlined in the Hunting and Trapping Regulations Synopsis: www.env.gov.bc.ca/fw/wildlife/hunting/regulations/

# TO HUNTERS

When a season is based on antler or horn restrictions, hunters are reminded that the antlers or horns of big game animals must be kept together with the species licence under which the animal was taken until the carcass arrives at a residence, a meatcutter or a cold storage plant, or it has been inspected by a qualified Compulsory Inspector.

| Fish and Wildlife Regional Offices and Conservation Officer Service District Offices  (Please call one of the District Offices for recorded information or to make an appointment) |                |   |                |  |  |  |  |  |
|--|----------------|---|----------------|--|--|--|--|--|
| <b>LEH Headquarters: Victoria</b> 4-2975 Jutland Rd., V8T 5J9  | (250) 356-5142 | Regional Office Williams Lake 400-640 Borland St., V2G 4T1          | (250) 398-4530 |  |  |  |  |  |
| Regional Office Nanaimo 2080 Labieux Rd., V9T 6J9  | (250) 751-3100 | Bella Coola, CO Service   | (250) 928-2701 |  |  |  |  |  |
| Campbell River, CO Service   | (250) 286-7630 | Quesnel, CO Service   | (250) 992-4212 |  |  |  |  |  |
| Duncan, CO Service   | (250) 746-1236 | 100 Mile House, CO Service  | (250) 395-5511 |  |  |  |  |  |
| Nanaimo, CO Service  | (250) 751-3190 | Williams Lake, CO Service   | (250) 398-4569 |  |  |  |  |  |
| Port Alberni, CO Service   | (250) 724-9290 | <b>Regional Office Smithers</b> Bag 5000, 3726 Alfred Ave., V0J 2N0 | (250) 847-7260 |  |  |  |  |  |
| Port Hardy, CO Service   | (250) 949-2800 | Atlin, CO Service   | (250) 651-7501 |  |  |  |  |  |
| Victoria, CO Service   | (250) 391-2225 | Burns Lake, CO Service  | (250) 692-7777 |  |  |  |  |  |
| Regional Office Surrey 10470 - 152nd St., V3R 0Y3  | (604) 582-5200 | Dease Lake, CO Service  | (250) 771-3566 |  |  |  |  |  |
| Chilliwack, CO Service   | 1-800-731-6373 | Queen Charlotte City, CO Service                                    | (250) 559-8431 |  |  |  |  |  |
| Maple Ridge, CO Service  | 1-800-731-6373 | Smithers, CO Service  | (250) 847-7266 |  |  |  |  |  |
| Powell River, CO Service   | 1-800-731-6373 | Terrace, CO Service   | (250) 638-6530 |  |  |  |  |  |
| Sechelt, CO Service  | 1-800-731-6373 | Regional Office Prince George 4051-18th Ave., V2N 1B3               | (250) 565-6135 |  |  |  |  |  |
| Squamish, CO Service   | 1-800-731-6373 | MacKenzie, CO Service   | (250) 997-6555 |  |  |  |  |  |
| Surrey, CO Service   | 1-800-731-6373 | Prince George, CO Service   | (250) 565-6140 |  |  |  |  |  |
| <b>Regional Office Kamloops</b> 1259 Dalhousie Dr., V2C 5Z5  | (250) 371-6200 | Vanderhoof, CO Service  | (250) 567-6304 |  |  |  |  |  |
| Clearwater, CO Service   | (250) 674-3722 | Regional Office Fort St. John 400-10003 110 Ave., VIJ 6M7           | (250) 787-4311 |  |  |  |  |  |
| Kamloops, CO Service   | (250) 371-6281 | Chetwynd, CO Service  | (250) 788-3611 |  |  |  |  |  |
| Lillooet, CO Service   | (250) 256-4636 | Fort Nelson, CO Service   | (250) 774-3547 |  |  |  |  |  |
| Merritt, CO Service  | (250) 378-8489 | Fort St. John, CO Service   | (250) 787-3225 |  |  |  |  |  |
| Regional Office Nelson 401-333 Victoria St., VIL 4K3   | (250) 354-6333 | <b>Regional Office Penticton</b> 102 Industrial Place, V2A 7C8      | (250) 490-8200 |  |  |  |  |  |
| Regional Office Cranbrook 205 Industrial Rd. G,V2G 7G5   | (250) 489-8540 | Grand Forks, CO Service   | 1-877-356-2029 |  |  |  |  |  |
| Castlegar, CO Service  | 1-877-333-8537 | Kelowna, CO Service   | 1-877-356-2029 |  |  |  |  |  |
| Cranbrook, CO Service  | 1-877-333-8537 | Penticon, CO Service  | 1-877-356-2029 |  |  |  |  |  |
| Creston, CO Service  | 1-877-333-8537 | Princeton, CO Service   | 1-877-356-2029 |  |  |  |  |  |
| Fernie, CO Service   | 1-877-333-8537 | Vernon, CO Service  | 1-877-356-2029 |  |  |  |  |  |
| Golden, CO Service   | 1-877-333-8537 | DEDORT ALL DOAGUEDS AND DO  | NI LITEDA      |  |  |  |  |  |
| Invermere, CO Service  | 1-877-333-8537 |   |                |  |  |  |  |  |
| Nelson, CO Service   | 1-877-333-8537 |   |                |  |  |  |  |  |
| Revelstoke, CO Service   | 1-877-333-8537 | 1-0//-/32-KAPF (/2//)   |                |  |  |  |  |  |

#### **LIMITED ENTRY HUNTING - TERMINOLOGY**

**HUNT CODE:** Each hunt is given its own unique 4-digit HUNT CODE, which is highlighted on the left of each column on each page. Hunt codes change every year.

AREA: This term is used in conjunction with a place name to denote a specific land area within British Columbia. It can consist of a number of Management Units, a single Management Unit or a portion of a Management Unit, referred to as a Zone. Hunters should be aware access is limited in some areas and are advised to confirm access before applying.

**MANAGEMENT UNITS:** The province is divided into 225 management units identified by number. In this synopsis they are denoted by the initials 'M.U.' and a hyphenated number, i.e. M.U. 4-24, M.U. 3-14, etc.

**ZONE:** Means a portion of one or more management units. If the Management Unit has been divided into Zones, this will appear as Zone A of M.U. 4-24, Zone B of M.U. 4-24, etc. Maps of Zones may be found on pages 16-27.

**SEASON DATES:** Refer to a period of time that hunting may take place. All dates are inclusive, e.g., September I to September 30 means that hunting may commence on September I and continue through and including September 30.

**SPECIES:** In this booklet 'species' refers to the following game: Mountain Goat, Mountain Sheep, Elk, Moose, Caribou, Mule (Black-tailed) Deer, Grizzly Bear and Bison.

**CLASS OF ANIMAL:** This term refers more specifically to the sex, age or antler/horn configuration of the animal for which an authorization is available.

**TENTATIVE NUMBER OF AUTHORIZATIONS AVAILABLE:** The number which appears in the authorizations column is a tentative number only and may be adjusted prior to the draw resulting in a possible increase or decrease in the final number of available authorizations.

**2010 FIRST CHOICE ODDS:** This is a list of odds on being drawn for the same hunt in the 2010 Limited Entry draw. These odds pertain to hunts that were indicated as 'First Choice' selections on the 2010 application cards. They are a measure of the number of people who applied for each authorization available in 2010.



Hunters should be aware access is limited in some areas and are advised to confirm access before applying.

The Special Mountain Sheep resident draw has been re-instated and is available to resident hunters for fall 2011 and fall 2012\*.

There is only one special resident Mountain Sheep authorization for one Mountain Sheep.

While the special hunt allows the animal to be taken in excess of the regular bag limit, a second species licence may not be purchased until after the first species licence has been cancelled. If an animal is harvested during the special hunt, it will not be considered in the calculation of reduced odds for future LEH applications.

There are NO Group Hunt applications for this draw.

#### **DEADLINE FOR APPLICATIONS**

Application deadlines for the 2011 and 2012 Special Resident draws are:

2011 Hunt **Thursday**, **July 15**, 2011 2012 Hunt **October 21**, 2011\*

#### **HOW TO APPLY**

You may purchase and submit as many Special Mountain Sheep applications as you wish. Applications are available from all regular LEH application vendors OR Service BC Offices.

The non refundable application fee for each special Mountain Sheep application is \$16.80 (includes HST).

Ten dollars each of application fee will be directed to a special account in the Habitat Conservation Trust Foundation (HCTF) for projects specific to Mountain Sheep management.

#### WHO IS ELIGIBLE TO APPLY

Any resident who is eligible to hunt in BC (holds a Resident Hunter Number in good standing) may apply.


A resident who applies for the special Mountain Sheep draw may also apply for any regular LEH draw.

#### **MAILING INSTRUCTIONS**

These special Mountain Sheep applications MUST be received in Victoria by 4:30 p.m. July 15, 2011. Proof of postage, i.e. postmarks, cannot be taken into consideration for late arrivals. The Fish, Wildlife and Habitat Management Branch cannot accept responsibility for the non-arrival of an application to the Victoria address.

#### **NOTIFICATION**

The winner of the special Mountain Sheep authorization will be notified by mail. The winner will also be posted on the Ministry of Forests, Lands and Natural Resource Operations, Fish, Wildlife and Habitat Management Branch website. www.env. gov.bc.ca/fw/wildlife/hunting/resident/leh.html. Unsuccessful applicants will NOT be notified.



#### **SUCCESSFUL APPLICANT**

The successful applicant for the special Mountain Sheep hunt must hold a valid resident hunting licence, a Mountain Sheep species licence and the special Mountain Sheep authorization while hunting. Please note that, while the special Mountain Sheep authorization allows the hunter to harvest 2 Sheep in the licence year, the hunter CANNOT hold more than one uncancelled Sheep species licence at any one time.

#### **MOUNTAIN SHEEP SPECIAL HUNT**

The successful applicant will have the opportunity to hunt either a bighorn or thinhorn ram Mountain Sheep during the dates listed below. If hunting a thinhorn ram sheep, the successful applicant may hunt 21 days prior to the opening date listed below for the region intended to hunt.

If a Mountain Sheep is harvested during the special hunt, it will not be considered in the limit of one sheep per year. All other restrictions, including the location of open seasons, weapons restrictions, species, and sex listed in either this synopsis or the 2010/2012 Hunting and Trapping Regulations

#### **Completion of Application Cards**

Please use a pen to make entries on your application card(s). PRINT your name CLEARLY in CAPITAL LETTERS and starting with your "Last Name".



Be sure to enter your correct BC Resident Hunter Number on each application card. We cannot accept responsibility for any applications card that is not completed according to the instructions on the card.



When entering your address, be sure it is your COMPLETE MAILING ADDRESS. Do not enter your home address unless you have home delivery of mail. An incomplete or incorrect mailing address may result in your draw notification being undeliverable.

Synopsis apply to this special hunt. The successful applicant need not follow horn curl regulations that apply in the area hunted as the special Mountain Sheep authorization will be for "any ram".

## **2011 OPENING DATES FOR MOUNTAIN SHEEP** (Subject to Change)

| Region 3 Thompson      | Sept. 10/11 |
|------------------------|-------------|
| Region 4 Kootenay      | Sept. 10/11 |
| Region 5 Cariboo       | Sept. 1/11  |
| Region 6 Skeena        | Aug. 1/11   |
| Region 7 Omineca/Peace | Aug. 1/11   |
| Region 8 Okanagan      | Aug. 25/11  |

## **2011 CLOSING DATES FOR MOUNTAIN SHEEP** (Subject to Change)

#### In all Regions the closing dates are as follows:

Bighorn Mountain Sheep Dec. 20/11 Thinhorn Mountain Sheep Mar. 31/12

**Reminder:** The Special LEH draw winner in 2011 will be eligible to hunt in the fall of 2011.

# SPECIAL MOUNTAIN SHEEP RESIDENT DRAW FOR 2012

\*The Mountain Sheep special hunt is also available to resident hunters for fall 2012. The deadline for applications for the 2012 Special Mountain Sheep hunt is October 21, 2011. Applications received between July 16, 2011 and October 21, 2011 will be entered in the draw for the 2012 hunting opportunity.

**Reminder:** The Special LEH draw winner of the October 2011 draw will be eligible to hunt in the fall of 2012.



# RECEIVE VIA RSS FEED NOTIFICATION OF REGULATION CHANGES

We have adopted a new system for notifying hunters and anglers of inseason or recent regulation changes. RSS is an internet-based technology that allows users to sign up for instant web updates. It is a convenient way to be notified of changes to regulations. To sign up for this service visit the Fish, Wildlife and Habitat Management Branch website at www.env.gov.bc.ca/fw/news/ and for hunting regulation changes choose Wildlife and for fishing regulations choose Fish.



### REPORT ALL POACHERS AND POLLUTERS

The Conservation Officer Service, Ministry of Environment, has established a partnership with the Provincial Emergency Program Call Centre to operate a toll-free hotline that allows you to report known suspected poachers and polluters.

The RAPP program is simple, safe and effective. It is based on the principle that someone other than the criminal has information that can solve the crime.

Available 24/7
Use This Number to Report:

Violations of Fisheries, Wildlife or Environmental Protection Laws (except salmon related violations which should be reported to Fisheries and Oceans Canada at 1-800-465-4336).

Wildlife/Human Conflicts where public safety is at risk.

Look for this sign along highways and forestry roads in British Columbia

# R.A.P.P. Report All Poachers and Polluters Conservation Officer 24 Hour Hotline 1-877-952-RAPP (7277) Cellular Dial - #7277 BRITISH COLUMBIA WWW.rapp.bc.ca

What you can do:

- 1. **Familiarize** yourself with current regulations.
- 2. Record relevant details of suspicious activities, such as: time, date, location, descriptions of violators and/or vehicles. Photographs are useful.
- 3. Report any fish, wildlife or environmental offences as soon as possible to the Provincial Emergency Program Call Centre.

Report all Poachers and Polluters (RAPP) operates in cooperation with the BC Wildlife Federation. The B.C.W.F. pays rewards up to \$2000 for information leading to the conviction of persons who have violated laws related to the protection of fish, wildlife, or the environment, or damaged the property of companies or individuals who provide access to hunters and anglers.

#### **BISON**

OMINECA/PEACE REGION 7 (See LEH Map 7A for boundaries)

Group Hunt applications are not accepted for Bison. Any group applications that are received for Bison will be entered as individuals.

| Hunt<br>Code | Area  | M.U.   | Zone | Season Dates  | Class of<br>Animal | Tentative<br>Number of<br>Authorizations<br>Available | 2010<br>First<br>Choice<br>Odds |
|--------------|-------|--------|------|---------------|--------------------|---|---------------------------------|
| 0001         | Liard | 7-57*  | Α    | Oct I-Oct 15  | Either Sex         | 24  | 82.4:1                          |
| 0002         | Liard | 7-57*  | Α    | Oct 16-Oct 31 | Either Sex         | 24  | 25.7:1                          |
| 0003         | Liard | 7-57*  | Α    | Nov I-Nov 15  | Either Sex         | 30  | 27.0:1                          |
| 0004         | Liard | 7-57*  | Α    | Nov 16-Nov 30 | Either Sex         | 33  | 19.9:1                          |
| 0005         | Liard | 7-57*  | Α    | Dec 1-Dec 15  | Either Sex         | 32  | 24.6:1                          |
| 0006         | Liard | 7-57*  | Α    | Dec 16-Dec 31 | Either Sex         | 39  | 19.9:1                          |
| 0007         | Liard | 7-57*  | Α    | Jan I-Jan 15  | Either Sex         | 30  | 19.9:1                          |
| 8000         | Liard | 7-57*  | Α    | Jan 16-Jan 31 | Either Sex         | 30  | 21.1:1                          |
| 0009         | Liard | 7-57** | В    | Oct I-Oct I5  | Either Sex         | 23  | 37.6:1                          |
| 0010         | Liard | 7-57** | В    | Oct 16-Oct 31 | Either Sex         | 26  | 13.3:1                          |
| 0011         | Liard | 7-57** | В    | Nov 5-Nov 19  | Either Sex         | 35  | 13.2:1                          |
| 0012         | Liard | 7-57** | В    | Nov 20-Dec 5  | Either Sex         | 36  | 26.6:1                          |
| 0013         | Liard | 7-57** | В    | Dec 6-Dec 20  | Either Sex         | 34  | 20.5:1                          |

<sup>\*</sup> Also includes portions of M.U. 7-58

Tentative

Limited motorized access with snow machines is likely to be necessary for November and December but snow depths may vary greatly from year to year.

A Bison species licence will be available only by mail and only to those persons successfully drawn for a Limited Entry Bison authorization.

Hunters are prohibited from using a weapon other than:

- a) a rifle that fires a 175 grain or larger bullet retaining 2712 joules (2000 foot pounds) or more
- b) a bow having a pull greater than 22.6 kg within the archer's draw length, an arrow greater than 26 grams in weight and a broadhead greater than 8.1 grams in weight and 2.2 cm in width at its widest point. Successful hunters must, within 30 days of the kill, report in person or by mail to the Victoria, Fish and
- location of kill (including M.U.) date of kill number of days hunted sex of animal taken.

Habitat Management Branch, using a Harvest Data Card, the following information:

Hunters are reminded that under Section 35(2) of the Wildlife Act, anyone who kills or injures wildlife must make reasonable attempt to retrieve that wildlife, and if it is alive, to kill it. This is particularly important with Bison

#### **CARIBOU**

The Ministry continues to offer a moose/caribou combination hunt for the Spatsizi area. For details and where to apply see Region 6 Moose Section page 9.

Successful hunters are required to submit the incisor tooth, the antlers, and for caribou without at least one main beam measuring over 60 cm in length, the hide with evidence of sex attached of all caribou taken, for compulsory inspection within 30 days after the date of the kill. Please contact a Fish and Wildlife Regional Office (page 5) for a list of qualified inspectors or www.env.gov.bc.ca/fw/wildlife/hunting/ci.html.

#### SKEENA REGION 6 (See LEH Maps 6H, 6I & 6L for boundaries)

|     | Hunt<br>Code | Area         | M.U.  | Zone | Season Dates    | Class of<br>Animal | Tentative<br>Number of<br>Authorizations<br>Available | 2010<br>First<br>Choice<br>Odds |
|-----|--------------|--------------|-------|------|-----------------|--------------------|---|---------------------------------|
|     | 1001         | Spatsizi     | 6-20  | Α    | Aug 15-Aug 31   | Bull only          | 90  | 1.7:1                           |
|     | 1002         | Spatsizi     | 6-20  | Α    | Sept I-Sept 15  | Bull only          | 53  | 1.1:1                           |
| - 1 | 1003         | Spatsizi     | 6-20  | Α    | Sept 16-Sept 30 | Bull only          | 53  | 1.8:1                           |
| - 1 | 1004         | Spatsizi     | 6-20  | Α    | Oct I-Oct 15    | Bull Only          | 50  | 1.5:1                           |
| - 1 | 1005         | Mount Edziza | 6-21  | Α    | Aug 15-Oct 15   | 5 pt bulls         | 10  | 4.1:1                           |
|     | 1006         | Atlin        | 6-25* | Α    | Aug 15-Oct 15   | Bull only          | 5   | 18.2:1                          |

<sup>\*</sup> Also includes a portion of M.U. 6-26

#### OMINECA/PEACE REGION 7 (See LEH Map 7L for boundaries)

| Hunt<br>Code | Area       | M.U. | Zone | Season Dates  | Class of<br>Animal | Number of<br>Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|------------|------|------|---------------|--------------------|--|-------------------------|
| 1007         | Edozadelly | 7-39 | D    | Aug 15-Oct 15 | Bull only          | 4  | 16.8:1                  |

#### **ELK**

VANCOUVER ISLAND (See LEH Maps IA, IB, IC, ID, IE, IF, IG & IH for boundaries) Group Hunt applications are not accepted for Elk in Regions I and 2. Any group applications that are received for Elk in Regions I or 2 will be entered as individuals.

| Hunt<br>Code | Area                  | M.U. | Zone | Season Dates    | Class of<br>Animal | Number of<br>Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|-----------------------|------|------|-----------------|--------------------|--|-------------------------|
| ARCH         | <b>ERY ONLY SEASO</b> | ONS  |      |                 |                    |  |                         |
| 2001         | Vancouver Island      | I-04 | A*** | Oct 15-Nov 10   | Either sex         | 1  | 73.0:1                  |
| 2002         | Vancouver Island      | I-04 | A*** | Nov 15-Dec 10   | Either sex         | 1  | 66.0:1                  |
| 2003         | Vancouver Island      | I-04 | A*** | Dec 15-Jan 10   | Either sex         | 1  | 31.0:1                  |
| 2004         | Vancouver Island      | 1-06 | A*** | Sept 10-Dec 15  | Either sex         | 8  | 43.5:1                  |
| 2005         | Vancouver Island      | 1-06 | B*** | Sept 10-Sept 30 | Either sex         | 2  | 33.0:1                  |
| 2006         | Vancouver Island      | 1-06 | B*** | Oct 10-Oct 30   | Either sex         | 2  | 25.0:1                  |
| 2007         | Vancouver Island      | 1-06 | B*** | Nov 10-Nov 30   | Either sex         | 2  | 11.0:1                  |
| 2008         | Vancouver Island      | 1-06 | B*** | Dec 1-Dec 15    | Either sex         | 2  | 6.5:1                   |
| 2009         | Vancouver Island      | 1-12 | C    | Sept 10-Sept 30 | Either sex         | 5  | 40.6:1                  |
| 2010         | Vancouver Island      | 1-12 | C    | Oct 10-Oct 30   | Either sex         | 5  | 8.4:1                   |
| 2011         | Vancouver Island      | 1-12 | C    | Nov 10-Nov 30   | Either sex         | 5  | 18.4:1                  |
| 2012         | Vancouver Island      | 1-12 | C    | Dec 1-Dec 15    | Either sex         | 5  | 5.2:1                   |
|              | LAR LIMITED EN        |      |      |                 |                    |  |                         |
| 2013         | Vancouver Island      | I-09 | A*   | Dec 1-Dec 15    | Antlerless c       |  | 36.4:1                  |
| 2014         | Vancouver Island      | 1-09 | В    | Dec 1-Dec 15    | Antlerless c       |  | 23.4:1                  |
| 2015         | Vancouver Island      | 1-09 | C    | Dec 1-Dec 15    | Antlerless o       | /  | 19.8:1                  |
| 2016         | Vancouver Island      | 1-10 | Α    | Dec 1-Dec 15    | Antlerless c       | ,  | 43.0:1                  |
| 2017         | Vancouver Island      | 1-10 | В    | Dec 1-Dec 15    | Antlerless c       | ,  | 47.8:I                  |
| 2018         | Vancouver Island      | 1-10 | C    | Dec 1-Dec 15    | Antlerless o       |  | 30.0:1                  |
| 2019         | Vancouver Island      | 1-10 | Н    | Sept 1-Sept 20  | Antlerless c       | ,  | 23.4:1                  |
| 2020         | Vancouver Island      | 1-10 | H    | Sept 21-Oct 10  | Antlerless of      | /  | 56.0:1                  |
| 2021         | Vancouver Island      | 1-10 | D**  | Oct 11-Oct 31   | Antlerless c       | only I                                   | 45.0:1                  |

#### **ELK**

VANCOUVER ISLAND (See LEH Maps IA, IB, IC, ID, IE, IF, IG & IH for boundaries) Group Hunt applications are not accepted for Elk in Regions I and 2. Any group applications that are received for Elk in Regions I or 2 will be entered as individuals.

| Hunt Class of Authorizations Code Area M.U. Zone Season Dates Animal Available   | Choice<br>Odds   |
|--|------------------|
|  | 7.0:1            |
| 110 2 110 2 110 2 110 10 10 10 10 10 10 10 10 10 10 10 10  | 2.0:1            |
|  | 8.0:1            |
|  | 9.0:1            |
|  | 8.0:1            |
|  | 4.0:1            |
|  | -7.0:I           |
|  | 1.0:1            |
|  | 3.0:1            |
|  | 8.0:I            |
|  | 0.0:1            |
| <b>2033 Vancouver Island I-03 A</b> Oct IO-Nov 20 Bull only 2 22   | 3.5:1            |
|  | 2.8:1            |
|  | 6.5:1            |
|  | 4.6:1            |
|  | 37.2: I          |
|  | -7.3:I           |
|  | 3.1:1            |
|  | 1.3:1            |
|  | 1:8:1            |
| ,  | 2.9:1            |
|  | 1.9:1            |
| ,  | 2.2:1            |
|  | 3.8:1            |
|  | 2.4:1            |
|  | 0.5:1            |
|  | 9.0:1            |
| 2017 Valledatel Island I I o B B ac I B ac E B ac E B ac I s ac E B ac E | -8.0:1<br>-5.9:1 |
|  | 7.1:1            |
|  | '5.7:1           |
|  | 3.7.1<br>3.4:1   |
| ,  | 4.0:1            |
|  | 3.8:1            |
| ,  | 7.4:1            |
|  | 7.2:1            |
|  | 7.5:1            |
|  | 7.5:1            |
|  | 8.8:1            |
| ,  | 3.0:I            |
| <b>2062 Vancouver Island I-13 A</b> Oct 10-Nov 20 Bull only 6  | 4.4:1            |
| <b>2063 Vancouver Island I-13 B</b> Oct 10-Nov 20 Bull only 2  | 80.0: I          |

Also includes Zone D of M.U. I-09

LOWER MAINLAND REGION 2 (See LEH Maps 2A, 2B, 2C, 2D & 2E for boundaries) Group Hunt applications are not accepted for Elk in Regions I and 2. Any group applications that are received for Elk in Regions 1 or 2 will be entered as individuals.

| Hunt<br>Code | Area            | M.U.   | Zone | Season Dates  | Class of A<br>Animal | Number of<br>uthorizations<br>Available | First<br>Choice<br>Odds |
|--------------|-----------------|--------|------|---------------|----------------------|---|-------------------------|
| 2064         | Sechelt         | 2-05*  | A*** | Oct 10-Nov 20 | Bull only            | 3                                       | 79.0:1                  |
| 2065         | Sechelt         | 2-05   | C*** | Oct I-Oct 31  | Bull only            | 3                                       | N/A                     |
| 2066         | Sechelt         | 2-05   | C*** | Nov I-Nov 30  | Bull only            | 3                                       | 20.0:1                  |
| 2067         | Narrows/Tzoonie | 2-05   | D    | Oct 10-Nov 20 | Bull only            | 4                                       | 16.0:1                  |
| 2068         | Clowhom River   | 2-05   | E    | Oct 10-Nov 20 | Bull only            | 4                                       | 19.0:1                  |
| 2069         | McNab Creek     | 2-05   | F    | Oct 10-Nov 20 | Bull only            | 7                                       | 49.3:1                  |
| 2070         | Deserted River  | 2-05   | G    | Oct 10-Nov 20 | Bull only            | 7                                       | 15.7:1                  |
| 207 I        | Vancouver River | 2-05   | Н    | Oct 10-Nov 20 | Bull only            | 7                                       | 14.7:1                  |
| 2072         | Powell River    | 2-12** | A*** | Oct 10-Nov 20 | Bull only            | I                                       | 88.0:1                  |
| 2073         | Powell River    | 2-12   | B*** | Oct 10-Nov 30 | Bull only            | 2                                       | 49.5:1                  |
| 2074         | Brittain River  | 2-12   | E    | Oct 10-Nov 20 | Bull only            | 9                                       | 4.4:1                   |
| 2075         | Skwawka River   | 2-12   | Q    | Oct 10-Nov 20 | Bull only            | 9                                       | 8.2:1                   |
| 2076         | Powell River    | 2-12   | S    | Oct 10-Nov 20 | Bull only            | 2                                       | 158.5:1                 |
| 2077         | Narrows/Tzoonie | 2-05   | D    | Oct 10-Nov 20 | Antlerless o         | nly 2                                   | 28.0:1                  |
| 2078         | McNab Creek     | 2-05   | F    | Oct 10-Nov 20 | Antlerless o         | nly 2                                   | 39.0:1                  |
| 2079         | Deserted River  | 2-05   | G    | Oct 10-Nov 20 | Antlerless o         | nly 2                                   | 19.0:1                  |
| 2080         | Vancouver River | 2-05   | Н    | Oct 10-Nov 20 | Antlerless o         | nly 2                                   | 14.0:1                  |
| 208 I        | Brittain River  | 2-12   | E    | Oct 10-Nov 20 | Antlerless o         | nly 2                                   | 9.0:1                   |
| 2082         | Skwawka River   | 2-12   | Q    | Oct 10-Nov 20 | Antlerless o         | nly 2                                   | 25.0:1                  |

Successful hunters are required to submit within 30 days of the kill, both antlers attached to a portion of the skull and one of the incisor teeth (including the crown and root) of any Elk taken to a C.I. Inspector. The following information must be supplied at the same time:

- location of kill (including M.U.) date of kill number of days hunted sex of animal taken.
- \*\* Also includes Zone B of M.U. 2-12. Also includes Zone C of M.U. 2-05. \*\*\* The entire area in C of M.U. 2-05 and Zone B of M.U. 2-12, and portions of Zone A of M.U. 2-05 and portions of Zone A of M.U. 2-12 are restricted to ARCHERY EQUIPMENT ONLY. Much of the area within C of M.U. 2-05 is Private Land. Permission of the landowner must be obtained prior to the hunt. Applying for a LEH in these areas does not guarantee that there will be Elk present during the selected season. Also the private landowners may restrict the number of hunters that are allowed onto their land. It is the hunter's responsibility to locate landowners willing to allow hunter access. This can be a long and challenging process with no

Indian Reserves are private property. In the Sechelt First Nation's Traditional Territory they request hunters obtain permission, by contacting the resource management department at (604) 885-2273, prior to crossing or accessing any Sechelt Indian Band land.

Hunters are reminded that under S.35(2) of the Wildlife Act, anyone who injures wildlife must make reasonable attempt to retrieve that wildlife, and if it is alive, to kill it. This is particularly important for Roosevelt Elk in areas restricted to ARCHERY EQUIPMENT ONLY, and these hunts are recommended only to archers with considerable big game hunting experience.

<sup>\*\*</sup> Also includes portions of M.U. 7-42

<sup>\*\*</sup> Also includes Zone H of M.U. 1-10

These hunts are almost exclusively on private land and access to these areas is at the discretion of the landowner. Access during mid-week will not likely be available on private lands managed for industrial forestry activities. Access may not be available during part or all of the LEH season.

**Tentative** 

2010

#### **ELK**

#### KOOTENAY REGION 4 (See LEH Maps 4B, 4D, 4G & 40 for boundaries)

| Hunt<br>Code | Area     | M.U. | Zone        | Season Dates       | Class of<br>Animal | Nun<br>Author | ntative<br>nber of<br>izations<br>vailable | 2010<br>First<br>Choice<br>Odds |
|--------------|----------|------|-------------|--------------------|--------------------|---------------|--|---------------------------------|
| 2083         | Kootenay | 4-03 | <b>X</b> *  | Oct 1-Oct 10       | Antlerless         | only          | 521  | 9.0:1                           |
| 2084         | Kootenay | 4-26 | <b>X</b> ** | Sept 20-Sept 30    | Antlerless         | only          | 17   | 20.3:1                          |
| 2085         | Kootenay | 4-26 | <b>X</b> ** | Oct 1-Oct 10       | Antlerless         | only          | 17   | 19.8:1                          |
| 2086         | Kootenay | 4-06 | C***        | Oct I-Oct 31       | Antlerless         | only          | 139  | 4.8:1                           |
| 2087         | Kootenay | 4-06 | C***        | Nov I-Nov 30       | Antlerless         | only          | 59   | 7.9:1                           |
| 2088         | Kootenay | 4-06 | C***        | Dec 1-Dec 31       | Antlerless         | only          | 32   | 6.8:1                           |
| 2089         | Kootenay | 4-06 | C***        | Jan 1/12-Jan 31/12 | Antlerless         | only          | 23   | 10.8:1                          |
| 2090         | Kootenay | 4-06 | C***        | Feb 1/12-Feb 28/12 | Antlerless         | only          | 5  | 3.8:1                           |
| 2091         | Kootenay | 4-08 | C+          | Sept 1-Sept 30     | Antlerless         | only          | 55   | 13.7:1                          |
| 2092         | Kootenay | 4-08 | C+          | Oct I-Oct 31       | Antlerless         | only          | 20   | 19.6:1                          |
| 2093         | Kootenay | 4-08 | C+          | Nov I-Nov 30       | Antlerless         | only          | 19   | 17.5:1                          |
| 2094         | Kootenay | 4-08 | C+          | Dec 1-Dec 31       | Antlerless         | only          | 9  | 39.2:1                          |
| 2095         | Kootenay | 4-08 | C+          | Jan 1/12-Jan 31/12 | Antlerless         | only          | 8  | 18.0:1                          |
| 2096         | Kootenay | 4-08 | C+          | Feb 1/12-Feb 28/12 | Antlerless         | only          | 4  | 12.8:1                          |
| 2097         | Kootenay | 4-23 | A++         | Oct I-Oct 10       | Antlerless         | only          | 49   | 12.8:1                          |

- This zone includes portions of 4-02, 4-20, 4-21 and 4-22. Includes all land on or below 1100 metres within the zone, except for the upper drainages of several creeks and rivers, as indicated by the map Map 4G.
- Includes all land on or below 1100 metres within the zone, except for the upper drainages of several creeks and rivers, as indicated by the map Map 4G.
- Also includes a portion of M.U. 4-07. See Map 4D.
- Also includes portions of M.U.s 4-15, 4-16 and 4-17. Includes all land on or below 1200 metres within Zone C of 4-08. See Map 4O.
- Portions of 4-23 Zone A is restricted to archery equipment only. See Map 4B

Please remember that it is illegal to hunt on private land without the consent of the owner. Indian Reserves are private land. Permission must be obtained from the local Indian Business office in order to hunt on or access these lands.

#### OMINECA/PEACE REGION 7 (See LEH Maps 7E & 7G for boundaries)

| Hunt<br>Code | Area                           | M.U.             | Zone | Season Dates                            | Class of<br>Animal       | Authoriz | per of<br>ations<br>ilable | First<br>Choice<br>Odds |
|--------------|--------------------------------|------------------|------|---|--------------------------|----------|----------------------------|-------------------------|
| 2098         | Prince George                  | 7-02*            |      | Nov 15-Dec 14                           | Antlerless               | only     | 10                         | 24.1:1                  |
| 2099         | Prince George                  | 7-02*            |      | Dec 15-Jan 14/12                        | Antlerless               |          | 10                         | 12.1:1                  |
| 2100         | Prince George                  | 7-02*            |      | lan 15/12-Feb 14/12                     | Antlerless               | only     | 10                         | 21.6:1                  |
| 2101         | Prince George                  | 7-07**           |      | Nov 15-Dec 14                           | Antlerless               | only     | 4                          | 16.3:1                  |
| 2102         | Prince George                  | 7-07**           |      | Dec 15-Jan 14/12                        | Antlerless               | only     | 4                          | 6.0:1                   |
| 2103         | Prince George                  | 7-07**           |      | Jan 15/12-Feb 14/12                     | Antlerless               | only     | 4                          | 3.5:1                   |
| 2104         | Prince George                  | 7-08**           |      | Nov 15-Dec 14                           | Antlerless               | only     | 4                          | 28.3:1                  |
| 2105         | Prince George                  | 7-08**           |      | Dec 15-Jan 14/12                        | Antlerless               | only     | 4                          | 19.8:1                  |
| 2106         | Prince George                  | 7-08**           |      | Jan 15/12-Feb 14/12                     | Antlerless               | ,        | 4                          | 4.8:1                   |
| 2107         | Prince George                  | 7-09**           |      | Nov 15-Dec 14                           | Antlerless               |          | 4                          | 11.3:1                  |
| 2108         | Prince George                  | 7-09**           |      | Dec 15-Jan 14/12                        | Antlerless               | ,        | 4                          | 7.3:1                   |
| 2109         | Prince George                  | 7-09**           |      | Jan 15/12-Feb 14/12                     | Antlerless               | ,        | 4                          | 5.3:1                   |
| 2110         | Prince George                  | 7-10**           |      | Nov 15-Dec 14                           | Antlerless               | ,        | 4                          | 11.0:1                  |
| 2111         | Prince George                  | 7-10**           |      | Dec 15-Jan 14/12                        | Antlerless               | ,        | 4                          | 3.8:1                   |
| 2112         | Prince George                  | 7-10**           |      | Jan 15/12-Feb 14/12                     | Antlerless               | /        | 4                          | 0.3:1                   |
| 2113         | Prince George                  | 7-12**           |      | Nov 15-Dec 14                           | Antlerless               | ,        | 4                          | 16.0:1                  |
| 2114         | Prince George                  | 7-12**           |      | Dec 15-Jan 14/12                        | Antlerless               | ,        | 4                          | 5.5:1                   |
| 2115         | Prince George                  | 7-12**           |      | Jan 15/12-Feb 14/12                     | Antlerless               | ,        | 4                          | 1.3:1                   |
| 2116         | Prince George                  | 7-13**           |      | Nov 15-Dec 14                           | Antlerless               | ,        | 4                          | 32.0:1                  |
| 2117         | Prince George                  | 7-13**           |      | Dec 15-Jan 14/12                        | Antlerless               | ,        | 4                          | 39.8:1                  |
| 2118         | Prince George                  | 7-13**           |      | Jan 15/12-Feb 14/12                     | Antlerless               | /        | 4                          | 10.8:1                  |
| 2119         | Prince George                  | 7-14**<br>7-14** |      | Nov 15-Dec 14                           | Antlerless               | /        | 4<br>4                     | 8.8:1<br>4.8:1          |
| 2121         | Prince George<br>Prince George | 7-14**           |      | Dec 15-Jan 14/12<br>Jan 15/12-Feb 14/12 | Antlerless               | .*       | 4                          | 6.0:1                   |
| 2121         | Prince George                  | 7-14**           |      | Nov 15-Dec 14                           | Antlerless<br>Antlerless | ,        | 4                          | 28.5:1                  |
| 2123         | Prince George                  | 7-15**           |      | Dec 15-Jan 14/12                        | Antlerless               | ,        | 4                          | 8.3:1                   |
| 2124         | Prince George                  | 7-15<br>7-15**   |      | Jan 15/12-Feb 14/12                     | Antlerless               | ,        | 4                          | 7.0: I                  |
| 2125         | Prince George                  | 7-17**           |      | Nov 15-Dec 14                           | Antlerless               | ,        | 4                          | 5.3:1                   |
| 2126         | Prince George                  | 7-17**           |      | Dec 15-Jan 14/12                        | Antlerless               | /        | 4                          | 1.8:1                   |
| 2127         | Prince George                  | 7-17**           |      | lan 15/12-Feb 14/12                     | Antlerless               | ./       | 4                          | 3.0:1                   |
| 2128         | Prince George                  | 7-24**           |      | Nov 15-Dec 14                           | Antlerless               | ,        | 4                          | 14.8:1                  |
| 2129         | Prince George                  | 7-24**           |      | Dec 15-Jan 14/12                        | Antlerless               | ,        | 4                          | 14.5:1                  |
| 2130         | Prince George                  | 7-24**           |      | lan 15/12-Feb 14/12                     | Antlerless               | ,        | 4                          | 10.0:1                  |
| 2131         | Peace River                    | 7-20+            | Α    | Dec 1-Feb 28/12                         | Antlerless               | ,        | 1240                       | 4.9:1                   |
| 2132         | Peace River                    | 7-20+            | A    | Dec 1-Feb 28/12                         | Either Sex               | ,        | 300                        | 11.0:1                  |
| 2133         | Toad River                     | 7-5 I            | A++  | Dec 1-Feb 28/12                         | Antlerless               | only     | 50                         | 4.5:1                   |

- Includes all PRIVATE LAND ONLY within M.U.s 7-02, 7-03, 7-04 and 7-05. Also includes any CROWN LAND only within 2000 metres of private land
- Restricted to PRIVATE LAND ONLY. Also includes any CROWN LAND only within 2000 metres of private land within the said M.U.
- Includes all Crown Land and private land. Zone A of 7-20 encompasses M.U.s 7-32, 7-33 and 7-34 and portions of M.U.s 7-20, 7-21, 7-35, 7-45 and 7-46. This hunt also includes all PRIVATE LAND ONLY and CROWN LAND only within 2000 metres of private land within M.U.s 7-22, 7-43, 7-44, Zone A of 7-45 and M.U. 7-58 (See Map 7G)
- ++ Includes a portion of M.U. 7-54

**PRIVATE LAND ONLY** hunts: Permission of the landowner must be obtained prior to the hunt. Applying for a LEH in this area does not guarantee that there will be Elk present during the selected season. Also the private landowners may restrict the number of hunters that are allowed onto their land. It is the hunter's responsibility to locate landowners willing to allow hunter access. This can be a long and challenging process with no guarantee of success.

#### **ELK**

#### PEACE RIVER AGE-RESTRICTED HUNTS (See LEH Map 7G for boundaries)

The following hunt is open ONLY to hunters who are under the age of 18 and WHO POSSESS A VALID HUNTER NUMBER CARD. To qualify as under 18, an applicant's 18th birthday must fall on or after August 1,2011 Hunters who are under the age of 18 at the time of their hunt must be accompanied and closely supervised while hunting by a person who is 18 years of age or older and who holds a valid hunting licence.

| Hunt<br>Code | Area          | M.U. | Zone | Season Dates    | Class of<br>Animal | Number of<br>Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|---------------|------|------|-----------------|--------------------|--|-------------------------|
| 2134         | Peace River Y | 7-20 | A**  | Dec 1-Feb 28/12 | Either Sex         | 500                                      | 1.4:1                   |

\*\* Includes all Crown Land and private land. Zone A of 7-20 encompasses M.U.s 7-32, 7-33, and 7-34 and portions of M.U.s 7-20, 7-21, 7-35, 7-45, and 7-46. This hunt also includes all PRIVATE LAND ONLY and CROWN LAND only within 2000 metres of private land within M.U.s 7-22, 7-43, 7-44, Zone A of 7-45 and M.U. 7-58 (See Map 7G).

**PRIVATE LAND ONLY** hunts: Permission of the landowner must be obtained prior to the hunt. Applying for a LEH in this area does not guarantee that there will be Elk present during the selected season. Also the private landowners may restrict the number of hunters that are allowed onto their land. It is the hunter's responsibility to locate landowners willing to allow hunter access. This can be a long and challenging process with no guarantee of success.

#### **OKANAGAN REGION 8**

| Hunt<br>Code | Area             | M.U.  | Zone | Season Dates        | Class of<br>Animal | Nun<br>Author | ntative<br>nber of<br>izations<br>vailable | 2010<br>First<br>Choice<br>Odds |
|--------------|------------------|-------|------|---------------------|--------------------|---------------|--|---------------------------------|
| 2135         | Christian Valley | 8-14* |      | Nov 10-Dec 15       | Antlerless         | only          | 40   | 31.5:1                          |
| 2136         | Christian Valley | 8-14* |      | Jan 15/12-Feb 28/12 | Antlerless         | only          | 20   | 25.1:1                          |

\* Restricted to PRIVATE LAND ONLY within M.U. 8-14. Also includes any CROWN LAND only within 400 metres of private land within M.U. 8-14. Permission of the landowner must be obtained prior to the hunt. Applying for a LEH in this area does not guarantee that there will be Elk present during selected season. Also the private landowners may restrict the number of hunters that are allowed onto their land. It is the hunter's responsibility to locate landowners willing to allow hunter access. This can be a long and challenging process with no guarantee of success.

Successful hunters are required to submit within 30 days of the kill, both antlers attached to a portion of the skull or top of the skull for antlerless Elk, and the lower jaw bone or one of the incisor teeth (including the crown and root) of any Elk taken to a C.I. Inspector. The following information must be supplied at the same time:

• location of kill (including M.U.) • date of kill • number of days hunted • sex of animal taken.

#### LIMITED ENTRY MOOSE SHARED HUNTS

All Moose hunts are open only to single applicants or shared groups of up to four applicants. Please see the "SHARED HUNTS" section of this synopsis for more details.

**Tentative Number** 

First

#### **THOMPSON REGION 3** (See **LEH Map 3B** for boundaries)

| Hunt<br>Code | Area                 | M.U.         | Zone     | Season Dates                 | Class of<br>Animal     | of Authorizat | ions   | Choice<br>Odds  |
|--------------|----------------------|--------------|----------|------------------------------|------------------------|---------------|--------|-----------------|
| 400 I        | Kamloops             | 3-12         |          | Nov I-Nov I0                 | Cow or C               | alf only I    | 4      | 31.6:1          |
| 4002         | Kamloops             | 3-13         |          | Nov 1-Nov 10                 | Cow or C               | /             | 0      | 9.4:1           |
| 4003         | Kamloops             | 3-18         |          | Nov I-Nov 10                 | Cow or C               | ,             | 0      | 16.7:1          |
| 4004         | Kamloops             | 3-19         |          | Nov I-Nov 10                 | Cow or C               | ,             | 2      | 40.5:1          |
| 4005         | Kamloops             | 3-20         |          | Nov I-Nov 10                 | Cow or C               | /             | 6      | 36.7:1          |
| 4006         | Kamloops             | 3-26         |          | Nov I-Nov 10                 | Cow or C               | Calf only     | 6      | 23.4:1          |
| 4007         | Kamloops             | 3-27         |          | Nov I-Nov 10                 | Cow or C               | Calf only     | 8      | 13.0:1          |
| 4008         | Kamloops             | 3-28         |          | Nov I-Nov I0                 | Cow or C               | Calf only I   | 3      | 22.1:1          |
| 4009         | Kamloops             | 3-29         |          | Nov I-Nov 10                 | Cow or C               | Calf only I   | 2      | 16.5:1          |
| 4010         | Kamloops             | 3-30         |          | Nov I-Nov 10                 | Cow or C               | Calf only 2   | 20     | 15.7:1          |
| 4011         | Kamloops             | 3-31         |          | Nov I-Nov 10                 | Cow or C               | /             | 4      | 8.1:1           |
| 4012         | Kamloops             | 3-36         |          | Nov I-Nov 10                 | Cow or C               | ,             | 0      | 6.7:1           |
| 4013         | Kamloops             | 3-37         |          | Nov I-Nov IO                 | Cow or C               | /             | 4      | 6.6:1           |
| 4014         | Kamloops             | 3-39         |          | Nov I-Nov 10                 | Cow or C               | /             | 6      | 8.4:1           |
| 4015         | Kamloops             | 3-40         |          | Nov I-Nov 10                 | Cow or C               | /             | 4      | 3.5:1           |
| 4016         | Kamloops             | 3-41         |          | Nov I-Nov 10                 | Cow or C               | ,             | 0      | 2.8:1           |
| 4017         | Kamloops             | 3-42         |          | Nov I-Nov IO                 | Cow or C               | ,             | 2      | 3.3:1           |
| 4018         | Kamloops             | 3-44         | 4 NIV BI | Nov I-Nov 10                 | Cow or C               | ,             | 5      | 3.2:1           |
| 4010         |                      |              |          | JLL REGARDLESS (             |                        |               |        | 4401            |
| 4019         | Kamloops             | 3-12         | A<br>B   | Oct 1-Oct 31                 | Bull only              |               | 0      | 46.2:1          |
| 4020<br>4021 | Kamloops             | 3-12<br>3-13 | В        | Oct 1-Oct 31<br>Oct 1-Oct 31 | Bull only              |               | 3<br>5 | 9.0:1<br>13.3:1 |
| 4021         | Kamloops             | 3-13<br>3-17 |          | Oct 1-Oct 31                 | Bull only              | -             | 2      | 6.5:1           |
| 4022         | Kamloops<br>Kamloops | 3-17<br>3-18 |          | Oct 1-Oct 31                 | Bull only              |               | 8      | 6.5:1<br>20.5:1 |
| 4024         | Kamloops             | 3-10         | Α        | Oct 1-Oct 31                 | Bull only<br>Bull only |               | 8      | 20.5.1          |
| 4025         | Kamloops             | 3-19         | B        | Oct 1-Oct 31                 | Bull only              |               | o<br>5 | 16.6:1          |
| 4026         | Kamloops             | 3-17         |          | Oct 1-Oct 31                 | Bull only              |               | 4      | 28.8:1          |
| 4027         | Kamloops             | 3-26         |          | Oct 1-Oct 31                 | Bull only              |               | 7      | 26.5:1          |
| 4028         | Kamloops             | 3-27         |          | Oct 1-Oct 31                 | Bull only              |               | 3      | 47.0: I         |
| 4029         | Kamloops             | 3-28         | Α        | Oct 1-Oct 31                 | Bull only              |               | 5      | 29.6:1          |
| 4030         | Kamloops             | 3-28         | В        | Oct 1-Oct 31                 | Bull only              |               | 3      | 20.4:1          |
| 403 I        | Kamloops             | 3-29         | Α        | Oct I-Oct 31                 | Bull only              |               | 0      | 23.2:1          |
| 4032         | Kamloops             | 3-29         | В        | Oct 1-Oct 31                 | Bull only              | I             | 2      | 15.7:1          |
| 4033         | Kamloops             | 3-30         | Α        | Oct I-Oct 31                 | Bull only              | I             | 4      | 17.9:1          |
| 4034         | Kamloops             | 3-30         | В        | Oct 1-Oct 31                 | Bull only              | I             | 4      | 25.0:1          |
| 4035         | Kamloops             | 3-31         | Α        | Oct 1-Oct 31                 | Bull only              | I             | 4      | 8.7:1           |
| 4036         | Kamloops             | 3-31         | В        | Oct I-Oct 31                 | Bull only              | I             | 2      | 10.3:1          |
| 4037         | Kamloops             | 3-32         |          | Oct I-Oct 31                 | Bull only              | I             | 0      | 17.5:1          |
| 4038         | Kamloops             | 3-33         |          | Oct 1-Oct 31                 | Bull only              |               | 6      | 9.7:1           |
| 4039         | Kamloops             | 3-35         |          | Oct 1-Oct 31                 | Bull only              |               | 7      | 9.0:1           |
| 4040         | Kamloops             | 3-36         |          | Oct I-Oct 31                 | Bull only              |               | 8      | 12.7:1          |
| 4041         | Kamloops             | 3-37         |          | Oct 1-Oct 31                 | Bull only              |               | 9      | 8.8:1           |
| 4042         | Kamloops             | 3-38         |          | Oct 1-Oct 31                 | Bull only              |               | 1      | 11.7:1          |
| 4043         | Kamloops             | 3-39         |          | Oct 1-Oct 31                 | Bull only              |               | 7      | 26.3:1          |
| 4044         | Kamloops             | 3-40         |          | Oct 1-Oct 31                 | Bull only              |               | 20     | 7.8:1           |
| 4045         | Kamloops             | 3-41         |          | Oct 1-Oct 31                 | Bull only              | I             | 2      | 5.3:1           |

#### **LIMITED ENTRY MOOSE SHARED HUNTS**

#### THOMPSON REGION 3 (See LEH Map 3B for boundaries)

| Hun<br>Cod |                   | M.U.         | Zone   | Season Dates                 | Class of<br>Animal     | Tentative Number of Authorizations Available | 2010<br>First<br>Choice<br>Odds |
|------------|-------------------|--------------|--------|------------------------------|------------------------|--|---------------------------------|
| 404        | 6 Kamloops        | 3-42         |        | Oct I-Oct 31                 | Bull only              | 16   | 3.7:1                           |
| 404        | 7 Kamloops        | 3-43         |        | Oct I-Oct 31                 | Bull only              | 6  | 6.0:1                           |
| 404        | <b>B</b> Kamloops | 3-44         |        | Oct I-Oct 31                 | Bull only              | 12   | 5.1:1                           |
| 404        | 9 Kamloops        | 3-46*        |        | Oct I-Oct 31                 | Bull only              | 25   | 2.8:1                           |
| 405        | D Kamloops        | 3-46*        |        | Sept 20-Sept 30              | Bull only              | 5  | 2.4:1                           |
| 405        |                   | 3-12         | Α      | Nov I-Nov 30                 | Bull only              | 20   | 11.6:1                          |
| 405        | •                 | 3-12         | В      | Nov I-Nov 30                 | Bull only              | 6  | 3.4:1                           |
| 405        | •                 | 3-13         |        | Nov I-Nov 30                 | Bull only              | 18   | 5.0:1                           |
| 405        |                   | 3-17         |        | Nov I-Nov 30                 | Bull only              | 24   | 3.0:1                           |
| 405        | •                 | 3-18         |        | Nov I-Nov 30                 | Bull only              | 29   | 13.5:1                          |
| 405        |                   | 3-19         | Α      | Nov I-Nov 30                 | Bull only              | 16   | 8.5:1                           |
| 405        |                   | 3-19         | В      | Nov I-Nov 30                 | Bull only              | 10   | 12.9:1                          |
| 405        | •                 | 3-20         |        | Nov I-Nov 30                 | Bull only              | 8  | 14.8:1                          |
| 405        |                   | 3-26         |        | Nov I-Nov 30                 | Bull only              | 14   | 18.6:1                          |
| 406        |                   | 3-27         | _      | Nov I-Nov 30                 | Bull only              | 5  | 13.6:1                          |
| 406        |                   | 3-28         | Α      | Nov I-Nov 30                 | Bull only              | 10   | 14.6:1                          |
| 406        | •                 | 3-28         | В      | Nov I-Nov 30                 | Bull only              | 13   | 4.4:1                           |
| 40.7       |                   |              |        | ULL REGARDLESS (             |                        |  | 0.5.1                           |
| 4063       |                   | 3-29         | A      | Nov I-Nov 30                 | Bull only              | 9  | 8.5:1                           |
| 406        |                   | 3-29         | В      | Nov I-Nov 30                 | Bull only              | 22   | 6.0:1                           |
| 406        |                   | 3-30         | A      | Nov I-Nov 30                 | Bull only              | 28   | 6.7:1                           |
| 406        |                   | 3-30         | В      | Nov I-Nov 30                 | Bull only              | 28   | 6.4:1                           |
| 406        | •                 | 3-31<br>3-31 | A<br>B | Nov I-Nov 30<br>Nov I-Nov 30 | Bull only              | 28<br>24                                     | 2.8:1<br>2.0:1                  |
| 406        |                   | 3-31         | D      | Nov 1-Nov 30                 | Bull only<br>Bull only | 22   | 4.2:1                           |
| 407        |                   | 3-32         |        | Nov 1-Nov 30                 | Bull only              | 12   | 4.2:1                           |
| 407        |                   | 3-35<br>3-35 |        | Nov 1-Nov 30                 | Bull only              | 4  | 4.5:1                           |
| 407        |                   | 3-36         |        | Nov 1-Nov 30                 | Bull only              | 13   | 6.6:1                           |
| 407        |                   | 3-37         |        | Nov 1-Nov 30                 | Bull only              | 17   | 8.1:1                           |
| 407        |                   | 3-38         |        | Nov I-Nov 30                 | Bull only              | 26   | 4.7:1                           |
| 407        |                   | 3-39         |        | Nov 1-Nov 30                 | Bull only              | 6  | 18.7:1                          |
| 407        | •                 | 3-40         |        | Nov I-Nov 30                 | Bull only              | 24   | 3.8:1                           |
| 407        |                   | 3-41         |        | Nov I-Nov 30                 | Bull only              | 16   | 3.4:1                           |
| 407        |                   | 3-42         |        | Nov I-Nov 30                 | Bull only              | 21   | 2.6:1                           |
| 407        |                   | 3-43         |        | Nov I-Nov 30                 | Bull only              | 13   | 1.4:1                           |
| 408        | •                 | 3-44         |        | Nov I-Nov 30                 | Bull only              | 24   | 2.9:1                           |
| 408        |                   | 3-46*        |        | Nov I-Nov 30                 | Bull only              | 30   | 1.3:1                           |
| 408        |                   | 3-46*        |        | Dec I-Dec 10                 | Bull only              | 10   | 1.7:1                           |
|            |                   |              |        | _ 50 . 500 .0                | 20 0.11)               | . 0  |                                 |

<sup>\*</sup> Hunters should be aware that Management Unit 3-46 is located primarily within Wells Gray Provincial Park. Access is limited, ATV use is prohibited, and additional restrictions may apply.

#### KOOTENAY REGION 4 (See LEH Maps 4A, 4E, 4H, 4J & 4N for boundaries)

| Hunt<br>Code | Area     | M.U. | Zone | Season Dates  |                   | Number<br>orizations<br>Available | First<br>Choice<br>Odds |
|--------------|----------|------|------|---------------|-------------------|-----------------------------------|-------------------------|
| 4083         | Kootenay | 4-38 | D    | Oct 16-Nov 30 | Cow or calf only* | 10                                | 50.0:1                  |
| 4084         | Kootenay | 4-38 | E    | Oct 16-Nov 30 | Cow or calf only* | 10                                | 120.0:1                 |
| 4085         | Kootenay | 4-38 | F    | Oct 16-Nov 30 | Cow or calf only* | 10                                | 61.0:1                  |
| 4086         | Kootenay | 4-39 | D    | Oct 16-Nov 30 | Cow or calf only* | 10                                | 38.0:1                  |
| 4087         | Kootenay | 4-39 | E    | Oct 16-Nov 30 | Cow or calf only* | 10                                | 22.0:1                  |
| 4088         | Kootenay | 4-39 | F    | Oct 16-Nov 30 | Cow or calf only* | 10                                | 40.0:1                  |

 $<sup>^{\</sup>ast}$   $\,$  Hunters are requested to select dry cows (cows without calves) or a calf when encountering a

| cow/ca |             |                |      |                 |              |             |        |
|--------|-------------|----------------|------|-----------------|--------------|-------------|--------|
|        | NOTE LEH BU | ILL ONLY IS AN | IY B | BULL REGARDLESS | OF ANTLER CO | NFIGURATION |        |
| 4089   | Kootenay    | 4-01           | A    | Oct 15-Nov 15   | Bull only*   | 10          | 14.4:1 |
| 4090   | Kootenay    | 4-01           | В    | Oct 15-Nov 15   | Bull only*   | 11          | 8.9:1  |
| 409 I  | Kootenay    | 4-02           | A    | Oct 15-Nov 15   | Bull only*   | 15          | 11.0:1 |
| 4092   | Kootenay    | 4-02           | В    | Oct 15-Nov 15   | Bull only*   | 13          | 9.7:1  |
| 4093   | Kootenay    | 4-03           |      | Oct 15-Nov 15   | Bull only*   | 1           | 33.0:1 |
| 4094   | Kootenay    | 4-04           |      | Oct 15-Nov 15   | Bull only*   | 1           | 24.0:1 |
| 4095   | Kootenay    | 4-05           |      | Oct 15-Nov 15   | Bull only*   | 26          | 23.1:1 |
| 4096   | Kootenay    | 4-06           |      | Oct 15-Nov 15   | Bull only*   | 10          | 21.0:1 |
| 4097   | Kootenay    | 4-07           |      | Oct 15-Nov 15   | Bull only*   | 7           | 38.9:1 |
| 4098   | Kootenay    | 4-08           |      | Oct 15-Nov 15   | Bull only*   | 15          | 25.0:1 |
| 4099   | Kootenay    | 4-09           |      | Oct 15-Nov 15   | Bull only*   | 4           | 35.2:1 |
| 4100   | Kootenay    | 4-14           |      | Oct 15-Nov 15   | Bull only*   | 3           | 20.0:1 |
| 4101   | Kootenay    | 4-15           |      | Oct 15-Nov 15   | Bull only*   | 8           | 11.6:1 |
| 4102   | Kootenay    | 4-16           |      | Oct 15-Nov 15   | Bull only*   | 15          | 5.6:1  |
| 4103   | Kootenay    | 4-17           |      | Oct 15-Nov 15   | Bull only*   | 14          | 3.3:1  |
| 4104   | Kootenay    | 4-18           |      | Oct 15-Nov 15   | Bull only*   | 7           | 11.0:1 |
| 4105   | Kootenay    | 4-19           |      | Oct 15-Nov 15   | Bull only*   | 1           | 8.0:1  |
| 4106   | Kootenay    | 4-20           |      | Oct 15-Nov 15   | Bull only*   | 22          | 31.1:1 |
| 4107   | Kootenay    | 4-21           |      | Oct 15-Nov 15   | Bull only*   | 5           | 27.8:1 |
| 4108   | Kootenay    | 4-22           |      | Oct 15-Nov 15   | Bull only*   | 37          | 13.9:1 |
| 4109   | Kootenay    | 4-23           | A    | Oct 15-Nov 15   | Bull only*   | 39          | 19.0:1 |
| 4110   | Kootenay    | 4-23           | В    | Oct 15-Nov 15   | Bull only*   | 34          | 14.6:1 |
| 4111   | Kootenay    | 4-24           |      | Oct 15-Nov 15   | Bull only*   | 13          | 21.1:1 |
| 4112   | Kootenay    | 4-25           |      | Oct 15-Nov 15   | Bull only*   | 26          | 8.8:1  |
| 4113   | Kootenay    | 4-26           |      | Oct 15-Nov 15   | Bull only*   | 14          | 22.2:1 |
| 4114   | Kootenay    | 4-27           |      | Oct 15-Nov 15   | Bull only*   | 2           | 5.0:1  |
| 4115   | Kootenay    | 4-28           |      | Oct 15-Nov 15   | Bull only*   | 2           | 3.5:1  |
| 4116   | Kootenay    | 4-29           |      | Oct 15-Nov 15   | Bull only*   | 8           | 4.7:1  |
| 4117   | Kootenay    | 4-30           |      | Oct 15-Nov 15   | Bull only*   | 9           | 4.0:1  |
| 4118   | Kootenay    | 4-31           |      | Oct 15-Nov 15   | Bull only*   | 9           | 5.8:1  |
| 4119   | Kootenay    | 4-32           | A    | Oct 15-Nov 15   | Bull only*   | 16          | 25.0:1 |
| 4120   | Kootenay    | 4-32           | В    | Oct 15-Nov 15   | Bull only*   | 24          | 7.3:1  |
| 4121   | Kootenay    | 4-33           |      | Oct 15-Nov 15   | Bull only*   | 8           | 2.9:1  |
| 4122   | Kootenay    | 4-34           |      | Oct 15-Nov 15   | Bull only*   | 19          | 14.9:1 |
| 4123   | Kootenay    | 4-35           |      | Oct 15-Nov 15   | Bull only*   | 2           | 36.0:1 |
|        |             |                |      |                 |              |             |        |

#### **LIMITED ENTRY MOOSE SHARED HUNTS**

KOOTENAY REGION 4 (See LEH Maps 4A, 4E, 4H, 4J & 4N for boundaries)

| Hunt<br>Code | Area     | M.U. | Zone | Season Dates   | Class of<br>Animal | Tentative Number of Authorizations Available | 2010<br>First<br>Choice<br>Odds |
|--------------|----------|------|------|----------------|--------------------|--|---------------------------------|
| 4124         | Kootenay | 4-36 |      | Sept 20-Nov 15 | Bull only**        | 13   | 7.6:1                           |
| 4125         | Kootenay | 4-37 |      | Sept 20-Nov 15 | Bull only**        | 28   | 3.3:1                           |
| 4126         | Kootenay | 4-38 | D    | Sept 20-Nov 15 | Bull only**        | 15   | 6.1:1                           |
| 4127         | Kootenay | 4-38 | E    | Sept 20-Nov 15 | Bull only**        | 16   | 14.2:1                          |
| 4128         | Kootenay | 4-38 | F    | Sept 20-Nov 15 | Bull only**        | 1  | 18.0:1                          |
| 4129         | Kootenay | 4-39 | D    | Sept 20-Nov 15 | Bull only**        | 5  | 5.0:1                           |
| 4130         | Kootenay | 4-39 | E    | Sept 20-Nov 15 | Bull only**        | 23   | 3.8:1                           |
| 4131         | Kootenay | 4-39 | F    | Sept 20-Nov 15 | Bull only**        | 3  | 17.0:1                          |
| 4132         | Kootenay | 4-40 |      | Sept 20-Nov 15 | Bull only**        | 20   | 5.0:1                           |

- \* Persons successful in drawing a LEH authorization for these bull Moose only hunts may hunt from September I to October 14 using ARCHERY EQUIPMENT ONLY

  \*\* Persons successful in drawing a LEH authorization for these bull Moose only hunts may hunt from September I to September 9 using ARCHERY EQUIPMENT ONLY from September 1 to September 9 using ARCHERY EQUIPMENT ONLY

Successful hunters are required to submit within 30 days of kill, an incisor tooth, and the antlers attached to a portion of the upper skull of any bull moose to a C.I. Inspector.

| CARIBO       | OO REGION          | 5 (See LEH   | Maps       | <b>5A, 5C, 5E &amp; 5H</b> f    | or boundar             | ies)                           |                 |
|--------------|--------------------|--------------|------------|---------------------------------|------------------------|--------------------------------|-----------------|
| U4           |                    |              |            |                                 | Class of               | Tentative Number               | 2010<br>First   |
| Hunt<br>Code | Area               | M.U.         | Zone       | Season Dates                    | Class of<br>Animal     | of Authorizations<br>Available | Choice<br>Odds  |
| 4133         | Cariboo            | 5-15         | A          | Nov I-Dec 10                    | Cow or ca              |                                | 3.6:1           |
| 4134         | Cariboo<br>Cariboo | 5-15<br>5-15 | B<br>C     | Nov I-Dec 10<br>Nov I-Dec 10    | Cow or ca<br>Cow or ca |                                | 1.6:1<br>3.3:1  |
| 4136         | Cariboo            | 5-15         | D          | Nov I-Dec 10                    | Cow or ca              | ,                              | 4.3:1           |
|              |                    |              | ANY B      | ULL REGARDLESS (                |                        |                                |                 |
| 4137         | Cariboo            | 5-01<br>5-01 |            | Sept 10-Sept 30                 | Bull only              | 100                            | 8.1:1           |
| 4138<br>4139 | Cariboo<br>Cariboo | 5-01         |            | Oct 1-Oct 14<br>Oct 15-Oct 31   | Bull only<br>Bull only | 45<br>100                      | 9.0:1<br>5.6:1  |
| 4140         | Cariboo            | 5-01         |            | Nov 1-Nov 15                    | Bull only              | 50                             | 2.1:1           |
| 4141         | Cariboo            | 5-02         | Α          | Sept 10-Sept 30                 | Bull only              | 57                             | 3.5:1           |
| 4142<br>4143 | Cariboo<br>Cariboo | 5-02<br>5-02 | A<br>A     | Oct 1-Oct 14                    | Bull only              | 24<br>32                       | 5.2:1<br>4.3:1  |
| 4143         | Cariboo            | 5-02<br>5-02 | A          | Oct 15-Oct 31<br>Nov 1-Nov 15   | Bull only<br>Bull only | 12                             | 3.8:1           |
| 4145         | Cariboo            | 5-02         | В          | Sept 10-Sept 30                 | Bull only              | 135                            | 5.6:1           |
| 4146         | Cariboo            | 5-02         | В          | Oct 1-Oct 14                    | Bull only              | 63                             | 11.0:1          |
| 4147<br>4148 | Cariboo<br>Cariboo | 5-02<br>5-02 | B<br>B     | Oct 15-Oct 31<br>Nov 1-Nov 15   | Bull only<br>Bull only | 64<br>56                       | 7.5:1<br>5.5:1  |
| 4149         | Cariboo            | 5-02<br>5-02 | C          | Sept 10-Sept 30                 | Bull only              | 65                             | 5.4:1           |
| 4150         | Cariboo            | 5-02         | C          | Oct 1-Oct 14                    | Bull only              | 37                             | 13.4:1          |
| 4151         | Cariboo            | 5-02         | C          | Oct 15-Oct 31                   | Bull only              | 32                             | 5.7:1           |
| 4152<br>4153 | Cariboo<br>Cariboo | 5-02<br>5-02 | C<br>D     | Nov 1-Nov 15<br>Sept 10-Sept 30 | Bull only<br>Bull only | 30<br>150                      | 7.0:1<br>4.5:1  |
| 4154         | Cariboo            | 5-02<br>5-02 | D          | Oct 1-Oct 14                    | Bull only              | 71                             | 5.9:1           |
| 4155         | Cariboo            | 5-02         | D          | Oct 15-Oct 31                   | Bull only              | 100                            | 3.9:1           |
| 4156         | Cariboo            | 5-02         | D          | Nov I-Nov I5                    | Bull only              | 54                             | 5.7:1           |
| 4157<br>4158 | Cariboo<br>Cariboo | 5-03<br>5-03 |            | Sept 10-Sept 30<br>Oct 1-Oct 14 | Bull only<br>Bull only | 26<br>8                        | 5.5:1<br>18.5:1 |
| 4159         | Cariboo            | 5-03         |            | Oct 15-Oct 31                   | Bull only              | 7                              | 11.7:1          |
| 4160         | Cariboo            | 5-03         |            | Nov I-Nov I5                    | Bull only              | 4                              | 5.3:1           |
| 4161         | Cariboo            | 5-04         | A          | Sept 10-Sept 30                 | Bull only              | 21                             | 1.5:1           |
| 4162<br>4163 | Cariboo<br>Cariboo | 5-04<br>5-04 | A<br>A     | Oct 1-Oct 14<br>Oct 15-Oct 31   | Bull only<br>Bull only | 15<br>23                       | 0.9:1<br>0.7:1  |
| 4164         | Cariboo            | 5-04         | A          | Nov 1-Nov 15                    | Bull only              | 5                              | 0.8:1           |
| 4165         | Cariboo            | 5-04         | <b>B</b> * | Sept 10-Sept 30                 | Bull only              | 150                            | 2.4:1           |
| 4166<br>4167 | Cariboo<br>Cariboo | 5-04<br>5-04 | B*<br>B*   | Oct 1-Oct 14<br>Oct 15-Oct 31   | Bull only              | 50<br>100                      | 4.2:1<br>3.3:1  |
| 4168         | Cariboo            | 5-04<br>5-04 | B*         | Nov 1-Nov 15                    | Bull only<br>Bull only | 36                             | 2.3:1           |
| 4169         | Cariboo            | 5-05         |            | Sept 10-Sept 30                 | Bull only              | 50                             | 0.7:1           |
| 4170         | Cariboo            | 5-05         |            | Oct 1-Oct 14                    | Bull only              | 10                             | 1.6:1           |
| 4171<br>4172 | Cariboo<br>Cariboo | 5-05<br>5-05 |            | Oct 15-Oct 31<br>Nov 1-Nov 15   | Bull only<br>Bull only | 15<br>10                       | 2.2:1<br>1.7:1  |
| 4173         | Cariboo            | 5-06         |            | Sept 10-Sept 30                 | Bull only              | 32                             | 2.5:1           |
| 4174         | Cariboo            | 5-06         |            | Oct 1-Oct 14                    | Bull only              | 8                              | 3.0:1           |
| 4175<br>4176 | Cariboo<br>Cariboo | 5-06<br>5-06 |            | Oct 15-Oct 31<br>Nov 1-Nov 15   | Bull only              | 17<br>16                       | 1.1:1<br>5.8:1  |
| 4177         | Cariboo            | 5-10         |            | Sept 10-Sept 30                 | Bull only<br>Bull only | 30                             | 0.5:1           |
| 4178         | Cariboo            | 5-10         |            | Oct I-Oct 14                    | Bull only              | 20                             | 1.7:1           |
| 4179         | Cariboo            | 5-10         |            | Oct 15-Oct 31                   | Bull only              | 5                              | 0.0:1           |
| 4180<br>4181 | Cariboo<br>Cariboo | 5-10<br>5-11 | Α          | Nov 1-Nov 15<br>Sept 10-Sept 30 | Bull only<br>Bull only | 5<br>15                        | 0.2:1<br>0.2:1  |
| 4182         | Cariboo            | 5-11         | Ā          | Oct 1-Oct 14                    | Bull only              | 10                             | 1.3:1           |
| 4183         | Cariboo            | 5-11         | Α          | Oct 15-Oct 31                   | Bull only              | 10                             | 0.3:1           |
| 4184         | Cariboo            | 5-11         | A          | Nov I-Nov I5                    | Bull only              | 3                              | 0.7:1           |
| 4185<br>4186 | Cariboo<br>Cariboo | 5-12<br>5-12 | A<br>A     | Sept 10-Sept 30<br>Oct 1-Oct 14 | Bull only<br>Bull only | 150<br>60                      | 1.3:1<br>2.5:1  |
| 4187         | Cariboo            | 5-12         | A          | Oct 15-Oct 31                   | Bull only              | 150                            | 1.2:1           |
| 4188         | Cariboo            | 5-12         | A          | Nov I-Nov 15                    | Bull only              | 120                            | 3.1:1           |
| 4189<br>4190 | Cariboo<br>Cariboo | 5-12<br>5-12 | B<br>B     | Sept 10-Sept 30<br>Oct 1-Oct 14 | Bull only<br>Bull only | 90<br>25                       | 0.5:1<br>2.0:1  |
| 4191         | Cariboo            | 5-12         | В          | Oct 15-Oct 31                   | Bull only              | 30                             | 1.8:1           |
| 4192         | Cariboo            | 5-12         | В          | Nov I-Nov I5                    | Bull only              | 8                              | 0.9:1           |
| 4193         | Cariboo            | 5-13         | A          | Sept 10-Sept 30                 | Bull only              | 120                            | 4.9:1           |
| 4194<br>4195 | Cariboo<br>Cariboo | 5-13<br>5-13 | A<br>A     | Oct 1-Oct 14<br>Oct 15-Oct 31   | Bull only<br>Bull only | 41<br>45                       | 5.0:1<br>6.3:1  |
| 4196         | Cariboo            | 5-13         | A          | Nov 1-Nov 15                    | Bull only              | 23                             | 4.4:1           |
| 4197         | Cariboo            | 5-13         | В          | Sept 10-Sept 30                 | Bull only              | 60                             | 5.9:1           |
| 4198<br>4199 | Cariboo<br>Cariboo | 5-13<br>5-13 | B<br>B     | Oct 1-Oct 14<br>Oct 15-Oct 31   | Bull only              | 24<br>23                       | 6.8:1<br>10.1:1 |
| 4199         | Cariboo            | 5-13<br>5-13 | В          | Nov 1-Nov 15                    | Bull only<br>Bull only | 23<br>14                       | 10.1:1          |
| 4201         | Cariboo            | 5-13         | C          | Sept 10-Sept 30                 | Bull only              | 60                             | 2.9:1           |
| 4202         | Cariboo            | 5-13         | C          | Oct 1-Oct 14                    | Bull only              | 40                             | 12.3:1          |
| 4203<br>4204 | Cariboo<br>Cariboo | 5-13<br>5-13 | C<br>C     | Oct 15-Oct 31<br>Nov 1-Nov 15   | Bull only<br>Bull only | 30<br>15                       | 2.7:1<br>3.3:1  |
| 4205         | Cariboo            | 5-14         | -          | Sept 10-Sept 30                 | Bull only              | 53                             | 4.2:1           |
| 4206         | Cariboo            | 5-14         |            | Oct 1-Oct 14                    | Bull only              | 18                             | 6.8:1           |
|              |                    |              |            |                                 |                        |                                |                 |

#### **LIMITED ENTRY MOOSE SHARED HUNTS**

#### CARIBOO REGION 5 (See LEH Maps 5A, 5C, 5E & 5H for boundaries)

| 2010 |              |         |      |      |                 |                    |  |                         |  |  |  |
|------|--------------|---------|------|------|-----------------|--------------------|--|-------------------------|--|--|--|
|      | Hunt<br>Code | Area    | M.U. | Zone | Season Dates    | Class of<br>Animal | Tentative Number<br>of Authorizations<br>Available | First<br>Choice<br>Odds |  |  |  |
|      | 4207         | Cariboo | 5-14 |      | Oct 15-Oct 31   | Bull only          | 48   | 9.2:1                   |  |  |  |
|      | 4208         | Cariboo | 5-14 |      | Nov I-Nov I5    | Bull only          | 27   | 3.5:1                   |  |  |  |
|      | 4209         | Cariboo | 5-15 | Α    | Sept 10-Sept 30 | Bull only          | 25   | 6.5:1                   |  |  |  |
|      | 4210         | Cariboo | 5-15 | Α    | Oct I-Oct 14    | Bull only          | 3  | 4.7:1                   |  |  |  |
|      | 4211         | Cariboo | 5-15 | Α    | Oct 15-Oct 31   | Bull only          | 53   | 7.0:1                   |  |  |  |
|      | 4212         | Cariboo | 5-15 | Α    | Nov I-Nov 15    | Bull only          | 20   | 2.8:1                   |  |  |  |
|      | 4213         | Cariboo | 5-15 | В    | Sept 10-Sept 30 | Bull only          | 50   | 1.2:1                   |  |  |  |
|      | 4214         | Cariboo | 5-15 | В    | Oct I-Oct I4    | Bull only          | 12   | 4.0:1                   |  |  |  |
|      | 4215         | Cariboo | 5-15 | В    | Oct 15-Oct 31   | Bull only          | 50   | 1.3:1                   |  |  |  |
|      | 4216         | Cariboo | 5-15 | В    | Nov I-Nov 15    | Bull only          | 9  | 0.9:1                   |  |  |  |
|      | 4217         | Cariboo | 5-15 | C    | Sept 10-Sept 30 | Bull only          | 50   | 4.3:1                   |  |  |  |
|      | 4218         | Cariboo | 5-15 | C    | Oct I-Oct I4    | Bull only          | 12   | 5.6:1                   |  |  |  |
|      | 4219         | Cariboo | 5-15 | C    | Oct 15-Oct 31   | Bull only          | 30   | 4.3:1                   |  |  |  |
|      | 4220         | Cariboo | 5-15 | C    | Nov I-Nov 15    | Bull only          | 30   | 5.2:1                   |  |  |  |
|      | 422 I        | Cariboo | 5-15 | D    | Sept 10-Sept 30 | Bull only          | 30   | 2.8:1                   |  |  |  |
|      | 4222         | Cariboo | 5-15 | D    | Oct 1-Oct 14    | Bull only          | 10   | 3.2:1                   |  |  |  |
|      | 4223         | Cariboo | 5-15 | D    | Oct 15-Oct 31   | Bull only          | 20   | 5.5:1                   |  |  |  |
|      | 4224         | Cariboo | 5-15 | D    | Nov I-Nov 15    | Bull only          | 10   | 4.0:1                   |  |  |  |

<sup>\*</sup> Also includes Zone C of M.U. 5-04.

#### SKEENA REGION 6 (See LEH Maps 6D, 6H, 6K, 6N & 6V for boundaries)

Continued this year the Ministry is offering a combination hunt in the Spatsizi for one Moose and one Caribou. See Hunt Code 4225 to apply. Persons successful in drawing a Moose/Caribou authorization may hunt for both moose and caribou. Please note that you may only enter one application card per LEH species per year and if you apply for this new combination hunt you may not apply for any other Moose or Caribou hunt.

| Hunt<br>Code | Area              | M.U.     | Zone       | Season Dates     | Class of<br>Animal | Tentative Number<br>of Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|-------------------|----------|------------|------------------|--------------------|--|-------------------------|
| COMP         | INATION HUNT      |          |            |                  |                    |  |                         |
| 4225         |                   | 6-20+    | Α          | Aug 15-Oct 15    | Moose/Ca           | ıribou Bull 8                                      | 7.4:1                   |
|              | Spatsizi          | 0-20-    | А          | Aug 13-Oct 13    | 1100se/Ca          | ITIDOU DUII O                                      | 7. <del>4</del> .1      |
|              | AR HUNTS          |          |            |                  |                    |  |                         |
| 4226         | Smithers          | 6-01     |            | Sept 10-Oct 19 & | Bull only          | 102  | 6.6:1                   |
|              |                   |          |            | Oct 27-Nov 15    | Dull Offiy         | 102  | 0.0.1                   |
| 4227         | Smithers          | 6-02     | Α          | Sept 10-Oct 19 & | D II I             | 20   | ггі                     |
|              |                   |          |            | Oct 27-Nov 15    | Bull only          | 20   | 5.5:1                   |
| 4228         | Smithers          | 6-02     | В          | Sept 1-Oct 19    | Bull only          | 73   | 0.8:1                   |
| 4229         | Smithers          | 6-04     |            | Sept 10-Sept 24  | Bull only          | 55   | 5.8:1                   |
| 4230         | Smithers          | 6-04     |            | Sept 25-Oct 19   | Bull only          | 54   | 9.2:1                   |
| 4231         | Smithers          | 6-04     |            | Oct 27-Nov 15    | Bull only          | 67   | 3.8:1                   |
| 4232         | Smithers          | 6-05     |            | Sept 10-Sept 24  | Bull only          | 3  | 8.7:1                   |
| 4233         | Smithers          | 6-05     |            | Sept 25-Oct 19   | Bull only          | 3  | 18.4:1                  |
| 4234         | Smithers          | 6-05     |            | Oct 27-Nov 15    | Bull only          | 5  | 3.0:1                   |
| 4235         | Smithers          | 6-06     |            | Sept 10-Sept 24  | Bull only          | 21   | 2.1:1                   |
| 4236         | Smithers          | 6-06     |            | Sept 25-Oct 19   | Bull only          | 9  | 6.2:1                   |
| 4237         | Smithers          | 6-06     |            | Oct 27-Nov 15    | Bull only          | 14   | 3.3:1                   |
| 4238         | Smithers          | 6-07     |            | Sept 10-Oct 19 & | ,                  |  |                         |
|              |                   |          |            | Oct 27-Nov 15    | Bull only          | 52   | 2.9:1                   |
| 4239         | Smithers          | 6-08     |            | Sept 10-Sept 24  | Bull only          | 79   | 3.6:1                   |
| 4240         | Smithers          | 6-08     |            | Sept 25-Oct 19   | Bull only          | 76   | 6.8:1                   |
| 4241         | Smithers          | 6-08     |            | Oct 27-Nov 15    | Bull only          | 67   | 3.7:1                   |
| 4242         | Smithers          | 6-09     |            | Sept 10-Sept 24  | Bull only          | 98   | 3.5:1                   |
| 4243         | Smithers          | 6-09     |            | Sept 25-Oct 19   | Bull only          | 92   | 5.0:1                   |
| 4244         | Smithers          | 6-09     |            | Oct 27-Nov 15    | Bull only          | 72   | 4.4:1                   |
| 4245         | Smithers          | 6-10     | <b>A</b> * | Sept 10-Oct 19 & | ,                  |  |                         |
| 12.15        |                   | 0.0      | ••         | Oct 27-Nov 15    | Bull only          | 32   | 14.4:1                  |
| 4246         | Smithers          | 6-14+    |            | Sept 10-Oct 19 & |                    |  |                         |
| 7270         | Jilitiers         | 0-141    |            | Oct 27-Nov 15    | Bull only          | 5  | 3.6:1                   |
| 4247         | Smithers          | 6-15     | Α          | Sept 10-Oct 19 & |                    |  |                         |
| 4247         | Jillulers         | 0-13     | A          |                  | Bull only          | 9  | 26.9:1                  |
| 42.40        | Constalla cons    | / 15:    |            | Oct 27-Nov 15    | ,                  |  |                         |
| 4248         | Smithers          | 6-15+    | В          | Sept 10-Oct 19 & | Bull only          | 5  | 5.8:1                   |
| 40.40        |                   |          |            | Oct 27-Nov 15    | ,                  |  |                         |
| 4249         | Smithers          | 6-16+    | A**        | Sept 10-Oct 19 & | Bull only          | 3  | 15.0:1                  |
|              |                   |          |            | Oct 27-Nov 15    | ,                  |  |                         |
| 4250         | Stikine           | 6-19+    | Α          | Sept I-Oct 15    | Bull only          | 97   | 1.4:1                   |
| 4251         | Spatsizi          | 6-20+    |            | Aug 15-Oct 15    | Bull only          | 98   | 0.8:1                   |
| 4252         | Smithers          | 6-30     | Α          | Sept 10-Oct 19 & | Bull only          | 145  | 1.5:1                   |
|              |                   |          |            | Oct 27-Nov 15    | Duli Offiy         | 1 13   | 1.5.1                   |
| * Also       | includes partions | of MII's | 5-03 an    | d 6-11 ** ΔΙσ    | o includes         | a portion of MII                                   | 6-30                    |

- + Successful hunters are required to submit within 30 days of kill, an incisor tooth, and the antlers attached to a portion of the upper skull of any bull moose taken to a C.I. Inspector.

#### OMINECA/PEACE REGION 7 (See LEH Maps 7D & 7K for boundaries)

| 2010 |              |               |      |      |               |                  |  |                         |  |  |  |
|------|--------------|---------------|------|------|---------------|------------------|--|-------------------------|--|--|--|
|      | Hunt<br>Code | Area          | M.U. | Zone | Season Dates  |                  | ve Number<br>thorizations<br>Available | First<br>Choice<br>Odds |  |  |  |
|      | 4253         | Prince George | 7-02 |      | Oct 10-Oct 25 | Cow or calf only | 40                                     | 1.5:1                   |  |  |  |
|      | 4254         | Prince George | 7-03 |      | Oct 10-Oct 25 | Cow or calf only | 55                                     | 1.4:1                   |  |  |  |
|      | 4255         | Prince George | 7-04 |      | Oct 10-Oct 25 | Cow or calf only | 40                                     | 1.6:1                   |  |  |  |
|      | 4256         | Prince George | 7-05 |      | Oct 10-Oct 25 | Cow or calf only | 55                                     | 1.9:1                   |  |  |  |
|      | 4257         | Prince George | 7-06 |      | Oct 10-Oct 25 | Cow or calf only | 60                                     | 2.0:1                   |  |  |  |
|      | 4258         | Prince George | 7-07 |      | Oct 10-Oct 25 | Cow or calf only | 105                                    | 4.1:1                   |  |  |  |
|      | 4259         | Prince George | 7-08 |      | Oct 10-Oct 25 | Cow or calf only | 60                                     | 5.0:1                   |  |  |  |
|      | 4260         | Prince George | 7-09 |      | Oct 10-Oct 25 | Cow or calf only | 60                                     | 3.1:1                   |  |  |  |
|      | 4261         | Prince George | 7-10 |      | Oct 10-Oct 25 | Cow or calf only | 60                                     | 5.2:1                   |  |  |  |
|      | 4262         | Prince George | 7-11 |      | Oct 10-Oct 25 | Cow or calf only | 55                                     | 5.8:1                   |  |  |  |
|      | 4263         | Prince George | 7-12 | Α    | Oct 10-Oct 25 | Cow or calf only | 30                                     | 8.6:1                   |  |  |  |
|      | 4264         | Prince George | 7-12 | В    | Oct 10-Oct 25 | Cow or calf only | 30                                     | 8.1:1                   |  |  |  |
|      | 4265         | Prince George | 7-13 |      | Oct 10-Oct 25 | Cow or calf only | 45                                     | 3.9:1                   |  |  |  |
|      | 4266         | Prince George | 7-14 |      | Oct 10-Oct 25 | Cow or calf only | 50                                     | 6.0:1                   |  |  |  |
|      | 4267         | Prince George | 7-15 |      | Oct 10-Oct 25 | Cow or calf only | 55                                     | 5.5:1                   |  |  |  |
|      | 4268         | Prince George | 7-16 | Α    | Oct I-Oct 9   | Cow or calf only | 5                                      | 1.4:1                   |  |  |  |
|      | 4269         | Prince George | 7-16 | В    | Oct I-Oct 9   | Cow or calf only | 5                                      | 1.0:1                   |  |  |  |

#### **LIMITED ENTRY MOOSE SHARED HUNTS**

|              |                                |                  |                                  |                                      | ve Number                 | First          |
|--------------|--------------------------------|------------------|----------------------------------|--------------------------------------|---------------------------|----------------|
| Hunt<br>Code | Area                           | M.U. Zone        | Season Dates                     | Class of of Au<br>Animal             | thorizations<br>Available | Choice<br>Odds |
| 4270         | Prince George                  | 7-16 C           | Oct I-Oct 9                      | Cow or calf only                     | 5                         | 5.0:1          |
| 427 I        | Prince George                  | 7-16 A           | Oct 10-Oct 25                    | Cow or calf only                     | 5                         | 3.2:1          |
| 4272         | Prince George                  | 7-16 B           | Oct 10-Oct 25                    | Cow or calf only                     | 5                         | 1.6:1          |
| 4273         | Prince George                  | 7-16 C           | Oct 10-Oct 25                    | Cow or calf only                     |                           | 4.6:1          |
| 4274         | Prince George                  | 7-17             | Oct 10-Oct 25                    | Cow or calf only                     |                           | 2.6:1          |
| 4275         | Prince George                  | 7-18             | Oct 10-Oct 25                    | Cow or calf only                     | 50                        | 1.3:1          |
| 4276<br>4277 | Prince George<br>Prince George | 7-23 A<br>7-23 B | Oct 1-Oct 9                      | Cow or calf only                     |                           | 2.0:1<br>2.6:1 |
| 4277         | Prince George                  | 7-23 В<br>7-23 С | Oct 1-Oct 9<br>Oct 1-Oct 9       | Cow or calf only<br>Cow or calf only |                           | 2.6:1          |
| 4279         | Prince George                  | 7-23 C           | Oct 1-Oct 9                      | Cow or calf only                     | 3                         | 0.7:1          |
| 4280         | Prince George                  | 7-23 E           | Oct 1-Oct 9                      | Cow or calf only                     | 3                         | 0.7:1          |
| 4281         | Prince George                  | 7-23 A           | Oct 10-Oct 25                    | Cow or calf only                     | 13                        | 0.6:1          |
| 4282         | Prince George                  | 7-23 B           | Oct 10-Oct 25                    | Cow or calf only                     |                           | 0.6:1          |
| 4283         | Prince George                  | 7-23 C           | Oct 10-Oct 25                    | Cow or calf only                     |                           | 1.4:1          |
| 4284         | Prince George                  | 7-23 D           | Oct 10-Oct 25                    | Cow or calf only                     | 3                         | 1.7:1          |
| 4285         | Prince George                  | 7-23 E           | Oct 10-Oct 25                    | Cow or calf only                     | 3                         | 1.0:1          |
| 4286         | Prince George                  | 7-24             | Oct 10-Oct 25                    | Cow or calf only                     | 35                        | 8.6:1          |
| 4287         | Prince George                  | 7-25             | Oct 10-Oct 25                    | Cow or calf only                     | 35                        | 4.3:1          |
| 4288         | Prince George                  | 7-26             | Oct 10-Oct 25                    | Cow or calf only                     | 30                        | 4.2:1          |
| 4289         | Prince George                  | 7-27             | Oct 10-Oct 25                    | Cow or calf only                     | 50                        | 2.0:1          |
| 4290         | Prince George                  | 7-28             | Oct 10-Oct 25                    | Cow or calf only                     | 50                        | 2.5:1          |
| 4291         | Prince George                  | 7-29             | Oct 10-Oct 25                    | Cow or calf only                     |                           | 2.3:1<br>1.7:1 |
| 4292<br>4293 | Prince George<br>Prince George | 7-30<br>7-38     | Oct 10-Oct 25<br>Oct 10-Oct 25   | Cow or calf only<br>Cow or calf only | 45<br>55                  | 2.2:1          |
| 4273         |                                |                  |                                  | OF ANTLER CONFIG                     |                           | ۷.۷.۱          |
| 4294         | Prince George                  | 7-02             | Sept 10-Nov 5                    | Bull only                            | 55                        | 2.0:1          |
| 4295         | Prince George                  | 7-03             | Sept 10-Nov 5                    | Bull only                            | 55                        | 3.3:1          |
| 4296         | Prince George                  | 7-04             | Sept 10-Nov 5                    | Bull only                            | 55                        | 3.2:1          |
| 4297         | Prince George                  | 7-05             | Sept 10-Nov 5                    | Bull only                            | 55                        | 4.4:1          |
| 4298         | Prince George                  | 7-06             | Sept 10-Nov 5                    | Bull only                            | 70                        | 5.0:1          |
| 4299         | Prince George                  | 7-07             | Sept 10-Nov 5                    | Bull only                            | 145                       | 6.8:1          |
| 4300         | Prince George                  | 7-08             | Sept 10-Nov 5                    | Bull only                            | 115                       | 7.2:1          |
| 4301         | Prince George                  | 7-09             | Sept 10-Nov 5                    | Bull only                            | 115                       | 4.4:1          |
| 4302         | Prince George                  | 7-10             | Sept 10-Nov 5                    | Bull only                            | 90                        | 6.3:1          |
| 4303         | Prince George                  | 7-11             | Sept 10-Nov 5                    | Bull only                            | 145                       | 6.3:1          |
| 4304<br>4305 | Prince George<br>Prince George | 7-12 A<br>7-12 B | Sept 10-Nov 5                    | Bull only                            | 85<br>85                  | 7.8:1<br>7.7:1 |
| 4306         | Prince George                  | 7-12 В<br>7-13   | Sept 10-Nov 5<br>Sept 10-Nov 5   | Bull only<br>Bull only               | 65<br>115                 | 6.5:1          |
| 4307         | Prince George                  | 7-13             | Sept 10-Nov 5                    | Bull only                            | 95                        | 5.4:1          |
| 4308         | Prince George                  | 7-15             | Sept 10 Nov 5                    | Bull only                            | 115                       | 7.6:1          |
| 4309         | Prince George                  | 7-16 A           | Aug 15-Sept 30                   | Bull only                            | 25                        | 3.5:1          |
| 4310         | Prince George                  | 7-16 B           | Aug 15-Sept 30                   | Bull only                            | 25                        | 1.2:1          |
| 4311         | Prince George                  | 7-16 C           | Aug 15-Sept 30                   | Bull only                            | 25                        | 7.3:1          |
| 4312         | Prince George                  | 7-16 A           | Oct I-Nov 5                      | Bull only                            | 25                        | 3.8:1          |
| 4313         | Prince George                  | 7-16 B           | Oct 1-Nov 5                      | Bull only                            | 25                        | 2.4:1          |
| 4314         | Prince George                  | 7-16 C           | Oct I-Nov 5                      | Bull only                            | 25                        | 11.1:1         |
| 4315         | Prince George                  | 7-17             | Sept 10-Nov 5                    | Bull only                            | 50                        | 7.2:1          |
| 4316         | Prince George                  | 7-18             | Aug 15-Nov 5                     | Bull only                            | 50                        | 5.3:1          |
| 4317<br>4318 | Prince George                  | 7-23 A           | Aug 15-Sept 30                   | Bull only                            | 25<br>25                  | 2.2:1          |
| 4318         | Prince George<br>Prince George | 7-23 B<br>7-23 C | Aug 15-Sept 30<br>Aug 15-Sept 30 | Bull only<br>Bull only               | 25<br>25                  | 1.2:1<br>1.8:1 |
| 4320         | Prince George                  | 7-23 D           | Aug 15-Sept 30                   | Bull only                            | 13                        | 1.8:1          |
| 4321         | Prince George                  | 7-23 E           | Aug 15-Sept 30                   | Bull only                            | 13                        | 2.9:1          |
| 4322         | Prince George                  | 7-23 A           | Oct I-Nov 5                      | Bull only                            | 25                        | 3.0:1          |
| 4323         | Prince George                  | 7-23 B           | Oct I-Nov 5                      | Bull only                            | 25                        | 2.9:1          |
| 4324         | Prince George                  | 7-23 C           | Oct I-Nov 5                      | Bull only                            | 25                        | 4.7:1          |
| 4325         | Prince George                  | 7-23 D           | Oct I-Nov 5                      | Bull only                            | 13                        | 2.7:1          |
| 4326         | Prince George                  | 7-23 E           | Oct I-Nov 5                      | Bull only                            | 13                        | 1.8:1          |
| 4327         | Prince George                  | 7-24             | Sept 10-Nov 5                    | Bull only                            | 155                       | 9.3:1          |
| 4328         | Prince George                  | 7-25             | Sept 10-Nov 5                    | Bull only                            | 85                        | 5.8:1          |
| 4329         | Prince George                  | 7-26             | Sept 10-Nov 5                    | Bull only                            | 145                       | 3.2:1          |
| 4330         | Prince George                  | 7-27             | Sept 10-Nov 5                    | Bull only                            | 115                       | 3.4:1          |
| 4331         | Prince George                  | 7-28             | Sept 10-Nov 5                    | Bull only                            | 175                       | 3.8:1          |
| 4332<br>4333 | Prince George                  | 7-29<br>7-20     | Sept 10-Nov 5                    | Bull only                            | 85<br>55                  | 4.6:1          |
|              | Prince George                  | 7-30             | Sept 10-Nov 5                    | Bull only                            | 55                        | 4.2:1          |

Those hunting on a "Cow or Calf" Moose LEH authorization are requested to take the calf when encountering a cow and calf together. By doing so you help to maintain the stock of prime breeding female moose, which are essential for the continuance of a healthy moose population.

Aug 15-Nov 5

Bull only

Bull only

Bull only

Bull only

Bull only

0.8:1

3.8:1

2.0:1

0.3:1

0.2:1

95

95

95

#### PEACE RIVER AGE-RESTRICTED HUNTS

7-37

7-38

7-39

7-40

7-4 I

4334

4335

4336

4337

Prince George

Prince George

Prince George

Prince George

4338 Prince George

The following hunts are open ONLY to hunters who are under the age of 18 and WHO POSSESS A VALID HUNTER NUMBER CARD. To qualify as under 18, an applicant's 18th birthday must fall on or after August 1, 2011. Hunters who are under the age of 18 at the time of their hunt must be accompanied and closely supervised while hunting by a person who is 18 years of age or older and who holds a valid hunting licence.

| Hunt<br>Code | Area          | M.U. | Zone | Season Dates                      | Class of<br>Animal | Tentative Number of Authorizations Available | 2010<br>First<br>Choice<br>Odds |
|--------------|---------------|------|------|-----------------------------------|--------------------|--|---------------------------------|
| 4339         | Peace River Y | 7-32 |      | Aug 15-Sept 30 &<br>Oct 16-Oct 31 | Calf moose         | 80   | 0.9:1                           |
| 4340         | Peace River Y | 7-33 |      | Aug 15-Sept 30 &<br>Oct 16-Oct 31 | Calf moose         | 80   | 0.9:1                           |
| 4341         | Peace River Y | 7-34 |      | Aug 15-Sept 30 &<br>Oct 16-Oct 31 | Calf moose         | 80   | 0.5:1                           |

2010

#### **LIMITED ENTRY MOOSE SHARED HUNTS**

#### **OKANAGAN REGION 8**

| 4342         Okanagan         8-01         Oct I-Oct 31         Bull only         1         48.0: I           4343         Okanagan         8-01         Nov I-Nov 30         Bull only         2         29.4: I           4344         Okanagan         8-04*         Oct I-Oct 31         Bull only         4         I4.5: I           4345         Okanagan         8-05         Oct I-Oct 31         Bull only         5         76.0: I           4347         Okanagan         8-05         Nov I-Nov 30         Bull only         1         28.4: I           4348         Okanagan         8-06         Oct I-Oct 31         Bull only         2         66.0: I           4349         Okanagan         8-06         Nov I-Nov 30         Bull only         4         24.7: I           4350         Okanagan         8-06         Nov I-Nov 30         Bull only         4         24.7: I           4351         Okanagan         8-07         Oct I-Oct 31         Bull only         9         55.7: I           4352         Okanagan         8-08         Oct I-Oct 31         Bull only         9         55.7: I           4353         Okanagan         8-09         Oct I-Oct 31         Bull only   | Hunt<br>Code | Area             | M.U.  | Zone | Season Dates | Class of<br>Animal | Tentative Number of Authorizations Available | 2010<br>First<br>Choice<br>Odds |
|--|--------------|------------------|-------|------|--------------|--------------------|--|---------------------------------|
| 4344         Okanagan         8-04*         Oct I-Oct 3I         Bull only         4         14.5:I           4345         Okanagan         8-04*         Nov I-Nov 30         Bull only         5         76.0:I           4346         Okanagan         8-05         Oct I-Oct 3I         Bull only         5         76.0:I           4347         Okanagan         8-05         Nov I-Nov 30         Bull only         1         28.4:I           4348         Okanagan         8-06         Oct I-Oct 3I         Bull only         2         66.0:I           4349         Okanagan         8-06         Nov I-Nov 30         Bull only         4         24.7:I           4350         Okanagan         8-06         Nov I-Nov 30         Bull only         6         39.0:I           4351         Okanagan         8-07         Nov I-Nov 30         Bull only         9         55.7:I           4352         Okanagan         8-08         Oct I-Oct 3I         Bull only         9         55.7:I           4353         Okanagan         8-09         Oct I-Oct 3I         Bull only         4         33.2:I           4355         Okanagan         8-10         Oct I-Oct 3I         Bull only         9 <th>4342</th> <th>Okanagan</th> <th>8-01</th> <th></th> <th>Oct I-Oct 31</th> <th>Bull only</th> <th>1</th> <th>48.0:1</th>        | 4342         | Okanagan         | 8-01  |      | Oct I-Oct 31 | Bull only          | 1  | 48.0:1                          |
| 4345         Okanagan         8-04*         Nov I-Nov 30         Bull only         8         11.4:1           4346         Okanagan         8-05         Oct I-Oct 3I         Bull only         5         76.0:1           4347         Okanagan         8-05         Nov I-Nov 30         Bull only         1         28.4:1           4348         Okanagan         8-06         Oct I-Oct 3I         Bull only         2         66.0:1           4349         Okanagan         8-06         Nov I-Nov 30         Bull only         4         24.7:1           4350         Okanagan         8-06         Nov I-Nov 30         Bull only         6         39.0:1           4351         Okanagan         8-07         Oct I-Oct 3I         Bull only         9         55.7:1           4352         Okanagan         8-08         Oct I-Oct 3I         Bull only         9         55.7:1           4353         Okanagan         8-08         Nov I-Nov 30         Bull only         18         27.2:1           4354         Okanagan         8-09         Oct I-Oct 3I         Bull only         4         33.2:1           4355         Okanagan         8-10         Oct I-Oct 3I         Bull only         9 <th>4343</th> <th><b>O</b>kanagan</th> <th>8-01</th> <th></th> <th>Nov I-Nov 30</th> <th>Bull only</th> <th>2</th> <th>29.4:1</th> | 4343         | <b>O</b> kanagan | 8-01  |      | Nov I-Nov 30 | Bull only          | 2  | 29.4:1                          |
| 4346         Okanagan         8-05         Oct I-Oct 3I         Bull only         5         76.0:I           4347         Okanagan         8-05         Nov I-Nov 30         Bull only         II         28.4:I           4348         Okanagan         8-06         Oct I-Oct 3I         Bull only         2         66.0:I           4349         Okanagan         8-06         Nov I-Nov 30         Bull only         4         24.7:I           4350         Okanagan         8-07         Oct I-Oct 3I         Bull only         6         39.0:I           4351         Okanagan         8-07         Nov I-Nov 30         Bull only         9         55.7:I           4352         Okanagan         8-08         Oct I-Oct 3I         Bull only         9         55.7:I           4353         Okanagan         8-08         Nov I-Nov 30         Bull only         9         55.7:I           4354         Okanagan         8-09         Oct I-Oct 3I         Bull only         4         33.2:I           4355         Okanagan         8-10         Oct I-Oct 3I         Bull only         9         17.0:I           4356         Okanagan         8-10         Nov I-Nov 30         Bull only         9 <th>4344</th> <th>Okanagan</th> <th>8-04*</th> <th></th> <th>Oct I-Oct 31</th> <th>Bull only</th> <th>4</th> <th>14.5:1</th>        | 4344         | Okanagan         | 8-04* |      | Oct I-Oct 31 | Bull only          | 4  | 14.5:1                          |
| 4347         Okanagan         8-05         Nov I-Nov 30         Bull only         11         28.4:1           4348         Okanagan         8-06         Oct I-Oct 3I         Bull only         2         66.0:1           4349         Okanagan         8-06         Nov I-Nov 30         Bull only         4         24.7:1           4350         Okanagan         8-07         Oct I-Oct 3I         Bull only         6         39.0:1           4351         Okanagan         8-07         Nov I-Nov 30         Bull only         9         55.7:1           4352         Okanagan         8-08         Oct I-Oct 3I         Bull only         9         55.7:1           4353         Okanagan         8-08         Nov I-Nov 30         Bull only         9         55.7:1           4354         Okanagan         8-09         Oct I-Oct 3I         Bull only         9         17.0:1           4355         Okanagan         8-10         Oct I-Oct 3I         Bull only         9         17.0:1           4356         Okanagan         8-10         Nov I-Nov 30         Bull only         9         32.6:1           4357         Okanagan         8-11         Oct I-Oct 3I         Bull only         9 <th>4345</th> <th>Okanagan</th> <th>8-04*</th> <th></th> <th>Nov I-Nov 30</th> <th>Bull only</th> <th>8</th> <th>11.4:1</th>        | 4345         | Okanagan         | 8-04* |      | Nov I-Nov 30 | Bull only          | 8  | 11.4:1                          |
| 4348         Okanagan         8-06         Oct I-Oct 3I         Bull only         2         66.0:I           4349         Okanagan         8-06         Nov I-Nov 30         Bull only         4         24.7:I           4350         Okanagan         8-07         Oct I-Oct 3I         Bull only         6         39.0:I           4351         Okanagan         8-07         Nov I-Nov 30         Bull only         9         55.7:I           4352         Okanagan         8-08         Oct I-Oct 3I         Bull only         9         55.7:I           4353         Okanagan         8-08         Nov I-Nov 30         Bull only         9         55.7:I           4354         Okanagan         8-09         Oct I-Oct 3I         Bull only         4         33.2:I           4355         Okanagan         8-09         Nov I-Nov 30         Bull only         9         17.0:I           4356         Okanagan         8-10         Oct I-Oct 3I         Bull only         6         22.3:I           4357         Okanagan         8-11         Oct I-Oct 3I         Bull only         9         32.6:I           4359         Okanagan         8-11         Nov I-Nov 30         Bull only         17 <th>4346</th> <th>Okanagan</th> <th>8-05</th> <th></th> <th>Oct I-Oct 31</th> <th>Bull only</th> <th>5</th> <th>76.0:1</th>         | 4346         | Okanagan         | 8-05  |      | Oct I-Oct 31 | Bull only          | 5  | 76.0:1                          |
| 4349         Okanagan         8-06         Nov I-Nov 30         Bull only         4         24.7:1           4350         Okanagan         8-07         Oct I-Oct 3I         Bull only         6         39.0:1           4351         Okanagan         8-07         Nov I-Nov 30         Bull only         12         17.5:1           4352         Okanagan         8-08         Oct I-Oct 3I         Bull only         9         55.7:1           4353         Okanagan         8-08         Nov I-Nov 30         Bull only         9         55.7:1           4354         Okanagan         8-09         Oct I-Oct 3I         Bull only         4         33.2:1           4355         Okanagan         8-09         Nov I-Nov 30         Bull only         9         17.0:1           4356         Okanagan         8-10         Oct I-Oct 3I         Bull only         6         22.3:1           4357         Okanagan         8-11         Oct I-Oct 3I         Bull only         9         32.6:1           4358         Okanagan         8-11         Oct I-Oct 3I         Bull only         9         32.6:1           4359         Okanagan         8-11         Nov I-Nov 30         Bull only         4 <th>4347</th> <th>Okanagan</th> <th>8-05</th> <th></th> <th>Nov I-Nov 30</th> <th>Bull only</th> <th>11</th> <th>28.4:1</th>        | 4347         | Okanagan         | 8-05  |      | Nov I-Nov 30 | Bull only          | 11   | 28.4:1                          |
| 4350         Okanagan         8-07         Oct I-Oct 3I         Bull only         6         39.0:I           4351         Okanagan         8-07         Nov I-Nov 30         Bull only         I2         I7.5:I           4352         Okanagan         8-08         Oct I-Oct 3I         Bull only         9         55.7:I           4353         Okanagan         8-08         Nov I-Nov 30         Bull only         4         33.2:I           4354         Okanagan         8-09         Oct I-Oct 3I         Bull only         4         33.2:I           4355         Okanagan         8-09         Nov I-Nov 30         Bull only         9         17.0:I           4356         Okanagan         8-10         Oct I-Oct 3I         Bull only         6         22.3:I           4357         Okanagan         8-10         Nov I-Nov 30         Bull only         9         32.6:I           4358         Okanagan         8-11         Oct I-Oct 3I         Bull only         9         32.6:I           4359         Okanagan         8-11         Nov I-Nov 30         Bull only         4         57.6:I           4360         Okanagan         8-12         Oct I-Oct 3I         Bull only         4 <th></th> <th>Okanagan</th> <th>8-06</th> <th></th> <th>Oct I-Oct 31</th> <th>Bull only</th> <th></th> <th></th>                    |              | Okanagan         | 8-06  |      | Oct I-Oct 31 | Bull only          |  |                                 |
| 4351         Okanagan         8-07         Nov I-Nov 30         Bull only         12         17.5:1           4352         Okanagan         8-08         Oct I-Oct 3 I         Bull only         9         55.7:1           4353         Okanagan         8-08         Nov I-Nov 30         Bull only         9         55.7:1           4354         Okanagan         8-09         Oct I-Oct 3 I         Bull only         4         33.2:1           4355         Okanagan         8-09         Nov I-Nov 30         Bull only         9         17.0:1           4356         Okanagan         8-10         Oct I-Oct 3 I         Bull only         6         22.3:1           4357         Okanagan         8-10         Nov I-Nov 30         Bull only         9         32.6:1           4358         Okanagan         8-11         Oct I-Oct 3 I         Bull only         9         32.6:1           4359         Okanagan         8-11         Nov I-Nov 30         Bull only         17         14.6:1           4360         Okanagan         8-12         Oct I-Oct 3 I         Bull only         4         57.6:1           4361         Okanagan         8-12         Nov I-Nov 30         Bull only <th< th=""><th>4349</th><th>Okanagan</th><th>8-06</th><th></th><th>Nov I-Nov 30</th><th>Bull only</th><th>4</th><th>24.7:1</th></th<>   | 4349         | Okanagan         | 8-06  |      | Nov I-Nov 30 | Bull only          | 4  | 24.7:1                          |
| 4352         Okanagan         8-08         Oct I-Oct 3I         Bull only         9         55.7:I           4353         Okanagan         8-08         Nov I-Nov 30         Bull only         I8         27.2:I           4354         Okanagan         8-09         Oct I-Oct 3I         Bull only         4         33.2:I           4355         Okanagan         8-09         Nov I-Nov 30         Bull only         9         17.0:I           4356         Okanagan         8-10         Oct I-Oct 3I         Bull only         6         22.3:I           4357         Okanagan         8-10         Nov I-Nov 30         Bull only         12         17.6:I           4358         Okanagan         8-11         Oct I-Oct 3I         Bull only         9         32.6:I           4359         Okanagan         8-11         Nov I-Nov 30         Bull only         9         32.6:I           4360         Okanagan         8-12         Oct I-Oct 3I         Bull only         4         57.6:I           4361         Okanagan         8-12         Nov I-Nov 30         Bull only         6         27.2:I           4363         Okanagan         8-14         Oct I-Oct 3I         Bull only         12 </th <th></th> <th>Okanagan</th> <th></th> <th></th> <th>Oct I-Oct 31</th> <th>Bull only</th> <th>6</th> <th>39.0:1</th>          |              | Okanagan         |       |      | Oct I-Oct 31 | Bull only          | 6  | 39.0:1                          |
| 4353         Okanagan         8-08         Nov I-Nov 30         Bull only         18         27.2:1           4354         Okanagan         8-09         Oct I-Oct 3I         Bull only         4         33.2:1           4355         Okanagan         8-09         Nov I-Nov 30         Bull only         9         17.0:1           4356         Okanagan         8-10         Oct I-Oct 3I         Bull only         6         22.3:1           4357         Okanagan         8-10         Nov I-Nov 30         Bull only         12         17.6:1           4358         Okanagan         8-11         Oct I-Oct 3I         Bull only         9         32.6:1           4359         Okanagan         8-11         Nov I-Nov 30         Bull only         17         14.6:1           4360         Okanagan         8-12         Oct I-Oct 3I         Bull only         4         57.6:1           4361         Okanagan         8-12         Nov I-Nov 30         Bull only         6         27.2:1           4363         Okanagan         8-14         Oct I-Oct 3I         Bull only         12         17.5:1           4364         Okanagan         8-15         Oct I-Oct 3I         Bull only         6<   |              | Okanagan         |       |      |              | ,                  | · <del>-</del>                               |                                 |
| 4354         Okanagan         8-09         Oct 1-Oct 31         Bull only         4         33.2:1           4355         Okanagan         8-09         Nov 1-Nov 30         Bull only         9         17.0:1           4356         Okanagan         8-10         Oct 1-Oct 31         Bull only         6         22.3:1           4357         Okanagan         8-10         Nov 1-Nov 30         Bull only         12         17.6:1           4358         Okanagan         8-11         Oct 1-Oct 31         Bull only         9         32.6:1           4359         Okanagan         8-11         Nov 1-Nov 30         Bull only         17         14.6:1           4360         Okanagan         8-12         Oct 1-Oct 31         Bull only         4         57.6:1           4361         Okanagan         8-12         Nov 1-Nov 30         Bull only         8         30.8:1           4362         Okanagan         8-14         Oct 1-Oct 31         Bull only         6         27.2:1           4363         Okanagan         8-14         Nov 1-Nov 30         Bull only         12         17.5:1           4364         Okanagan         8-15         Oct 1-Oct 31         Bull only         4 </th <th></th> <th>Okanagan</th> <th></th> <th></th> <th></th> <th>Bull only</th> <th>9</th> <th></th>                            |              | Okanagan         |       |      |              | Bull only          | 9  |                                 |
| 4355         Okanagan         8-09         Nov I-Nov 30         Bull only         9         17.0:1           4356         Okanagan         8-10         Oct I-Oct 3I         Bull only         6         22.3:1           4357         Okanagan         8-10         Nov I-Nov 30         Bull only         12         17.6:1           4358         Okanagan         8-11         Oct I-Oct 3I         Bull only         9         32.6:1           4359         Okanagan         8-11         Nov I-Nov 30         Bull only         17         14.6:1           4360         Okanagan         8-12         Oct I-Oct 3I         Bull only         4         57.6:1           4361         Okanagan         8-12         Nov I-Nov 30         Bull only         8         30.8:1           4362         Okanagan         8-14         Oct I-Oct 3I         Bull only         6         27.2:1           4363         Okanagan         8-14         Nov I-Nov 30         Bull only         12         17.5:1           4364         Okanagan         8-15         Oct I-Oct 3I         Bull only         3         39.0:1           4365         Okanagan         8-23         Oct I-Oct 3I         Bull only         4 </th <th></th> <th>U</th> <th></th> <th></th> <th></th> <th>,</th> <th></th> <th></th>  |              | U                |       |      |              | ,                  |  |                                 |
| 4356         Okanagan         8-10         Oct 1-Oct 31         Bull only         6         22.3:1           4357         Okanagan         8-10         Nov 1-Nov 30         Bull only         12         17.6:1           4358         Okanagan         8-11         Oct 1-Oct 31         Bull only         9         32.6:1           4359         Okanagan         8-11         Nov 1-Nov 30         Bull only         17         14.6:1           4360         Okanagan         8-12         Oct 1-Oct 31         Bull only         4         57.6:1           4361         Okanagan         8-12         Nov 1-Nov 30         Bull only         8         30.8:1           4362         Okanagan         8-14         Oct 1-Oct 31         Bull only         6         27.2:1           4363         Okanagan         8-14         Nov 1-Nov 30         Bull only         12         17.5:1           4364         Okanagan         8-15         Oct 1-Oct 31         Bull only         3         39.0:1           4365         Okanagan         8-15         Nov 1-Nov 30         Bull only         4         32.6:1           4366         Okanagan         8-23         Oct 1-Oct 31         Bull only         7 </th <th></th> <th>Okanagan</th> <th></th> <th></th> <th></th> <th>,</th> <th>•</th> <th></th>                                    |              | Okanagan         |       |      |              | ,                  | •  |                                 |
| 4357         Okanagan         8-10         Nov I-Nov 30         Bull only         12         17.6:1           4358         Okanagan         8-11         Oct I-Oct 3I         Bull only         9         32.6:1           4359         Okanagan         8-11         Nov I-Nov 30         Bull only         17         14.6:1           4360         Okanagan         8-12         Oct I-Oct 3I         Bull only         4         57.6:1           4361         Okanagan         8-12         Nov I-Nov 30         Bull only         8         30.8:1           4362         Okanagan         8-14         Oct I-Oct 3I         Bull only         6         27.2:1           4363         Okanagan         8-14         Nov I-Nov 30         Bull only         12         17.5:1           4364         Okanagan         8-15         Oct I-Oct 3I         Bull only         3         39.0:1           4365         Okanagan         8-15         Nov I-Nov 30         Bull only         4         32.6:1           4366         Okanagan         8-23         Oct I-Oct 3I         Bull only         7         18.0:1           4367         Okanagan         8-24         Oct I-Oct 3I         Bull only         4 </th <th></th> <th></th> <th></th> <th></th> <th></th> <th>,</th> <th>,</th> <th></th>  |              |                  |       |      |              | ,                  | ,  |                                 |
| 4358         Okanagan         8-11         Oct I-Oct 3I         Bull only         9         32.6:I           4359         Okanagan         8-11         Nov I-Nov 30         Bull only         17         14.6:I           4360         Okanagan         8-12         Oct I-Oct 3I         Bull only         4         57.6:I           4361         Okanagan         8-12         Nov I-Nov 30         Bull only         8         30.8:I           4362         Okanagan         8-14         Oct I-Oct 3I         Bull only         6         27.2:I           4363         Okanagan         8-14         Nov I-Nov 30         Bull only         12         17.5:I           4364         Okanagan         8-15         Oct I-Oct 3I         Bull only         3         39.0:I           4365         Okanagan         8-15         Nov I-Nov 30         Bull only         6         23.5:I           4366         Okanagan         8-23         Oct I-Oct 3I         Bull only         7         18.0:I           4367         Okanagan         8-23         Nov I-Nov 30         Bull only         7         18.0:I           4369         Okanagan         8-24         Oct I-Oct 3I         Bull only         8 <th></th> <th>_</th> <th></th> <th></th> <th></th> <th>,</th> <th>_</th> <th></th>   |              | _                |       |      |              | ,                  | _  |                                 |
| 4359         Okanagan         8-11         Nov I-Nov 30         Bull only         17         14.6:1           4360         Okanagan         8-12         Oct I-Oct 3I         Bull only         4         57.6:1           4361         Okanagan         8-12         Nov I-Nov 30         Bull only         8         30.8:1           4362         Okanagan         8-14         Oct I-Oct 3I         Bull only         6         27.2:1           4363         Okanagan         8-14         Nov I-Nov 30         Bull only         12         17.5:1           4364         Okanagan         8-15         Oct I-Oct 3I         Bull only         3         39.0:1           4365         Okanagan         8-15         Nov I-Nov 30         Bull only         6         23.5:1           4366         Okanagan         8-23         Oct I-Oct 3I         Bull only         4         32.6:1           4367         Okanagan         8-23         Nov I-Nov 30         Bull only         7         18.0:1           4368         Okanagan         8-24         Oct I-Oct 3I         Bull only         4         27.0:1           4369         Okanagan         8-24         Nov I-Nov 30         Bull only         8 <th></th> <th>U</th> <th></th> <th></th> <th></th> <th>,</th> <th>. –</th> <th></th>   |              | U                |       |      |              | ,                  | . –  |                                 |
| 4360         Okanagan         8-12         Oct 1-Oct 31         Bull only         4         57.6:1           4361         Okanagan         8-12         Nov 1-Nov 30         Bull only         8         30.8:1           4362         Okanagan         8-14         Oct 1-Oct 31         Bull only         6         27.2:1           4363         Okanagan         8-14         Nov 1-Nov 30         Bull only         12         17.5:1           4364         Okanagan         8-15         Oct 1-Oct 31         Bull only         3         39.0:1           4365         Okanagan         8-15         Nov 1-Nov 30         Bull only         6         23.5:1           4366         Okanagan         8-23         Oct 1-Oct 31         Bull only         4         32.6:1           4367         Okanagan         8-23         Nov 1-Nov 30         Bull only         7         18.0:1           4368         Okanagan         8-24         Oct 1-Oct 31         Bull only         4         27.0:1           4369         Okanagan         8-24         Nov 1-Nov 30         Bull only         8         11.0:1           4370         Okanagan         8-25         Oct 1-Oct 31         Bull only         3 <th></th> <th></th> <th></th> <th></th> <th></th> <th>,</th> <th>· ·</th> <th></th>   |              |                  |       |      |              | ,                  | · ·  |                                 |
| 4361         Okanagan         8-12         Nov I-Nov 30         Bull only         8         30.8:1           4362         Okanagan         8-14         Oct I-Oct 3I         Bull only         6         27.2:1           4363         Okanagan         8-14         Nov I-Nov 30         Bull only         12         17.5:1           4364         Okanagan         8-15         Oct I-Oct 3I         Bull only         3         39.0:1           4365         Okanagan         8-15         Nov I-Nov 30         Bull only         6         23.5:1           4366         Okanagan         8-23         Oct I-Oct 3I         Bull only         4         32.6:1           4367         Okanagan         8-23         Nov I-Nov 30         Bull only         7         18.0:1           4368         Okanagan         8-24         Oct I-Oct 3I         Bull only         4         27.0:1           4369         Okanagan         8-24         Nov I-Nov 30         Bull only         8         11.0:1           4370         Okanagan         8-25         Oct I-Oct 3I         Bull only         3         20.9:1           4371         Okanagan         8-25         Nov I-Nov 30         Bull only         3 <th></th> <th>U</th> <th></th> <th></th> <th></th> <th>,</th> <th></th> <th></th>   |              | U                |       |      |              | ,                  |  |                                 |
| 4362         Okanagan         8-14         Oct I-Oct 3I         Bull only         6         27.2:I           4363         Okanagan         8-14         Nov I-Nov 30         Bull only         12         17.5:I           4364         Okanagan         8-15         Oct I-Oct 3I         Bull only         3         39.0:I           4365         Okanagan         8-15         Nov I-Nov 30         Bull only         6         23.5:I           4366         Okanagan         8-23         Oct I-Oct 3I         Bull only         4         32.6:I           4367         Okanagan         8-23         Nov I-Nov 30         Bull only         7         18.0:I           4368         Okanagan         8-24         Oct I-Oct 3I         Bull only         4         27.0:I           4369         Okanagan         8-24         Nov I-Nov 30         Bull only         8         11.0:I           4370         Okanagan         8-25         Oct I-Oct 3I         Bull only         1         26.5:I           4371         Okanagan         8-25         Nov I-Nov 30         Bull only         3         20.9:I   |              | U                |       |      |              | ,                  | •  |                                 |
| 4363         Okanagan         8-14         Nov I-Nov 30         Bull only         12         17.5:1           4364         Okanagan         8-15         Oct I-Oct 3I         Bull only         3         39.0:1           4365         Okanagan         8-15         Nov I-Nov 30         Bull only         6         23.5:1           4366         Okanagan         8-23         Oct I-Oct 3I         Bull only         7         18.0:1           4367         Okanagan         8-23         Nov I-Nov 30         Bull only         7         18.0:1           4368         Okanagan         8-24         Oct I-Oct 3I         Bull only         4         27.0:1           4369         Okanagan         8-24         Nov I-Nov 30         Bull only         8         11.0:1           4370         Okanagan         8-25         Oct I-Oct 3I         Bull only         1         26.5:1           4371         Okanagan         8-25         Nov I-Nov 30         Bull only         3         20.9:1  |              | U                |       |      |              | ,                  |  |                                 |
| 4364         Okanagan         8-15         Oct I-Oct 3I         Bull only         3         39.0:I           4365         Okanagan         8-15         Nov I-Nov 30         Bull only         6         23.5:I           4366         Okanagan         8-23         Oct I-Oct 3I         Bull only         4         32.6:I           4367         Okanagan         8-23         Nov I-Nov 30         Bull only         7         18.0:I           4368         Okanagan         8-24         Oct I-Oct 3I         Bull only         4         27.0:I           4369         Okanagan         8-24         Nov I-Nov 30         Bull only         8         11.0:I           4370         Okanagan         8-25         Oct I-Oct 3I         Bull only         1         26.5:I           4371         Okanagan         8-25         Nov I-Nov 30         Bull only         3         20.9:I  |              | U                |       |      |              | ,                  |  |                                 |
| 4365         Okanagan         8-15         Nov I-Nov 30         Bull only         6         23.5:I           4366         Okanagan         8-23         Oct I-Oct 3I         Bull only         4         32.6:I           4367         Okanagan         8-23         Nov I-Nov 30         Bull only         7         18.0:I           4368         Okanagan         8-24         Oct I-Oct 3I         Bull only         4         27.0:I           4369         Okanagan         8-24         Nov I-Nov 30         Bull only         8         11.0:I           4370         Okanagan         8-25         Oct I-Oct 3I         Bull only         I         26.5:I           4371         Okanagan         8-25         Nov I-Nov 30         Bull only         3         20.9:I   |              | U                |       |      |              | ,                  | · <del>-</del>                               |                                 |
| 4366         Okanagan         8-23         Oct I-Oct 3I         Bull only         4         32.6:I           4367         Okanagan         8-23         Nov I-Nov 30         Bull only         7         18.0:I           4368         Okanagan         8-24         Oct I-Oct 3I         Bull only         4         27.0:I           4369         Okanagan         8-24         Nov I-Nov 30         Bull only         8         11.0:I           4370         Okanagan         8-25         Oct I-Oct 3I         Bull only         I         26.5:I           4371         Okanagan         8-25         Nov I-Nov 30         Bull only         3         20.9:I  |              |                  |       |      |              | ,                  |  |                                 |
| 4367         Okanagan         8-23         Nov I-Nov 30         Bull only         7         I 8.0: I           4368         Okanagan         8-24         Oct I-Oct 3 I         Bull only         4         27.0: I           4369         Okanagan         8-24         Nov I-Nov 30         Bull only         8         I I.0: I           4370         Okanagan         8-25         Oct I-Oct 3 I         Bull only         I         26.5: I           4371         Okanagan         8-25         Nov I-Nov 30         Bull only         3         20.9: I  |              | U                |       |      |              | ,                  |  |                                 |
| 4368         Okanagan         8-24         Oct I-Oct 3I         Bull only         4         27.0:I           4369         Okanagan         8-24         Nov I-Nov 30         Bull only         8         II.0:I           4370         Okanagan         8-25         Oct I-Oct 3I         Bull only         I         26.5:I           4371         Okanagan         8-25         Nov I-Nov 30         Bull only         3         20.9:I  |              | U                |       |      |              | ,                  |  |                                 |
| 4369         Okanagan         8-24         Nov I-Nov 30         Bull only         8         II.0:I           4370         Okanagan         8-25         Oct I-Oct 3I         Bull only         I         26.5:I           4371         Okanagan         8-25         Nov I-Nov 30         Bull only         3         20.9:I   |              | U                |       |      |              | ,                  | •  |                                 |
| 4370         Okanagan         8-25         Oct I-Oct 3I         Bull only         I         26.5:I           4371         Okanagan         8-25         Nov I-Nov 30         Bull only         3         20.9:I  |              |                  |       |      |              | ,                  | •  |                                 |
| <b>4371 Okanagan 8-25</b> Nov I-Nov 30 Bull only 3 20.9:1  |              | _                |       |      |              | ,                  | _  |                                 |
|  |              |                  |       |      |              |                    | •  |                                 |
|  | 4371         | · ·              |       |      | Nov I-Nov 30 | Bull only          | 3  | 20.9:1                          |

<sup>\*</sup> Also includes M.U. 8-03

#### THIS IS THE END OF THE SHARED HUNTING SECTION

#### **MOUNTAIN GOAT**

Due to concerns over the large percentage of female goats harvested in some areas of the province, the Fish, Wildlife and Habitat Management Branch continues to encourage hunters to harvest male Mountain Goats only. Copies of a DVD titled "Is it a Billy or Is It a Nanny?" are available for loan at regional wildlife offices to help hunters learn to select male Mountain Goats. Hunters are encouraged to borrow and view this DVD prior to their Mountain Goat hunt. For more details see page 28.

Successful hunter are required to submit the horns of any Mountain Goat taken for compulsory inspection within **30 days after the date of the kill OR before December 5 of the year of the kill whichever occurs first**. Please contact a Fish and Wildlife Regional Office (page 5) for a list of qualified inspectors or go to www.env.gov.bc.ca/fw/wildlife/hunting/ci.html.

#### LOWER MAINLAND REGION 2 (See LEH Map 2F for boundaries)

| Hunt<br>Code | Area       | M.U. | Zone | Season Dates  | Class of<br>Animal | Tentative Number<br>of Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|------------|------|------|---------------|--------------------|--|-------------------------|
| 5001         | Mt. Meager | 2-11 | Α    | Sept 1-Nov 25 | Adult only         | 6  | 15.9:1                  |

Kids, and adults in the company of kids, may not be taken.

Mountain Goat are sensitive to harvest. Hunters are requested to select a male Mountain Goat. Harvest of any female goats from this population unit will likely result in its closure.

THOMPSON REGION 3 (See LEH Maps 3A, 3C & 3E for boundaries)

#### 2010 Tentative Number First Hunt Code Class of Choice Area M.U. **Season Dates** Available Odds 5002 Kamloops 3-16 Sept I-Oct 31 Either sex. any age 7.4:1 Kamloops Sept I-Oct 31 30.4:1 5003 3-16 В Either sex. any age Sept I-Oct 31 5004 Kamloops 3-16 C Either sex. any age 10.3:1 3-16 5005 Kamloops D Sept I-Oct 31 Either sex. any age 9.5:1 5006 Kamloops 3-16 Ε Sept I-Oct 31 Either sex. any age 26.0:1 Either sex. any age 5007 Kamloops 3-16 G Sept I-Oct 31 10 8.1:1 Sept I-Oct 31 3-32 Either sex. any age 11.8:1 5008 Kamloops Е Sept I-Oct 31 Either sex. any age 5009 Kamloops 3-32 F 10.0:1 5010 3-33 Either sex. any age 5.8:1 Kamloops Α Sept I-Oct 31 3-33 Either sex. any age Kamloops Sept I-Oct 31 6.6: I 5012 Kamloops 3-33 C Sept I-Oct 31 Either sex. any age 8.5:1 Kamloops 5013 3-33 Sept I-Oct 31 Either sex. any age 4.8:1 Either sex. any age 5014 Kamloops 3-33 Ε Sept I-Oct 31 1.8:1 Kamloops Sept I-Oct 31 Either sex. any age 5015 3-33 F 18.0:1 Kamloops Either sex. any age 5016 3-35 A\* Sept I-Oct 31 12 4.0:1 5017 Kamloops 5.0:1 3-36 Sept 1-Oct 31 Either sex. any age 3-42 A\*\*\* Sept I-Oct 31 5018 Kamloops Either sex. any age 4.5:1 3-43 Either sex. any age 8.0:1 5019 Kamloops A Sept I-Oct 31 5020 Kamloops Either sex. any age 3-43 В Sept I-Oct 31 18.0:1 5021 Kamloops Either sex. any age 3-43 C Sept I-Oct 31 3.7:1 5022 Kamloops Sept I-Oct 31 Either sex. any age 3-44 3.1:1 10 Α Either sex. any age 5023 Kamloops 3-44 В Sept I-Oct 31 10 1.5:1 5024 Kamloops 3-44 Either sex. any age 1.0:1 C Sept I-Oct 31 5025 Kamloops 3-46 Sept 20-Oct 31 Either sex. any age 5 5.6:1 Α

Mountain Goat are sensitive to harvest. Hunters are requested to select a male Mountain Goat.

#### **MOUNTAIN GOAT**

|              |                      |              |        |                                  |                    | Tentative | Number   | 20 I<br>Fir: |
|--------------|----------------------|--------------|--------|----------------------------------|--------------------|-----------|----------|--------------|
| Hunt<br>Code | Area                 | M.U.         | Zone   | Season Dates                     | Class of<br>Animal | of Autho  |          | Choic        |
| 026          | Kootenay             | 4-01         | Α      | Sept 10-Nov 30                   | Either sex.        | any age   | 14       | 1.5:         |
| 027          | Kootenay             | 4-01         | В      | Sept 10-Nov 30                   | Either sex.        | , 0       | 7        | 3.3:         |
| 028          | Kootenay             | 4-01         | C      | Sept 10-Nov 30                   | Either sex.        | any age   | 13       | 0.8:         |
| 029          | Kootenay             | 4-01         | D      | Sept 10-Nov 30                   | Either sex.        | any age   | 1        | 12.5         |
| 030          | Kootenay             | 4-01         | E      | Sept 10-Nov 30                   | Either sex.        | any age   | 7        | 4.8          |
| 03 I         | Kootenay             | 4-01         | F      | Sept 10-Nov 30                   | Either sex.        | any age   | 5        | 14.0         |
| 032          | Kootenay             | 4-02         | A      | Sept 10-Nov 30                   | Either sex.        | , 0       | 6        | 4.5          |
| 033          | Kootenay             | 4-06         | A      | Sept 10-Nov 30                   | Either sex.        | , .       | 3        | 23.0         |
| )34          | Kootenay             | 4-14         |        | Sept 10-Nov 30                   | Either sex.        | , 0       | 1        | 6.4          |
| 035<br>036   | Kootenay<br>Kootenay | 4-16<br>4-16 | A<br>B | Sept 10-Nov 30<br>Sept 10-Nov 30 | Either sex.        | , 0       | 3<br>48  | 10.7         |
| 030<br>037   | Kootenay             | 4-16         | C      | Sept 10-Nov 30                   | Either sex.        | , 0       | 5        | 8.2          |
| 038          | Kootenay             | 4-17         | A      | Sept 10-Nov 30                   | Either sex.        | , 0       | 24       | 3.8          |
| 039          | Kootenay             | 4-17         | В      | Sept 10-Nov 30                   | Either sex.        | , 0       | 13       | 1.7          |
| 040          | Kootenay             | 4-17         | Č      | Sept 10-Nov 30                   | Either sex.        | , 0       | 2        | 36.5         |
| 041          | Kootenay             | 4-18         | Ā      | Sept 10-Nov 30                   | Either sex.        | , 0       | 7        | 3.1          |
| )42          | Kootenay             | 4-19         | A      | Sept 10-Nov 30                   | Either sex.        | , 0       | 36       | 2.4          |
| 043          | Kootenay             | 4-19         | В      | Sept 10-Nov 30                   | Either sex.        | , 0       | 56       | 0.4          |
| 044          | Kootenay             | 4-20         | Α      | Sept 10-Nov 30                   | Either sex.        | , 0       | 22       | 2.6          |
| 045          | Kootenay             | 4-20         | В      | Sept 10-Nov 30                   | Either sex.        | , 0       | 26       | 1.9          |
| 046          | Kootenay             | 4-20         | C      | Sept 10-Nov 30                   | Either sex.        | any age   | 9        | 2.5          |
| 047          | Kootenay             | 4-20         | D      | Sept 10-Nov 30                   | Either sex.        | any age   | 32       | 2.5          |
| 048          | Kootenay             | 4-21         | Α      | Sept 10-Nov 30                   | Either sex.        | any age   | 3        | 8.9          |
| 049          | Kootenay             | 4-21         | В      | Sept 10-Nov 30                   | Either sex.        | any age   | 8        | 5.0          |
| 050          | Kootenay             | 4-22         | Α      | Sept 10-Nov 30                   | Either sex.        | , 0       | 28       | 2.3          |
| 05 I         | Kootenay             | 4-22         | В      | Sept 10-Nov 30                   | Either sex.        | , 0       | 37       | 1.7          |
| )52          | Kootenay             | 4-22         | C      | Sept 10-Nov 30                   | Either sex.        | , 0       | 13       | 3.3          |
| 053          | Kootenay             | 4-22         | D      | Sept 10-Nov 30                   | Either sex.        | , -       | 5        | 3.0          |
| 054          | Kootenay             | 4-22         | E<br>F | Sept 10-Nov 30                   | Either sex.        |           | 15       | 5.0          |
| 055<br>056   | Kootenay             | 4-22<br>4-22 | G      | Sept 10-Nov 30<br>Sept 10-Nov 30 | Either sex.        | , 0       | 6<br>6   | 3.3<br>4.9   |
| )57          | Kootenay<br>Kootenay | 4-22         | A      | Sept 10-Nov 30                   | Either sex.        | , 0       | 20       | 3.0          |
| )58          | Kootenay             | 4-23         | В      | Sept 10-Nov 30                   | Either sex.        | , 0       | 148      | 1.1          |
| 159          | Kootenay             | 4-23         | C      | Sept 10-Nov 30                   | Either sex.        | , 0       | 16       | 0.7          |
| 060          | Kootenay             | 4-23         | Ĕ      | Sept 10-Nov 30                   | Either sex.        | , 0       | 4        | 1.0          |
| 061          | Kootenay             | 4-23         | Ē      | Sept 10-Nov 30                   | Either sex.        | , -       | 10       | 4.6          |
| 062          | Kootenay             | 4-23         | G      | Sept 10-Nov 30                   | Either sex.        | , 0       | 28       | 1.3          |
| )63          | Kootenay             | 4-23         | J      | Sept 10-Nov 30                   | Either sex.        | , 0       | 66       | 1.1          |
| 064          | Kootenay             | 4-24         | A      | Sept 10-Nov 30                   | Either sex.        | any age   | 16       | 0.9          |
| 065          | Kootenay             | 4-24         | В      | Sept 10-Nov 30                   | Either sex.        | any age   | 122      | 0.9          |
| 066          | Kootenay             | 4-24         | C      | Sept 10-Nov 30                   | Either sex.        | any age   | 121      | 1.7          |
| 067          | Kootenay             | 4-24         | D      | Sept 10-Nov 30                   | Either sex.        | any age   | 67       | 0.9          |
| 068          | Kootenay             | 4-24         | E      | Sept 10-Nov 30                   | Either sex.        | any age   | 30       | 0.5          |
| 069          | Kootenay             | 4-24         | F      | Sept 10-Nov 30                   | Either sex.        | , 0       | 2        | 3.0          |
| 70           | Kootenay             | 4-25         | A      | Sept 10-Nov 30                   | Either sex.        | , -       | 44       | 1.1          |
| )7 I         | Kootenay             | 4-25         | В      | Sept 10-Nov 30                   | Either sex.        | , -       | 15       | 1.2          |
| )72          | Kootenay             | 4-25         | C      | Sept 10-Nov 30                   | Either sex.        | , 0       | 72       | 1.0          |
| 73           | Kootenay             | 4-25         | D<br>E | Sept 10-Nov 30                   | Either sex.        | , 0       | 41       | 0.1          |
| )74<br>)75   | Kootenay             | 4-25<br>4-26 | A      | Sept 10-Nov 30                   | Either sex.        | , 0       | 24<br>25 | 0.8          |
| )76          | Kootenay<br>Kootenay | 4-26         | В      | Sept 10-Nov 30<br>Sept 10-Nov 30 | Either sex.        | , -       | 25<br>36 | 0.7          |
| 77           | Kootenay             | 4-26         | C      | Sept 10-Nov 30                   | Either sex.        | , 0       | 22       | 0.8          |
| 78           | Kootenay             | 4-26         | D      | Sept 10-Nov 30                   | Either sex.        | , -       | 21       | 4.7          |
| 79           | Kootenay             | 4-31         | A      | Sept 10-Nov 30                   | Either sex.        | , .       | 17       | 1.5          |
| 80           | Kootenay             | 4-31         | В      | Sept 10-Nov 30                   | Either sex.        | , -       | 32       | 1.5          |
| 180          | Kootenay             | 4-32         | A      | Sept 10-Nov 30                   | Either sex.        | , -       | 8        | 5.2          |
| 082          | Kootenay             | 4-33         |        | Sept 10-Nov 30                   | Either sex.        | , 0       | 40       | 2.5          |
| 083          | Kootenay             | 4-35         | Α      | Sept 10-Nov 30                   | Either sex.        | , -       | 38       | 1.4          |
| 084          | Kootenay             | 4-35         | В      | Sept 10-Nov 30                   | Either sex.        | , 0       | 148      | 1.2          |
| 085          | Kootenay             | 4-38         | Α      | Sept 10-Nov 30                   | Either sex.        | , -       | 44       | 1.7          |
| 086          | Kootenay             | 4-38         | В      | Sept 10-Nov 30                   | Either sex.        | , 0       | 60       | 2.2          |
| 087          | Kootenay             | 4-38         | C      | Sept 10-Nov 30                   | Either sex.        | , -       | 120      | 2.2          |

Persons successful in drawing a LEH authorization for a Kootenay Region Mountain Goat may hunt from September I to September 9 using ARCHERY EQUIPMENT ONLY.

2010

Mountain Goat are sensitive to harvest. Hunters are requested to select a male Mountain Goat.

#### CARIBOO REGION 5 (See LEH Maps 5B, 5D, & 5F for boundaries)

| Hunt<br>Code | Area            | M.U. | Zone | Season Dates  | Tentative l<br>Class of of Author<br>Animal A |    | First<br>Choice<br>Odds |
|--------------|-----------------|------|------|---------------|---|----|-------------------------|
| 5088         | Yohetta         | 5-04 | Α    | Sept I-Oct 31 | Either sex, any age                           | 7  | 2.0:1                   |
| 5089         | Yohetta         | 5-04 | В    | Sept 1-Oct 31 | Either sex, any age                           | 15 | 2.2:1                   |
| 5090         | Yohetta         | 5-04 | E    | Sept 1-Oct 31 | Either sex, any age                           | 10 | 2.2:1                   |
| 509 I        | Yohetta         | 5-04 | F    | Sept 1-Oct 31 | Either sex, any age                           | 8  | 1.7:1                   |
| 5092         | Yohetta         | 5-04 | Н    | Sept 1-Oct 31 | Either sex, any age                           | 3  | 1.4:1                   |
| 5093         | Yohetta         | 5-04 | J    | Sept 1-Oct 31 | Either sex, any age                           | 20 | 1.9:1                   |
| 5094         | Jobin-McClinchy | 5-06 | Α    | Sept 1-Oct 31 | Either sex, any age                           | 3  | 3.4:1                   |
| 5095         | Jobin-McClinchy | 5-06 | В    | Sept 1-Oct 31 | Either sex, any age                           | 8  | 1.7:1                   |
| 5096         | Boss-Deception  | 5-15 | Α    | Sept 1-Oct 31 | Either sex, any age                           | 10 | 9.1:1                   |
| 5097         | Eureka          | 5-15 | В    | Sept 1-Oct 31 | Either sex, any age                           | 8  | 16.5:1                  |

Mountain Goat are sensitive to harvest. Hunters are requested to select a male Mountain Goat.

#### SKEENA REGION 6 (See LEH Maps 6A, 6B, 6C, 6D, 6E, 6F, 6G & 6I for boundaries)

| Hunt<br>Code | Area       | M.U. | Zone | Season Dates    | Class of<br>Animal | Tentative Number<br>of Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|------------|------|------|-----------------|--------------------|--|-------------------------|
| 5098         | Tweedsmuir | 6-02 | В    | Sept I-Oct 15   | Adult only         | 13   | 3.8:1                   |
| 5099         | Skeena     | 6-04 | Α    | Aug 1-Feb 28/12 | Adult only         | 13   | 1.6:1                   |
| 5100         | Skeena     | 6-04 | C    | Aug 1-Feb 28/12 | Adult only         | 24   | 0.9:1                   |
| 5101         | Skeena     | 6-08 | Α    | Aug 1-Feb 28/12 | Adult only         | 30   | 0.4:1                   |

<sup>\*</sup> Also includes a portion of M.U. 3-36

<sup>\*\*</sup> Also includes a portion of M.U. s 3-37 and 3-42

<sup>\*\*\*</sup> Also includes a portion of M.U. 3-41

2010

#### **MOUNTAIN GOAT**

#### SKEENA REGION 6 (See LEH Maps 6A, 6B, 6C, 6D, 6E, 6F, 6G & 6I for boundaries)

| Hunt<br>Code | Area             | M.U.         | Zone     | Season Dates                       | Class of<br>Animal       | Tentative Number<br>of Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|------------------|--------------|----------|------------------------------------|--------------------------|--|-------------------------|
| 5102         | Skeena           | 6-08         | В        | Aug 1-Feb 28/12                    | Adult only               | 3  | 6.0:1                   |
| 5103         | Skeena           | 6-08         | C        | Aug 1-Feb 28/12                    | Adult only               | 25   | 0.7:1                   |
| 5104         | Skeena           | 6-08         | D        | Aug 1-Feb 28/12                    | Adult only               | 5  | 1.6:1                   |
| 5105         | Skeena           | 6-08         | Е        | Aug 1-Feb 28/12                    | Adult only               | 3  | 8.4:1                   |
| 5106         | Babine Mt.       | 6-08         | F        | Sept 10-Nov 15                     | Adult only               | I  | 10.2:1                  |
| 5107         | Skeena           | 6-09         | Α        | Aug 1-Feb 28/12                    | Adult only               | 30   | 1.3:1                   |
| 5108         | Skeena           | 6-09         | В        | Aug 1-Feb 28/12                    | Adult only               | 58   | 0.8:1                   |
| 5109         | Skeena           | 6-09         | C        | Aug 1-Feb 28/12                    | Adult only               | 28   | 1.0:1                   |
| 5110         | Skeena           | 6-09         | D        | Aug 1-Feb 28/12                    | Adult only               | 13   | 3.0:1                   |
| 5111         | Skeena           | 6-09         | E*       | Aug 1-Feb 28/12                    | Adult only               | 13   | 3.2:1                   |
| 5112         | Skeena           | 6-09         | G        | Aug 1-Feb 28/12                    | Adult only               | 18   | 5.4:1                   |
| 5113         | Skeena           | 6-09         | H        | Aug 1-Feb 28/12                    | Adult only               | 8  | 0.4:1                   |
| 5114         | Skeena           | 6-09         | !        | Aug I-Feb 28/12                    | Adult only               | 50   | 1.1:1                   |
| 5115         | Skeena           | 6-09         | j,       | Aug I-Feb 28/12                    | Adult only               | 35   | 1.5:1                   |
| 5116         | Skeena           | 6-09         | K        | Aug 1-Feb 28/12                    | Adult only               | 25   | 0.9:1                   |
| 5117         | Skeena           | 6-09         | L        | Aug 1-Feb 28/12                    | Adult only               | 10   | 2.3:1                   |
| 5118         | Skeena           | 6-09         | М        | Aug 1-Feb 28/12                    | Adult only               | 15   | 0.6:1                   |
| 5119         | Skeena           | 6-09         | N        | Aug 1-Feb 28/12                    | Adult only               | 23   | 0.3:1                   |
| 5120         | Skeena           | 6-09         | 0**      | Aug 1-Feb 28/12                    | Adult only               | 18   | 0.8:1                   |
| 5121         | Skeena           | 6-09         | P**      | Aug 1-Feb 28/12                    | Adult only               | 30   | 1.8:1                   |
| 5122<br>5123 | Skeena           | 6-09         | Q        | Aug 1-Feb 28/12                    | Adult only               | 38   | 1.0:1                   |
| 5123         | Skeena<br>Skeena | 6-09<br>6-09 | R<br>S   | Aug 1 Feb 28/12                    | Adult only               | 35<br>7  | 0.8:1<br>2.6:1          |
| 5125         | Skeena           | 6-09         | T        | Aug 1-Feb 28/12<br>Aug 1-Feb 28/12 | Adult only<br>Adult only | 30   | 0.5:1                   |
| 5126         | Skeena           | 6-10         | Ä        | Aug 1-Feb 28/12                    | Adult only               | 10   | 1.5:1                   |
| 5127         | Skeena           | 6-10         | В        | Aug 1-Feb 28/12                    | Adult only               | 23   | 0.5:1                   |
| 5128         | Skeena           | 6-15         | Ā        | Aug 1-Feb 28/12                    | Adult only               | 85   | 1.5:1                   |
| 5129         | Skeena           | 6-15         | В        | Aug 1-Feb 28/12                    | Adult only               | 25   | 0.6:1                   |
| 5130         | Skeena           | 6-15         | Ğ        | Aug 1-Feb 28/12                    | Adult only               | 15   | 1.6:1                   |
| 5131         | Skeena           | 6-15         | H        | Aug 1-Feb 28/12                    | Adult only               | 15   | 2.0:1                   |
| 5132         | Skeena           | 6-15         | - 1      | Aug 1-Feb 28/12                    | Adult only               | 35   | 0.6:1                   |
| 5133         | Skeena           | 6-15         | - 1      | Aug 1-Feb 28/12                    | Adult only               | 28   | 2.9:1                   |
| 5134         | Skeena           | 6-15         | K        | Aug 1-Feb 28/12                    | Adult only               | 10   | 7.9:1                   |
| 5135         | Spatsizi         | 6-19         | Α        | Aug I-Oct 15                       | Adult only               | 3  | 2.0:1                   |
| 5136         | Spatsizi         | 6-20         | Α        | Aug I-Oct 15                       | Adult only               | 20   | 2.8:1                   |
| 5137         | Spatsizi         | 6-20         | В        | Aug I-Oct 15                       | Adult only               | 23   | 0.9:1                   |
| 5138         | Spatsizi         | 6-20         | C        | Aug I-Oct 15                       | Adult only               | 5  | 2.2:1                   |
| 5139         | Mount Edziza     | 6-2 I        | Α        | Aug I-Oct 15                       | Adult only               | 15   | 1.1;1                   |
| 5140         | Stikine          | 6-2 I        | C***     | Aug I-Oct 15                       | Adult only               | 15   | 0.3:1                   |
| 5141         | Stikine          | 6-22         | Α        | Aug I-Oct 15                       | Adult only               | 5  | 3.4:1                   |
| 5142         | Atlin            | 6-25         | C+       | Aug I-Oct 15                       | Adult only               | 60   | 0.8:1                   |
| 5143         | Tagish Highlands | 6-27         | A++      | Aug I-Oct 15                       | Adult only               | 8  | 1.2:1                   |
| 5144         | Tagish Highlands | 6-27         | В        | Aug I-Oct 15                       | Adult only               | 10   | 1.2:1                   |
| 5145         | Tagish Highlands | 6-28         | В        | Aug I-Oct 15                       | Adult only               | 10   | 0.8:1                   |
| 5146         | Skeena           | 6-30         | <b>C</b> | Aug I-Feb 28/12                    | Adult only               | 43   | 1.8:1                   |

- \* Also includes a portion of M.U. 6-04
- \*\* Also includes a portion of M.U. 6-03
- \*\*\* Also includes a portion of M.U. 6-22 + Also includes portions of M.U.'s 6-26 & 6-27 ++ Also includes a portion of M.U. 6-28, but excludes Chilkoot National Historic Site
- Mountain Goat are sensitive to harvest. Hunters are requested to select a male Mountain Goat.

#### OMINECA/PEACE REGION 7 (See LEH Maps 7B, 7C, 7F, 7H, 7I & 7J for boundaries)

| Hunt<br>Code | Area           | M.U. | Zone       | Season Dates  | Class of<br>Animal | Tentative Number<br>of Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|----------------|------|------------|---------------|--------------------|--|-------------------------|
| 5147         | Kinbasket      | 7-02 | В          | Sept I-Oct 15 | Adult only         | 2  | 5.5:1                   |
| 5148         | Kinbasket      | 7-02 | C          | Sept 1-Oct 15 | Adult only         | 5  | 4.4:1                   |
| 5149         | Kinbasket      | 7-02 | D          | Sept I-Oct 15 | Adult only         | 5  | 2.2:1                   |
| 5150         | Kinbasket      | 7-02 | F          | Sept I-Oct 15 | Adult only         | 5  | 0.0:1                   |
| 5151         | Kinbasket      | 7-02 | G          | Sept I-Oct 15 | Adult only         | 3  | 2.4:1                   |
| 5152         | Kinbasket      | 7-02 | ı          | Sept I-Oct 15 | Adult only         | 1  | 1.0:1                   |
| 5153         | Holmes River   | 7-03 | Α          | Sept I-Oct 15 | Adult only         | 4  | 3.0:1                   |
| 5154         | Holmes River   | 7-03 | В          | Sept I-Oct 15 | Adult only         | 3  | 3.7:1                   |
| 5155         | Holmes River   | 7-03 | C          | Sept I-Oct 15 | Adult only         | 1  | 4.0:1                   |
| 5156         | Holmes River   | 7-03 | D          | Sept I-Oct 15 | Adult only         | 2  | 1.5:1                   |
| 5157         | Holmes River   | 7-03 | E          | Sept I-Oct 15 | Adult only         | 3  | 3.0:1                   |
| 5158         | Holmes River   | 7-03 | F          | Sept I-Oct 15 | Adult only         | 3  | 3.7:1                   |
| 5159         | Holmes River   | 7-03 | G          | Sept I-Oct 15 | Adult only         | [  | 4.0:1                   |
| 5160         | Holmes River   | 7-03 | Н          | Sept I-Oct 15 | Adult only         | 6  | 3.2:1                   |
| 5161         | Holmes River   | 7-03 | - 1        | Sept I-Oct 15 | Adult only         | 2  | 1.0:1                   |
| 5162         | Holmes River   | 7-03 | J          | Sept I-Oct 15 | Adult only         | 2  | 1.0:1                   |
| 5163         | Holmes River   | 7-03 | K          | Sept 1-Oct 15 | Adult only         | 2  | 10.0:1                  |
| 5164         | Holmes River   | 7-03 | L          | Sept 1-Oct 15 | Adult only         | 4  | 10.8:1                  |
| 5165         | Castle Creek   | 7-04 | Α          | Sept 1-Oct 15 | Adult only         | 4  | 8.0:1                   |
| 5166         | Dore River     | 7-04 | В          | Sept 1-Oct 15 | Adult only         | 10   | 3.0:1                   |
| 5167         | McLennan River | 7-04 | C          | Sept 1-Oct 15 | Adult only         | 6  | 4.2:1                   |
| 5168         | Kiwa Creek     | 7-04 | D          | Sept 1-Oct 15 | Adult only         | 6  | 3.5:1                   |
| 5169         | Peace River    | 7-19 | В          | Aug 15-Nov 15 | Adult only         | 1  | 6.0:1                   |
| 5170         | Peace River    | 7-19 | C          | Aug 15-Nov 15 | Adult only         | 4  | 1.3:1                   |
| 5171         | Peace River    | 7-19 | D          | Aug 15-Nov 15 | Adult only         | 13   | 2.3:1                   |
| 5172         | Peace River    | 7-19 | E          | Aug 15-Nov 15 | Adult only         | 3  | 2.4:1                   |
| 5173         | Peace River    | 7-19 | F          | Aug 15-Nov 15 | Adult only         | 2  | 3.5:1                   |
| 5174         | Peace River    | 7-19 | G          | Aug 15-Nov 15 | Adult only         | 3  | 9.4:1                   |
| 5175         | Peace River    | 7-19 | J          | Aug 15-Nov 15 | Adult only         | 11   | 2.6:1                   |
| 5176         | Peace River    | 7-21 | <b>A*</b>  | Aug 15-Nov 15 | Adult only         | 2  | 7.0:1                   |
| 5177         | Peace River    | 7-21 | <b>B</b> * | Aug 15-Nov 15 | Adult only         | l  | 30.0:1                  |
| 5178         | Peace River    | 7-21 | C**        | Aug 15-Nov 15 | Adult only         | 3  | 2.0:1                   |
| 5179         | Peace River    | 7-21 | D**        | Aug 15-Nov 15 | Adult only         | 7  | 7.5:1                   |
| 5180         | Peace River    | 7-21 | E          | Aug 15-Nov 15 | Adult only         | 3  | 11.7:1                  |
| 5181         | Peace River    | 7-21 | K+         | Aug 15-Nov 15 | Adult only         | 3  | 29.7:1                  |
| 5182         | Peace River    | 7-22 | A++        | Aug 15-Nov 15 | Adult only         | 2  | 12.0:1                  |
| 5183         | Peace River    | 7-22 | B++        | Aug 15-Nov 15 | Adult only         | 8  | 18.7:1                  |
| 5184         | Peace River    | 7-31 | _          | Aug 15-Nov 15 | Adult only         | 10   | 11.7:1                  |
| 5185         | Peace River    | 7-42 | В          | Aug 15-Nov 15 | Adult only         | 2  | 36.5:1                  |

- \* Also includes a portion of M.U. 7-19+ Also includes a portion of M.U. 7-22
- \*\* Excludes Monkman Park (closed to hunting)
- ++ Also includes portions of M.U. 7-21

Mountain Goat are sensitive to harvest. Hunters are requested to select a male Mountain Goat.

#### **MOUNTAIN GOAT**

#### **OKANAGAN REGION 8**

hunting/ci.html.

| Hunt<br>Code | Area        | M.U.          | Zone | Season Dates | Class of<br>Animal | Tentative Number of Authorizations Available | 2010<br>First<br>Choice<br>Odds |
|--------------|-------------|---------------|------|--------------|--------------------|--|---------------------------------|
| 5186         | Similkamaan | <b>8_07</b> * |      | Nov I Nov 30 | Adult only         | 3  | 102 7.1                         |

<sup>\*</sup> Also includes M.U. 8-02. No person shall hunt Mountain Goat within 0.4 km of the northern boundary of Highway No. 3 between Hedley and Keremeos.

Please remember that it is illegal to hunt on private land without the consent of the landowner. Indian Reserves are private land. Permission must be obtained from the local Indian Business office in order to hunt on or across these lands.

Mountain Goat are sensitive to harvest. Hunters are requested to select a male Mountain Goat.

#### **MOUNTAIN SHEEP**

If you applied for the 2011 Early Skeena Mountain Sheep draw for a 2011 hunt and received a LEH authorization, you are NOT ELIGIBLE TO APPLY for any other 2011 Mountain Sheep hunt, but you may apply for the 2012 early Skeena Mountain Sheep draw. If you were unsuccessful you may apply for any of the following Mountain Sheep hunts.

Due to concerns over the large percentage of illegal sheep harvested in the province, the Wild Sheep Society of British Columbia and the Ministry have worked together to develop an education program relating to horn curl restrictions. The Ministry is encouraging hunters to review the horn curl education program and participate in the horn curl test. For more details see page 28 Successful hunters are required to submit horns and skull of all Mountain Sheep taken, including ewes and lambs, for compulsory inspection within **30 days after the date of the kill OR before December 5 of the year of the kill whichever occurs first.** Please contact a Fish and Wildlife Regional Office (page 5) for a list of qualified inspectors or go to www.env.gov.bc.ca/fw/wildlife/

#### **THOMPSON REGION 3** (See **LEH Maps 3D, 3F. 3G & 3H** for boundaries)

| Hunt<br>Code | Area              | M.U.  | Zone       | Season Dates    | Class of<br>Animal |        | e Number<br>orizations<br>Available | First<br>Choice<br>Odds |
|--------------|-------------------|-------|------------|-----------------|--------------------|--------|-------------------------------------|-------------------------|
| 600 I        | S. Thompson River | 3-27  | <b>A</b> * | Nov I-Nov 20    | Ram only           |        | *Under                              | Review                  |
| 6002         | Kamloops Lake     | 3-29  | Α          | Sept 15-Sept 30 | Ram only           |        |                                     | 615.0:1                 |
| 6003         | Kamloops Lake     | 3-29  | Α          | Nov I-Nov 20    | Ram only           |        | - 1                                 | 184.0:1                 |
| 6004         | Fraser River      | 3-17  | Α          | Sept 20-Oct 20  | At least 3/        | 4 curl | 2                                   | 121.0:1                 |
| 6005         | Fraser River      | 3-17  | В          | Sept 20-Oct 20  | At least 3/        | 4 curl | 2                                   | 82.5:1                  |
| 6006         | Fraser River      | 3-3 I | Α          | Sept 20-Oct 20  | At least 3/        | 4 curl | - 1                                 | 92.0:1                  |
| 6007         | Fraser River      | 3-3 I | В          | Sept 20-Oct 20  | At least 3/        | 4 curl | 3                                   | 65.5:I                  |
| 6008         | Fraser River      | 3-31  | C          | Sept 20-Oct 20  | At least 3/        | 4 curl | 2                                   | 106.0:1                 |
| 6009         | Fraser River      | 3-3 I | D          | Sept 20-Oct 20  | At least 3/        | 4 curl | 4                                   | 143.5:1                 |
| 6010         | Fraser River      | 3-32  | C          | Sept 20-Oct 20  | At least 3/        | 4 curl | 6                                   | 26.3:1                  |
| 6011         | Fraser River      | 3-32  | D          | Sept 20-Oct 20  | At least 3/        | 4 curl | 4                                   | 31.7:1                  |
| 6012         | Fraser River      | 3-32  | Е          | Sept 20-Oct 20  | At least 3/        | 4 curl | 6                                   | 104.7:1                 |
| 6013         | Fraser River      | 3-17  | Α          | Nov I-Nov 15    | Ewe or lan         | nb     | 1                                   | 35.0:1                  |
| 6014         | Kamloops Lake     | 3-29  | Α          | Nov I-Nov 15    | Ewe or lan         | nb     | I                                   | 100.0:1                 |
| 6015         | Fraser River      | 3-3 I | В          | Nov I-Nov 15    | Ewe or lan         | nb     | 1                                   | 59.0:1                  |
| 6016         | Fraser River      | 3-3 I | C          | Nov I-Nov 15    | Ewe or lan         | nb     | - 1                                 | 55.0:1                  |
| 6017         | Fraser River      | 3-32  | C          | Nov I-Nov 15    | Ewe or lan         | nb     | - 1                                 | 39.0:1                  |

\* This hunt is currently under review and may be closed for the 2011 season.

#### KOOTENAY REGION 4 (See LEH Maps 41 & 4L for boundaries)

| Hunt<br>Code | Area                 | M.U. | Zone | Season Dates   |               | entative Number<br>of Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|----------------------|------|------|----------------|---------------|---|-------------------------|
| 6018         | Phillips Creek       | 4-02 | Α    | Nov I-Nov 10   | At least full | curl 3  | 64.4:1                  |
| 6019         | Phillips Creek       | 4-02 | Α    | Nov 11-Nov 20  | At least full | curl 4  | 141.8:1                 |
| 6020         | Salmo                | 4-08 |      | Sept 10-Oct 25 | At least full | curl 7  | 70.7:1                  |
| 602 I        | Syringa Parl         | 4-15 |      | Sept 10-Oct 25 | At least full | curl 2  | 345.0:1                 |
| 6022         | Mt. Assiniboine Park | 4-25 | F*   | Oct 1-Oct 9    | At least full | curl I  | 31.0:1                  |
| 6023         | Mt. Assiniboine Park | 4-25 | F*   | Oct 10-Oct 18  | At least full | curl I  | 28.0:1                  |
| 6024         | Mt. Assiniboine Park | 4-25 | F*   | Oct 19-Oct 26  | At least full | curl I  | 39.0:1                  |
| 6025         | Mt. Assiniboine Park | 4-25 | F*   | Oct 27-Nov 3** | At least full | curl I  | 89.0:1                  |

<sup>\*</sup> All persons using horses in Mt. Assiniboine Park are required to obtain a letter of permission from the Regional Manager, Parks and Protected Areas, 205 Industrial Rd G., Cranbrook, BC, VIC 7G5 (phone 250-489-8540)

#### \*\*\* 2012 EARLY SKEENA MOUNTAIN SHEEP DRAW REGION 6\*\*\*

(Please note: the 2011 Skeena Mountain Sheep hunts were drawn in February 2011) Limited Entry Hunt (LEH) applications for 2012 limited entry sheep hunts in the Skeena region (Region 6) will be drawn in February 2012, in order to provide hunters with more time to sched-

Only one application for this early draw may be submitted per hunter and it must be submitted on a regular LEH application card. If you choose to apply for these early draws, please be advised that second choices are available, but must be from one of the other early Skeena Mountain Sheep draw hunts, i.e. if you apply for an early Skeena sheep draw, your second choice must be for the Mount Edziza, Atlin, Tatshenshini, or Spatsizi sheep hunt.

If you were successful in the 2011 early draw, you are not eligible to apply for any other LEH Mountain Sheep hunts for 2011. If you applied for an early Skeena Mountain Sheep draw and did not receive a LEH authorization you may apply for any other 2010 Mountain Sheep hunt.

Applications for the Early draw must be received in Victoria by February 3, 2012.

Notification of draw results will be sent out after the draw.

ule and plan hunts in these remote areas.

#### SKEENA REGION 6 (See LEH Maps 6H, 61 & 6] for boundaries)

| Hunt<br>Code | Area         | M.U.  | Zone | Season Dates       |                  | ntative Number<br>Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|--------------|-------|------|--------------------|------------------|---|-------------------------|
| 6026         | Spatsizi     | 6-20  | Α    | Aug 1/12-Oct 15/12 | At least full c  | url IIO                                       | 1.9:1                   |
| 6027         | Mount Edziza | 6-2 I | Α    | Aug 1/12-Oct 15/12 | At least full c  | url 12  | 5.3:1                   |
| 6028         | Atlin        | 6-25  | D    | Aug 1/12-Oct 15/12 | At least full co | url 65  | 2.0:1                   |
| 6029         | Atlin        | 6-27  | Α    | Aug 1/12-Oct 15/12 | At least full c  | url 50  | 1.7:1                   |
| 6030         | Tatshenshini | 6-28  |      | Aug 1/12-Oct 15/12 | At least full c  | url 50  | 2.2:1                   |
| 603 I        | Tatshenshini | 6-29  |      | Aug 1/12-Oct 15/12 | At least full co | url 22  | 12.6:1                  |

<sup>\*\*</sup> Please note adverse snow conditions likely present at this time of year.

2010

2010

#### **MOUNTAIN SHEEP**

#### OKANAGAN REGION 8 (See LEH Maps 8C, 8D & 8E for boundaries)

| Hunt<br>Code | Area        | M.U. | Zone       | Season Dates     |                   | e Number<br>orizations<br>Available | First<br>Choice<br>Odds |
|--------------|-------------|------|------------|------------------|-------------------|-------------------------------------|-------------------------|
| 6032         | Ashnola     | 8-03 | Α          | Aug 25-Aug 31    | At least 3/4 curl | 7                                   | 40.2:1                  |
| 6033         | Ashnola     | 8-03 | Α          | Sept I-Sept 7    | At least 3/4 curl | 7                                   | 13.6:1                  |
| 6034         | Ashnola     | 8-03 | Α          | Sept 8-Sept 14   | At least 3/4 curl | 7                                   | 15.8:1                  |
| 6035         | Ashnola     | 8-03 | Α          | Sept 15- Sept 21 | At least 3/4 curl | 5                                   | 8.4:1                   |
| 6036         | Ashnola     | 8-03 | Α          | Sept 22-Sept 28  | At least 3/4 curl | 5                                   | 13.6:1                  |
| 6037         | Ashnola     | 8-03 | <b>B</b> * | Aug 25-Aug 31    | At least 3/4 curl | 7                                   | 21.0:1                  |
| 6038         | Ashnola     | 8-03 | <b>B</b> * | Sept I-Sept 7    | At least 3/4 curl | 7                                   | 5.3:1                   |
| 6039         | Ashnola     | 8-03 | <b>B</b> * | Sept 8-Sept 14   | At least 3/4 curl | 7                                   | 20.8:1                  |
| 6040         | Ashnola     | 8-03 | <b>B</b> * | Sept 15- Sept 21 | At least 3/4 curl | 5                                   | 7.4:1                   |
| 6041         | Ashnola     | 8-03 | <b>B</b> * | Sept 22-Sept 28  | At least 3/4 curl | 5                                   | 11.2:1                  |
| 6042         | Okanagan    | 8-01 |            | Sept I-Sept 30   | Ram only          | 4                                   | 93.0:1                  |
| 6043         | Similkameen | 8-07 | **         | Sept I-Sept 30   | Ram only          | 3                                   | 136.5:1                 |
| 6044         | Okanagan    | 8-09 | Α          | Sept I-Sept 30   | Ram only          | 7                                   | 65.3:1                  |
| 6045         | Granby      | 8-15 | F          | Sept 1-Sept 30   | Ram only          | 3                                   | 204.7:1                 |

- \* Also includes Zone D of M.U. 8-03
- \*\* Also includes M.U. 8-02

Please remember that it is illegal to hunt on private land without the consent of the landowner. Indian Reserves are private land. Permission must be obtained from the local Indian Business office in order to hunt on or across these lands.

#### **MULE (Black-tailed) DEER**

#### **LOWER MAINLAND REGION 2**

| Hunt<br>Code | Area      | M.U. | Zone | Season Dates | Class of<br>Animal |      | ve Number<br>norizations<br>Available | 2010<br>First<br>Choice<br>Odds |
|--------------|-----------|------|------|--------------|--------------------|------|---------------------------------------|---------------------------------|
| 700 I        | Pemberton | 2-11 |      | Oct I-Oct 31 | Antlerless         | only | 50                                    | 7.1:1                           |
| 7002         | Pemberton | 2-11 |      | Nov I-Nov 30 | Antlerless         | only | 50                                    | 5.1:1                           |

#### **THOMPSON REGION 3**

| Hunt<br>Code | Area     | M.U.  | Zone | Season Dates  | Class of<br>Animal | Tentative Nur<br>of Authorizat<br>Avail |            |
|--------------|----------|-------|------|---------------|--------------------|---|------------|
| 7003         | Kamloops | 3-12  |      | Nov I- Nov 30 | Antlerless         | only 12                                 | .0 7.8:1   |
| 7004         | Kamloops | 3-13  |      | Nov I- Nov 30 | Antlerless         | only 12                                 | .0 5.1:1   |
| 7005         | Kamloops | 3-14  |      | Nov I- Nov 30 | Antlerless         | only 30                                 | 0 6.3:1    |
| 7006         | Kamloops | 3-15  |      | Nov I- Nov 30 | Antlerless         | only 45                                 | 5 3.2:1    |
| 7007         | Kamloops | 3-16  |      | Nov I- Nov 30 | Antlerless         | only 50                                 | 1.7:1      |
| 7008         | Kamloops | 3-17  |      | Nov I- Nov 30 | Antlerless         | only 80                                 | 5.3:1      |
| 7009         | Kamloops | 3-18  |      | Nov I- Nov 30 | Antlerless         | only 60                                 | 1:0.11 C   |
| 7010         | Kamloops | 3-19  |      | Nov I- Nov 30 | Antlerless         | only 80                                 | ) 12.2:1   |
| 7011         | Kamloops | 3-20  |      | Nov I- Nov 30 | Antlerless         | only 75                                 | 5 10.4:1   |
| 7012         | Kamloops | 3-26  |      | Nov I- Nov 30 | Antlerless         | only 45                                 | 5   11.7:1 |
| 7013         | Kamloops | 3-27  |      | Nov I- Nov 30 | Antlerless         | only 70                                 | 7.7:1      |
| 7014         | Kamloops | 3-28  |      | Nov I- Nov 30 | Antlerless         | only 65                                 | 5 11.2:1   |
| 7015         | Kamloops | 3-29  |      | Nov I- Nov 30 | Antlerless         | only 80                                 | 0 11.3:1   |
| 7016         | Kamloops | 3-30  |      | Nov I- Nov 30 | Antlerless         | only 10                                 | 0 12.5:1   |
| 7017         | Kamloops | 3-3 I |      | Nov I- Nov 30 | Antlerless         | only 90                                 | 5.6:1      |
| 7018         | Kamloops | 3-32  |      | Nov I- Nov 30 | Antlerless         | only 40                                 |            |
| 7019         | Kamloops | 3-33  |      | Nov I- Nov 30 | Antlerless         | only 30                                 | 3.1:1      |
| 7020         | Kamloops | 3-36  |      | Nov I- Nov 30 | Antlerless         | only 40                                 | 5.5:1      |
| 702 I        | Kamloops | 3-37  |      | Nov I- Nov 30 | Antlerless         | ,                                       |            |
| 7022         | Kamloops | 3-38  |      | Nov I- Nov 30 | Antlerless         | ,                                       |            |
| 7023         | Kamloops | 3-39  |      | Nov I- Nov 30 | Antlerless         | ,                                       |            |
| 7024         | Kamloops | 3-40  |      | Nov I- Nov 30 | Antlerless         | ,                                       |            |
| 7025         | Kamloops | 3-41  |      | Nov I- Nov 30 | Antlerless         | ,                                       |            |
| 7026         | Kamloops | 3-42  |      | Nov I- Nov 30 | Antlerless         | ,                                       |            |
| 7027         | Kamloops | 3-46  |      | Nov I- Nov 30 | Antlerless         | only 70                                 | 0.9:1      |
|              |          |       |      |               |                    |   | _          |

Hunters should note that the bag limit for Mule (Black-tailed) deer in Region 3 is two, only one of which may be a buck. Therefore, one must be antlerless, available under LEH only.

#### **CARIBOO REGION 5** (See **LEH Map 5H** for boundaries)

| Hunt<br>Code | Area    | M.U.  | Zone | Season Dates | Class of<br>Animal |      | ve Number<br>horizations<br>Available | First<br>Choice<br>Odds |
|--------------|---------|-------|------|--------------|--------------------|------|---------------------------------------|-------------------------|
| 7028         | Cariboo | 5-0 I |      | Oct I-Oct 31 | Antlerless         | only | 25                                    | 20.8:1                  |
| 7029         | Cariboo | 5-0 I |      | Nov I-Nov 30 | Antlerless         | only | 33                                    | 9.0:1                   |
| 7030         | Cariboo | 5-02  | Α    | Oct I-Oct 31 | Antlerless         | only | 33                                    | 7.4:1                   |
| 703 I        | Cariboo | 5-02  | Α    | Nov I-Nov 30 | Antlerless         | only | 29                                    | 7.6:1                   |
| 7032         | Cariboo | 5-02  | В    | Oct I-Oct 31 | Antlerless         | only | 20                                    | 27.1:1                  |
| 7033         | Cariboo | 5-02  | В    | Nov I-Nov 30 | Antlerless         | only | 23                                    | 8.2:1                   |
| 7034         | Cariboo | 5-02  | C    | Oct I-Oct 31 | Antlerless         | only | 40                                    | 6.0: I                  |
| 7035         | Cariboo | 5-02  | C    | Nov I-Nov 30 | Antlerless         | only | 102                                   | 5.4:1                   |
| 7036         | Cariboo | 5-02  | D    | Oct I-Oct 31 | Antlerless         | only | 30                                    | 7.8:1                   |
| 7037         | Cariboo | 5-02  | D    | Nov I-Nov 30 | Antlerless         | only | 75                                    | 3.0:1                   |
| 7038         | Cariboo | 5-03  | Α    | Oct I-Oct 31 | Antlerless         | only | 24                                    | 8.4:1                   |
| 7039         | Cariboo | 5-03  | Α    | Nov I-Nov 30 | Antlerless         | only | 32                                    | 1.2:1                   |
| 7040         | Cariboo | 5-03  | В    | Oct I-Oct 31 | Antlerless         | only | 21                                    | 3.8:1                   |
| 704 I        | Cariboo | 5-03  | В    | Nov I-Nov 30 | Antlerless         | only | 44                                    | 3.1:1                   |
| 7042         | Cariboo | 5-04  |      | Nov I-Nov 30 | Antlerless         | only | 10                                    | 5.1:1                   |
| 7043         | Cariboo | 5-05  |      | Nov I-Nov 30 | Antlerless         | only | 10                                    | 5.2:1                   |
| 7044         | Cariboo | 5-08  |      | Nov I-Nov 30 | Antlerless         | only | 10                                    | 0.9:1                   |
| 7045         | Cariboo | 5-13  | Α    | Oct I-Oct 31 | Antlerless         | only | 10                                    | 13.3:1                  |
| 7046         | Cariboo | 5-13  | Α    | Nov I-Nov 30 | Antlerless         | only | 10                                    | 4.6:1                   |
| 7047         | Cariboo | 5-13  | В    | Oct I-Oct 31 | Antlerless         | only | 14                                    | 20.0:1                  |
| 7048         | Cariboo | 5-13  | В    | Nov I-Nov 30 | Antlerless         | only | 42                                    | 4.3:1                   |
| 7049         | Cariboo | 5-14  | Α    | Oct I-Oct 31 | Antlerless         | only | 67                                    | 4.1:1                   |
| 7050         | Cariboo | 5-14  | Α    | Nov I-Nov 30 | Antlerless         | only | 125                                   | 1.5:1                   |
| 705 I        | Cariboo | 5-14  | В    | Oct I-Oct 31 | Antlerless         | only | 14                                    | 1.9:1                   |
| 7052         | Cariboo | 5-14  | В    | Nov I-Nov 30 | Antlerless         | only | 63                                    | 1.7:1                   |
| 7053         | Cariboo | 5-15  |      | Nov I-Nov 30 | Antlerless         | only | 10                                    | 4.6:1                   |
|              |         |       |      |              |                    |      |                                       |                         |

#### MULE (Black-tailed) DEER

#### CARIBOO AGE-RESTRICTED HUNT

The following hunt is open ONLY to hunters who are under the age of 18. To qualify as under 18, an applicant's 18th birthday must fall on or after August 1, 2011. Hunters who are under the age of 18 at the time of their hunt must be accompanied and closely supervised while hunting by a person who is 18 years of age or older and who holds a valid hunting licence.

| Hunt<br>Code | Area      | M.U. | Zone | Season Dates | Class of<br>Animal |      | ve Number<br>orizations<br>Available | First<br>Choice<br>Odds |
|--------------|-----------|------|------|--------------|--------------------|------|--------------------------------------|-------------------------|
| 7054         | Cariboo Y | 5-01 |      | Oct I-Nov 30 | Antlerless         | only | 100                                  | 0.9:1                   |
| 7055         | Cariboo Y | 5-02 |      | Oct I-Nov 30 | Antlerless         | only | 300                                  | 0.7:1                   |
| 7056         | Cariboo Y | 5-03 |      | Oct I-Nov 30 | Antlerless         | only | 80                                   | 0.6:1                   |
| 7057         | Cariboo Y | 5-13 |      | Oct I-Nov 30 | Antlerless         | only | 80                                   | 0.5:1                   |
| 7058         | Cariboo Y | 5-14 |      | Oct I-Nov 30 | Antlerless         | only | 171                                  | 0.4:1                   |
| 7059         | Cariboo Y | 5-15 |      | Oct I-Nov 30 | Antlerless         | only | 20                                   | 0.3:1                   |

In addition to harvesting an antierless Mule (Black-tailed) deer a buck can be harvested, in accordance with antier configurations, during the same time period as long as the regional bag limit of (2) has not been exceeded.

2010

2010

First

2010

Tentative Number

#### **SKEENA REGION 6** (See **LEH Map 60** for boundaries)

| Hunt<br>Code | Area          | M.U. | Zone       | Season Dates        | Class of<br>Animal |      | ve Number<br>orizations<br>Available | First<br>Choice<br>Odds |
|--------------|---------------|------|------------|---------------------|--------------------|------|--------------------------------------|-------------------------|
| 7060         | Skeena        | 6-04 |            | Nov I-Nov I5        | Antlerless         | only | 3                                    | 25.7:1                  |
| 7061         | Francois Lake | 6-04 | <b>A</b> * | Dec I-Dec 15        | Antlerless         | only | 3                                    | 6.7:1                   |
| 7062         | Francois Lake | 6-04 | <b>A</b> * | Dec 16-Dec 31       | Antlerless         | only | 3                                    | 7.4:1                   |
| 7063         | Francois Lake | 6-04 | <b>A</b> * | Jan 1/12-Jan 15/12  | Antlerless         | only | 3                                    | 7.7:1                   |
| 7064         | Francois Lake | 6-04 | <b>A</b> * | Jan 16/12-Jan 31/12 | Antlerless         | only | 3                                    | 0.7:1                   |
| 7065         | Francois Lake | 6-04 | <b>A</b> * | Feb 1/12-Feb 15/12  | Antlerless         | only | 3                                    | 4.4:1                   |
| 7066         | Francois Lake | 6-04 | <b>A</b> * | Feb 16/12-Feb 28/12 | Antlerless         | only | 3                                    | 2.7:1                   |
| 7067         | Skeena        | 6-05 | **         | Nov I-Nov I5        | Antlerless         | only | 3                                    | 11.4:1                  |
| 7068         | Skeena        | 6-08 |            | Nov I-Nov I5        | Antlerless         | only | 3                                    | 42.7:1                  |
| 7069         | Skeena        | 6-09 |            | Nov I-Nov 15        | Antlerless         | only | 3                                    | 43.4:1                  |

\* Restricted to PRIVATE LAND ONLY within Zone A of M.U. 6-04. Also includes any CROWN LAND only within 400 meters of private land within Zone A of M.U. 6-04.

Permission of the landowner must be obtained prior to the hunt. It is the hunter's responsibility to locate land owners willing to allow hunter access. This can be a long and challenging process with no guarantee of success. Applying for a LEH in this area does not guarantee that there will be deer present during selected season.

\*\* Also includes M.U. 6-06.

#### **OKANAGAN REGION 8** (See **LEH Map 8B** for boundaries)

| Hunt<br>Code | Area           | M.U.  | Zone | Season Dates  | Class of<br>Animal | of Authorizations<br>Available | Choice<br>Odds |
|--------------|----------------|-------|------|---------------|--------------------|--------------------------------|----------------|
| 7070         | Okanagan       | 8-0 I |      | Oct 20-Oct 31 | Antlerless of      | only 50                        | 8.8:1          |
| 707 I        | Okanagan       | 8-02  |      | Oct 20-Oct 31 | Antlerless of      | only 25                        | 7.3:1          |
| 7072         | Okanagan       | 8-03  |      | Oct 20-Oct 31 | Antlerless of      | only 10                        | 8.4:1          |
| 7073         | Okanagan       | 8-04  |      | Oct 20-Oct 31 | Antlerless of      | only 20                        | 13.9:1         |
| 7074         | Okanagan       | 8-05  | Α    | Oct 20-Oct 31 | Antlerless of      | only 40                        | 24.5:1         |
| 7075         | Okanagan       | 8-05  | В    | Oct 20-Oct 31 | Antlerless of      | only 20                        | 26.8:1         |
| 7076         | Okanagan       | 8-06  |      | Oct 20-Oct 31 | Antlerless of      | only 30                        | 17.7:1         |
| 7077         | Okanagan       | 8-07  |      | Oct 20-Oct 31 | Antlerless of      | only 10                        | 12.2:1         |
| 7078         | Okanagan       | 8-08  |      | Oct 20-Oct 31 | Antlerless of      | only 55                        | 18.1:1         |
| 7079         | Okanagan Falls | 8-09  | A*   | Oct I-Oct I0  | Antlerless of      | only 5                         | 5.0:1          |
| 7080         | Okanagan Falls | 8-09  | A*   | Oct 11-Oct 20 | Antlerless of      | only 5                         | 4.2:1          |
| 708 I        | Okanagan       | 8-09  |      | Oct 20-Oct 31 | Antlerless of      | only 15                        | 12.8:1         |
| 7082         | Okanagan       | 8-10  |      | Oct 20-Oct 31 | Antlerless of      | only 20                        | 19.8:1         |
| 7083         | Okanagan       | 8-11  |      | Oct 20-Oct 31 | Antlerless of      | only 15                        | 15.2:1         |
| 7084         | Okanagan       | 8-12  |      | Oct 20-Oct 31 | Antlerless of      | only 55                        | 16.8:1         |
| 7085         | Okanagan       | 8-14  |      | Oct 20-Oct 31 | Antlerless of      | only 50                        | 15.0:1         |
| 7086         | Okanagan       | 8-15  |      | Oct 20-Oct 31 | Antlerless of      | only 5                         | 26.2:1         |
| 7087         | Okanagan       | 8-22  |      | Oct 20-Oct 31 | Antlerless of      | only 10                        | 13.3:1         |
| 7088         | Okanagan       | 8-23  |      | Oct 20-Oct 31 | Antlerless of      | only 20                        | 12.7:1         |
| 7089         | Okanagan       | 8-24  |      | Oct 20-Oct 31 | Antlerless of      | only 10                        | 8.2:1          |
| 7090         | Okanagan       | 8-25  |      | Oct 20-Oct 31 | Antlerless of      | only 15                        | 9.8:1          |
|              |                |       |      |               |                    |                                |                |

\* Okanagan Falls - hunting is restricted to 1000 Ha of PRIVATE LAND ONLY, east of Okanagan Falls, adjacent to either side of portions of McLean Creek Road. Written permission from the landowner must be obtained prior to the hunt.

#### **FALL 2011 GRIZZLY BEAR**

If you applied for a Spring 2011 Grizzly Bear hunt and received a LEH authorization, you are NOT ELIGIBLE TO APPLY for any of these hunts, but you may apply for a Spring 2012 hunt.

There is no open season on a less than 2-year-old Grizzly Bear, or any Grizzly Bear in its company. Do not shoot any Grizzly Bear when observed in a family unit.

Hunters are requested to select a male Grizzly Bear.

#### **VANCOUVER ISLAND REGION 1** (See **LEH Map 1I** for boundaries)

| Hunt<br>Code | Area            | M.U. | Zone | Season Dates | Class of<br>Animal | Tentative Number of Authorizations Available | First<br>Choice<br>Odds |
|--------------|-----------------|------|------|--------------|--------------------|--|-------------------------|
| 3001         | Knight/Kingcome | 1-14 | Α    | Oct I-Nov 15 | Adult only         | / 10   | 5.3:1                   |
| 3002         | Knight/Kingcome | 1-14 | В    | Oct I-Nov 15 | Adult only         | / 10   | 1.2:1                   |
| 3003         | Knight/Kingcome | 1-15 | В    | Oct I-Nov 15 | Adult only         | / 4  | 18.8:1                  |
| 3004         | Knight/Kingcome | 1-15 | C    | Oct I-Nov 15 | Adult only         | / 4  | 16.5:1                  |

Hunters are requested to select a male Grizzly Bean For more details see page 15.

#### **CARIBOO REGION 5** (See **LEH Map 5G** for boundaries)

| Hunt<br>Code | Area    | M.U. | Zone | Season Dates   | Class of<br>Animal | Tentative Number of Authorizations Available | First<br>Choice<br>Odds |
|--------------|---------|------|------|----------------|--------------------|--|-------------------------|
| 3005         | Coastal | 5-08 | Α    | Sept 10-Nov 30 | Adult only         | / 12   | 5.3:1                   |
| 3006         | Coastal | 5-08 | В    | Sept 10-Nov 30 | Adult only         | / 5  | 11.2:1                  |
| 3007         | Coastal | 5-08 | C    | Sept 10-Nov 30 | Adult only         | / 10   | 8.8:1                   |
| 3008         | Coastal | 5-09 | Α    | Sept 10-Nov 15 | Adult only         | / 15   | 1.5:1                   |

Hunters are requested to select a male Grizzly Bear. For more details see page 15.

2011

2011 First

2011

#### **FALL 2011 GRIZZLY BEAR**

**SKEENA REGION 6** (See **LEH Maps 61, 6P, 6Q, 6R, 6S & 6T** for boundaries) (See closed area Map 6U)

| Hunt<br>Code | Area                     | M.U.           | Zone   | Season Dates                            | Class of<br>Animal       | Tentative Number of Authorizations Available | First<br>Choice<br>Odds |
|--------------|--------------------------|----------------|--------|---|--------------------------|--|-------------------------|
| 3009         | Skeena                   | 6-02           |        | Sept I-Nov 15                           | Adult only               | /  | 21.7:1                  |
| 3010         | Skeena                   | 6-03           | В      | Sept I-Nov 15                           | Adult only               |  | 21.0:1                  |
| 3011         | Bulkley-Tahtsa           | 6-04           | Α      | Sept I-Nov 15                           | Adult only               |  | 17.0:1                  |
| 3012         | Skeena                   | 6-04           | В      | Sept I-Nov 15                           | Adult only               | /  | 6.2:1                   |
| 3013         | Skeena                   | 6-05           | *      | Sept I-Nov 15                           | Adult only               |  | 1.5:1                   |
| 3014         | Skeena                   | 6-07           |        | Sept I-Nov I5                           | Adult only               |  | 1.7:1                   |
| 3015         | Skeena                   | 6-08           |        | Sept I-Nov I5                           | Adult only               |  | 7.0:1                   |
| 3016         | Bulkley-Tahtsa           | 6-09           | A+     | Sept I-Nov I5                           | Adult only               |  | 89.0:1                  |
| 3017         | Bulkley-Tahtsa           | 6-09           | В      | Sept I-Nov 15                           | Adult only               |  | 26.4:1                  |
| 3018         | Skeena                   | 6-10           |        | Sept I-Nov 15                           | Adult only               | / 14   | 2.3:1                   |
| 3019         | Skeena                   | 6-11           |        | Sept I-Nov I5                           | Adult only               |  | 2.0:1                   |
| 3020         | Skeena                   | 6-15           | В      | Sept I-Nov 15                           | Adult only               |  | 1.4:1                   |
| 302 I        | Skeena                   | 6-15           | C++    | Sept I-Nov 15                           | Adult only               |  | 1.4:1                   |
| 3022         | Meziadin                 | 6-16           | Α      | Sept I-Nov I5                           | Adult only               |  | 0.8:1                   |
| 3023         | Meziadin                 | 6-16           | B**    | Sept I-Nov 15                           | Adult only               |  | 10.8:1                  |
| 3024         | Skeena                   | 6-17           |        | Sept I-Nov I5                           | Adult only               |  | 1.8:1                   |
| 3025         | Skeena                   | 6-18           |        | Sept I-Nov I5                           | Adult only               |  | 1.7:1                   |
| 3026         | Skeena                   | 6-19           | A      | Sept I-Nov I5                           | Adult only               |  | 1.0:1                   |
| 3027         | Spatsizi                 | 6-20           | A***   | Sept I-Nov I5                           | Adult only               |  | 1.7:1                   |
| 3028         | Spatsizi                 | 6-20           | В      | Sept I-Nov I5                           | Adult only               |  | 1.0:1                   |
| 3029<br>3030 | Spatsizi<br>Mount Edziza | 6-20           | C      | Sept I-Nov I5                           | Adult only               |  | 0.8:1                   |
| 3031         | Mount Edziza             | 6-2 I<br>6-2 I | A<br>B | Sept I-Nov I5                           | Adult only               |  | 0.3:1<br>0.8:1          |
| 3032         | Skeena                   | 6-22           | В      | Sept I-Nov I5                           | Adult only<br>Adult only |  | 1.7:1                   |
| 3032         | Skeena                   | 6-23           |        | Sept I-Nov 15<br>Sept I-Nov 15          | Adult only               |  | 2.6:1                   |
| 3034         | Skeena                   | 6-24           |        | Sept 1-Nov 15                           | Adult only               |  | 4.9:1                   |
| 3035         | Teslin                   | 6-25           | Α      | Sept 1-Nov 15                           | Adult only               |  | 1.6:1                   |
| 3036         | Teslin                   | 6-25           | В      | Sept 1-Nov 15                           | Adult only               |  | 2.2:1                   |
| 3037         | Skeena                   | 6-26           |        | Sept 1-Nov 15                           | Adult only               |  | 1.2:1                   |
| 3038         | Skeena                   | 6-27           |        | Sept 1-Nov 15                           | Adult only               |  | 2.5:1                   |
| 3039         | Skeena                   | 6-28           |        | Sept 1-Nov 15                           | Adult only               |  | 1.7:1                   |
| 3040         | Skeena                   | 6-29           |        | Sept 1-Nov 15                           | Adult only               |  | 1.5:1                   |
| 3041         | Skeena                   | 6-30           | Α      | Sept 1-Nov 15                           | Adult only               |  | 3.5:1                   |
|              |                          | •              |        | 1 |                          |  |                         |

- \* Also includes M.U. 6-06.
- \*\* Also includes portions of M.U. 6-14. Excludes a portion of Meziadin Lake Provincial Park
- \*\*\* Also includes a portion of M.U. 6-19.
- + Also includes a portion of M.U. 6-04.
- ++ Also includes a portion of M.U. 6-30.

Hunters are requested to select a male Grizzly Bear. For more details see page 15.

#### OMINECA/PEACE REGION 7 (See LEH Map 7D for boundaries)

| Hunt  |                 |             |      |                |            | of Authorizations | Choice  |
|-------|-----------------|-------------|------|----------------|------------|-------------------|---------|
| Code  | Area            | M.U.        | Zone | Season Dates   | Animal     | Available         | Odds    |
| 3042  | Omineca         | 7-02        |      | Sept 10-Nov 15 | Adult only | 50                | 1.4:1   |
| 3043  | <b>O</b> mineca | 7-03        |      | Sept 10-Nov 15 | Adult only | 50                | 2.4:1   |
| 3044  | <b>O</b> mineca | 7-04        |      | Sept 10-Nov 15 | Adult only | 50                | 1.4:1   |
| 3045  | <b>O</b> mineca | 7-05        |      | Sept 10-Nov 15 | Adult only | 28                | 4.9:1   |
| 3046  | Omineca         | 7-06        |      | Sept 10-Nov 15 | Adult only | 1                 | 29.0:1  |
| 3047  | Omineca         | 7-07        |      | Sept 10-Nov 15 | Adult only | 29                | 11.2:1  |
| 3048  | Omineca         | 7-14        |      | Sept 10-Nov 15 | Adult only | 1                 | 23.0:1  |
| 3049  | Omineca         | 7-16        | Α    | Sept 10-Nov 15 | Adult only | 1                 | 20.0:1  |
| 3050  | Omineca         | 7-16        | В    | Sept 10-Nov 15 | Adult only | 1                 | 13.0:1  |
| 305 I | Omineca         | 7-16        | C    | Sept 10-Nov 15 | Adult only | 1                 | 46.0:1  |
| 3052  | Omineca         | 7-17        |      | Sept 10-Nov 15 | Adult only | 50                | 3.8:1   |
| 3053  | Omineca         | 7-18        |      | Aug 15-Oct 25  | Adult only | 50                | 2.1:1   |
| 3054  | Omineca         | 7-23        | Α    | Aug 15-Oct 25  | Adult only | 3                 | 2.3:1   |
| 3055  | Omineca         | 7-23        | В    | Aug 15-Oct 25  | Adult only | 4                 | 4.5:1   |
| 3056  | Omineca         | 7-23        | C    | Aug 15-Oct 25  | Adult only | 50                | 3.0:1   |
| 3057  | Omineca         | 7-23        | D    | Aug 15-Oct 25  | Adult only | 50                | 1.6:1   |
| 3058  | Omineca         | 7-23        | Е    | Aug 15-Oct 25  | Adult only | 50                | 0.7:1   |
| 3059  | Omineca         | 7-24        |      | Sept 10-Nov 15 | Adult only | 1                 | 1:0.101 |
| 3060  | Omineca         | 7-25        |      | Sept 10-Nov 15 | Adult only | · I               | 21.0:1  |
| 3061  | Omineca         | 7-26        |      | Sept 10-Nov 15 | Adult only | · I               | 26.0:1  |
| 3062  | Omineca         | 7-27        |      | Sept I-Nov 15  | Adult only | 35                | 3.0:1   |
| 3063  | Omineca         | 7-28        |      | Sept I-Nov 15  | Adult only | 54                | 1.8:1   |
| 3064  | Omineca         | 7-29        |      | Sept I-Nov 15  | Adult only | · I               | 7.9:1   |
| 3065  | Omineca         | 7-30        |      | Sept I-Nov 15  | Adult only |                   | 18.0:1  |
| 3066  | Omineca         | 7-37        |      | Sept I-Nov 15  | Adult only |                   | 3.4:1   |
| 3067  | Omineca         | 7-38        |      | Sept I-Nov 15  | Adult only | 75                | 1.2:1   |
| 3068  | Omineca         | 7-39        |      | Sept I-Nov 15  | Adult only |                   | 1.4:1   |
| 3069  |                 | 7-40        |      | Sept I-Nov 15  | Adult only |                   | 0.3:1   |
| 3070  |                 | 7-41        |      | Sept I-Nov 15  | Adult only |                   | 2.3:1   |
| 3071  | Peace River     | 7-19        |      | Aug 15-Oct 31  | Adult only |                   | 12.0:1  |
| 3072  |                 | 7-20        |      | Aug 15-Oct 31  | Adult only |                   | 10.0:1  |
| 3073  |                 | 7-21        |      | Aug 15-Oct 31  | Adult only |                   | 11.0:1  |
| 3074  |                 | 7-22        |      | Aug 15-Oct 31  | Adult only |                   | 9.7:1   |
| 3075  |                 | 7-31        |      | Aug 15-Oct 31  | Adult only |                   | 11.8:1  |
| 3076  |                 | 7-35        |      | Aug 15-Oct 31  | Adult only | _                 | 25.4:1  |
| 3077  |                 | 7-36        |      | Aug 15-Oct 31  | Adult only |                   | 7.9:1   |
| 3078  |                 | 7-42        |      | Aug 15-Oct 31  | Adult only |                   | 106.0:1 |
| 3079  |                 | 7-43        |      | Aug 15-Oct 31  | Adult only |                   | 16.5:1  |
| 3080  |                 | 7-44        |      | Aug 15-Oct 31  | Adult only |                   | 6.5:1   |
| 3081  | Peace River     | 7-45        |      | Aug 15-Oct 31  | Adult only |                   | 6.0:1   |
| 3082  |                 | 7-48        |      | Aug 15-Oct 31  | Adult only |                   | 5.9.:1  |
| 3083  |                 | 7-49        |      | Aug 15-Oct 31  | Adult only |                   | 14.9:1  |
| 3084  |                 | 7-50        |      | Aug 15-Oct 31  | Adult only |                   | 124.0:1 |
| 3085  |                 | 7-51        |      | Aug 15-Oct 31  | Adult only |                   | 2.4:1   |
| 3086  |                 | 7-52        |      | Aug 15-Oct 31  | Adult only |                   | 2.1:1   |
| 3087  |                 | 7-53        |      | Aug 15-Oct 31  | Adult only |                   | 0.5:1   |
| 3088  |                 | 7-54<br>7-7 |      | Aug 15-Oct 31  | Adult only |                   | 1.9:1   |
| 3089  |                 | 7-57        |      | Aug 15-Oct 31  | Adult only |                   | 26.0:1  |
| 3090  | Peace River     | 7-58        |      | Aug 15-Oct 31  | Adult only |                   | 3.8:1   |

#### Hunters are requested to select a male Grizzly Bear. For more details see page 15.

#### **SPRING 2012 GRIZZLY BEAR**

If you have made an application for a Fall 2011 Grizzly Bear hunt, you <u>are</u> eligible to apply for any of these hunts; however a successful Spring 2012 draw will make a person ineligible to apply for a Fall 2012 Grizzly Bear hunt.

DO NOT submit your application for this hunt until AFTER July 31, 2011. Applications must be received in Victoria by February 3, 2012. Notification of successful draw results will be sent when the draw has been completed.

Please note the numbers listed here are the actual number of authorizations issued for the Spring 2011 hunt and are subject to change. The actual number of authorizations to be issued for Spring 2012 will be posted on the Ministry website www.env.gov.bc.ca/fw/wildlife/hunting/resident/leh.html

There is no open season on a less than 2-year-old Grizzly Bear, or any Grizzly Bear in its company. Do not shoot any Grizzly Bear when observed in a family unit.

Hunters are requested to select a male Grizzly Bear.

#### **VANCOUVER ISLAND REGION I** (See **LEH Map 1I** for boundaries)

| Hunt<br>Code | Area            | M.U. | Zone | Season Dates | Class of<br>Animal | Tentative Number of Authorizations Available | First<br>Choice<br>Odds |
|--------------|-----------------|------|------|--------------|--------------------|--|-------------------------|
| 3091         | Knight/Kingcome | 1-14 | Α    | Apr I-May 31 | Adult only         | / 10   | 2.3:1                   |
| 3092         | Knight/Kingcome | 1-14 | В    | Apr I-May 31 | Adult only         | / 10   | 1.5:1                   |
| 3093         | Knight/Kingcome | 1-15 | В    | Apr I-May 31 | Adult only         | / 5  | 0.2:1                   |
| 3094         | Knight/Kingcome | 1-15 | C    | Apr I-May 31 | Adult only         | / 2  | 27.0:I                  |

Hunters are requested to select a male Grizzly Bear. For more details see page 15.

#### **THOMPSON REGION 3**

| Hunt<br>Code | Area     | M.U. Zone | Season Dates | Class of<br>Animal | Tentative Number of Authorizations Available | First<br>Choice<br>Odds |
|--------------|----------|-----------|--------------|--------------------|--|-------------------------|
| 3095         | Kamloops | 3-35 *    | Apr I-May 31 | Adult only         | /  | 48.0:1                  |
| 3096         | Kamloops | 3-37 **   | Apr I-May 31 | Adult only         | / 3  | 13.4:1                  |
| 3097         | Kamloops | 3-43      | Apr I-May 31 | Adult only         | / 6  | 4.9:1                   |
| 3098         | Kamloops | 3-44      | Apr I-May 31 | Adult only         | / 8  | 8.3:1                   |

- \* Also includes M.U. 3-36.
- \*\* Also includes M.U. 3-42.

**Tentative Number** 

Hunters are requested to select a male Grizzly Bear. For more details see page 15.

#### KOOTENAY REGION 4 (See LEH Maps 4C & 4P for boundaries)

| Hunt<br>Code | Area     | M.U.  | Zone | Season Dates |            | lentative Number<br>of Authorizations<br>Available | Choice<br>Odds |
|--------------|----------|-------|------|--------------|------------|--|----------------|
| 3099         | Kootenay | 4-0 I |      | Apr I-June 5 | Adult only | 7  | 15.3:1         |
| 3100         | Kootenay | 4-02  |      | Apr I-June 5 | Adult only | 7  | 13.5:1         |
| 3101         | Kootenay | 4-15  | Α    | Apr I-June 5 | Adult only | 15   | 2.4:1          |
| 3102         | Kootenay | 4-16  | Α    | Apr I-June 5 | Adult only | 5  | 1.4:1          |
| 3103         | Kootenay | 4-17  | Α    | Apr I-June 5 | Adult only | 11   | 4.4:1          |
| 3104         | Kootenay | 4-18  | Α    | Apr I-June 5 | Adult only |  | 2.4:1          |
| 3105         | Kootenay | 4-19  |      | Apr I-June 5 | Adult only |  | 1.8:1          |
| 3106         | Kootenay | 4-23  | C    | Apr I-June 5 | Adult only |  | 14.3:1         |
| 3107         | Kootenay | 4-25  |      | Apr I-June 5 | Adult only |  | 6.2:1          |
| 3108         | Kootenay | 4-26  |      | Apr I-June 5 | Adult only |  | 3.7:1          |
| 3109         | Kootenay | 4-27  |      | Apr I-June 5 | Adult only |  | 3.4:1          |
| 3110         | Kootenay | 4-28  |      | Apr I-June 5 | Adult only |  | 3.0:1          |
| 3111         | Kootenay | 4-29  |      | Apr I-June 5 | Adult only |  | 2.9:1          |
| 3112         | Kootenay | 4-30  |      | Apr I-June 5 | Adult only |  | 6.0:1          |
| 3113         | Kootenay | 4-31  |      | Apr I-June 5 | Adult only |  | 1.9:1          |
| 3114         | Kootenay | 4-32  |      | Apr I-June 5 | Adult only |  | 81.0:1         |
| 3115         | Kootenay | 4-33  |      | Apr I-June 5 | Adult only |  | 2.3:1          |
| 3116         | Kootenay | 4-34  |      | Apr I-June 5 | Adult only |  | 2.0:1          |
| 3117         | Kootenay | 4-35  |      | Apr I-June 5 | Adult only |  | 7.2:1          |
| 3118         | Kootenay | 4-36  |      | Apr I-June 5 | Adult only |  | 6.9:1          |
| 3119         | Kootenay | 4-37  |      | Apr I-June 5 | Adult only |  | 3.0:1          |
| 3120         | Kootenay | 4-38  |      | Apr I-June 5 | Adult only |  | 5.9:1          |
| 3121         | Kootenay | 4-39  |      | Apr I-June 5 | Adult only |  | 6.8:1          |
| 3122         | Kootenay | 4-40  |      | Apr I-June 5 | Adult only | 35   | 3.5:1          |

Hunters are requested to select a male Grizzly Bear. For more details see page 15.

#### CARIBOO REGION 5 (See LEH Maps 5A & 5G for boundaries)

| Hunt<br>Code | Area              | M.U. | Zone | Season Dates  | Class of<br>Animal | Tentative Number of Authorizations Available | First<br>Choice<br>Odds |
|--------------|-------------------|------|------|---------------|--------------------|--|-------------------------|
| 3123         | Coastal           | 5-08 | Α    | Apr I-June 10 | Adult only         | / 8  | 6.5:1                   |
| 3124         | Coastal           | 5-08 | В    | Apr I-June 10 | Adult only         | / 2  | 8.0:1                   |
| 3125         | Coastal           | 5-08 | C    | Apr I-June 10 | Adult only         | / 15   | 4.2:1                   |
| 3126         | Coastal           | 5-09 | Α    | Apr I-June 10 | Adult only         | / 10   | 0.9:1                   |
| 3127         | Quesnel Highlands | 5-15 | Α    | Apr I-June 10 | Adult only         | / 20   | 4.5:1                   |
| 3128         | Quesnel Highlands | 5-15 | В    | Apr I-June 10 | Adult only         | / 14   | 5.3:1                   |
| 3129         | Quesnel Highlands | 5-15 | C    | Apr I-June 10 | Adult only         | / 8  | 9.7:1                   |
| 3130         | Quesnel Highlands | 5-15 | D    | Apr I-June 10 | Adult only         | / 18   | 5.5:1                   |

Hunters are requested to select a male Grizzly Bear. For more details see page 15.

## **SKEENA REGION 6** (See **LEH Maps 6I, 6P, 6Q, 6R, 6S & 6T** for boundaries) (See closed area Map 6U)

| Hunt<br>Code | Area           | M.U. | Zone | Season Dates   | Class of<br>Animal | Tentative Number<br>of Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|----------------|------|------|----------------|--------------------|--|-------------------------|
| 3131         | Skeena         | 6-02 |      | Apr 15-June 15 | Adult only         | , l  | 15.0:1                  |
| 3132         | Skeena         | 6-03 | В    | Apr 15-June 15 | Adult only         | , I  | 17.0:1                  |
| 3133         | Bulkley-Tahtsa | 6-04 | Α    | Apr 15-June 15 | Adult only         | , 9  | 0.9:1                   |
| 3134         | Skeena         | 6-04 | В    | Apr 15-June 15 | Adult only         | , 9  | 1.5:1                   |
| 3135         | Skeena         | 6-05 | *    | Apr 15-June 15 | Adult only         | , 5  | 0.8:1                   |
| 3136         | Skeena         | 6-07 |      | Apr 15-June 15 | Adult only         | , I  | 5.0:1                   |
| 3137         | Skeena         | 6-08 |      | Apr 15-June 15 | Adult only         | 34   | 1.3:1                   |
| 3138         | Bulkley-Tahtsa | 6-09 | A+   | Apr 15-June 15 | Adult only         | 2  | 23.5:1                  |
| 3139         | Bulkley-Tahtsa | 6-09 | В    | Apr 15-June 15 | Adult only         | , 3  | 9.7:1                   |
| 3140         | Skeena         | 6-10 |      | Apr 15-June 15 | Adult only         | ′ 8  | 1.9:1                   |
| 3141         | Skeena         | 6-11 |      | Apr 15-June 15 | Adult only         | , I  | 17.0:1                  |
| 3142         | Skeena         | 6-15 | В    | Apr 15-June 15 | Adult only         | , 8  | 1.3:1                   |
| 3143         | Skeena         | 6-15 | C++  | Apr 15-June 15 | Adult only         | 10   | 1.5:1                   |

#### **SPRING 2012 GRIZZLY BEAR**

**SKEENA REGION 6** (See **LEH Map 6I, 6P, 6Q, 6R, 6S & 6T** for boundaries) (See closed area Map 6U)

| Hunt<br>Code | Area         | M.U.  | Zone         | Season Dates   | Class of<br>Animal | Tentative Number<br>of Authorizations<br>Available | First<br>Choice<br>Odds |
|--------------|--------------|-------|--------------|----------------|--------------------|--|-------------------------|
| 3144         | Meziadin     | 6-16  | Α            | Apr 15-June 15 | Adult only         | 23   | 0.9:1                   |
| 3145         | Meziadin     | 6-16  | B**          | Apr 15-June 15 | Adult only         | 4  | 5.8:1                   |
| 3146         | Skeena       | 6-17  |              | Apr 15-June 15 | Adult only         | 44   | 0.9:1                   |
| 3147         | Skeena       | 6-18  |              | Apr 15-June 15 | Adult only         | , 3  | 0.7:1                   |
| 3148         | Skeena       | 6-19  | Α            | Apr 15-June 15 | Adult only         | 14   | 0.0:1                   |
| 3149         | Spatsizi     | 6-20  | <b>A</b> *** | Apr 15-June 15 | Adult only         | 17   | 0.6:1                   |
| 3150         | Spatsizi     | 6-20  | В            | Apr 15-June 15 | Adult only         |  | 0.7:1                   |
| 3151         | Spatsizi     | 6-20  | C            | Apr 15-June 15 | Adult only         |  | 0.0:1                   |
| 3152         | Mount Edziza | 6-2 I | Α            | Apr 15-June 15 | Adult only         |  | 0.4:1                   |
| 3153         | Mount Edziza | 6-2 I | В            | Apr 15-June 15 | Adult only         |  | 0.8:1                   |
| 3154         | Skeena       | 6-22  |              | Apr 15-June 15 | Adult only         |  | 0.2:1                   |
| 3155         | Skeena       | 6-23  |              | Apr 15-June 15 | Adult only         |  | 0.6:1                   |
| 3156         | Skeena       | 6-24  |              | Apr 15-June 15 | Adult only         |  | 0.8:1                   |
| 3157         | Teslin       | 6-25  | Α            | Apr 15-June 15 | Adult only         |  | 1.2:1                   |
| 3158         | Teslin       | 6-25  | В            | Apr 15-June 15 | Adult only         |  | 0.4:1                   |
| 3159         | Skeena       | 6-26  |              | Apr 15-June 15 | Adult only         |  | 0.4:1                   |
| 3160         | Skeena       | 6-27  |              | Apr 15-June 15 | Adult only         |  | 0.3:1                   |
| 3161         | Skeena       | 6-28  |              | Apr 15-June 15 | Adult only         |  | 1:0:1                   |
| 3162         | Skeena       | 6-29  |              | Apr 15-June 15 | Adult only         |  | 1.7:1                   |
| 3163         | Skeena       | 6-30  | Α            | Apr 15-June 15 | Adult only         | 18   | 1.2:1                   |

- \* Also includes M.U. 6-06.
- \*\* Also includes portions of M.U. 6-14. Excludes a portion of Meziadin Lake Provincial Park.
- \*\*\* Also includes a portion of M.U. 6-19.
- + Also includes a portion of M.U. 6-04.
- ++ Also includes a portion of M.U. 6-30.

Hunters are requested to select a male Grizzly Bear. For more details see page 15.

#### **OMINECA/PEACE REGION 7** (See **LEH Map 7D** for boundaries)

| Hunt<br>Code | Area           | M.U. | Zone | Season Dates   | Class of<br>Animal | of Authorizations Available | Choice<br>Odds |
|--------------|----------------|------|------|----------------|--------------------|-----------------------------|----------------|
| 3164         | Omineca        | 7-02 |      | Apr 15-June 15 | Adult only         | 46                          | 1.5:1          |
| 3165         | Omineca        | 7-03 |      | Apr 15-June 15 | Adult only         | 17                          | 2.6:1          |
| 3166         | Omineca        | 7-04 |      | Apr 15-June 15 | Adult only         | 17                          | 2.5:1          |
| 3167         | Omineca        | 7-05 |      | Apr 15-June 15 | Adult only         | 12                          | 3.1:1          |
| 3168         | Omineca        | 7-06 |      | Apr 15-June 15 | Adult only         | 1                           | 27.0:I         |
| 3169         | Omineca        | 7-07 |      | Apr 15-June 15 | Adult only         | 7                           | 5.3:1          |
| 3170         | Omineca        | 7-14 |      | Apr 15-June 15 | Adult only         | 1                           | 6.0:1          |
| 3171         | Omineca        | 7-16 | Α    | Apr 15-June 15 | Adult only         | 1                           | 5.0:1          |
| 3172         | Omineca        | 7-16 | В    | Apr 15-June 15 | Adult only         | 1                           | 3.0:1          |
| 3173         | Omineca        | 7-16 | C    | Apr 15-June 15 | Adult only         | 1                           | 6.0:I          |
| 3174         | Omineca        | 7-17 |      | Apr 15-June 15 | Adult only         | 50                          | 2.8:1          |
| 3175         | Omineca        | 7-18 |      | Apr 15-June 15 | Adult only         | 50                          | 2.3:1          |
| 3176         | <b>Omineca</b> | 7-23 | Α    | Apr 15-June 15 | Adult only         | 15                          | 1.4:1          |

#### **SPRING 2012 GRIZZLY BEAR**

**Tentative Number** 

OMINECA/PEACE REGION 7 (See LEH Map 7D for boundaries)

| Hunt<br>Code | Area            | M.U.  | Zone | Season Dates   |            | of Authorizations<br>Available | Choice<br>Odds |
|--------------|-----------------|-------|------|----------------|------------|--------------------------------|----------------|
| 3177         | <b>O</b> mineca | 7-23  | В    | Apr 15-June 15 | Adult only | 12                             | 0.6:1          |
| 3178         | Omineca         | 7-23  | C    | Apr 15-June 15 | Adult only | 43                             | 0.6:1          |
| 3179         | Omineca         | 7-23  | D    | Apr 15-June 15 | Adult only | 48                             | 0.1:1          |
| 3180         | Omineca         | 7-23  | E    | Apr 15-June 15 | Adult only | 50                             | 0.3:1          |
| 3181         | <b>O</b> mineca | 7-24  |      | Apr 15-June 15 | Adult only | I                              | 11.0:1         |
| 3182         | <b>O</b> mineca | 7-25  |      | Apr 15-June 15 | Adult only | I                              | 5.0:1          |
| 3183         | <b>O</b> mineca | 7-26  |      | Apr 15-June 15 | Adult only | I                              | 1.0:1          |
| 3184         | <b>Omineca</b>  | 7-27  |      | Apr 15-June 15 | Adult only | 42                             | 0.5:1          |
| 3185         | <b>Omineca</b>  | 7-28  |      | Apr 15-June 15 | Adult only | 80                             | 0.5:1          |
| 3186         | <b>Omineca</b>  | 7-29  |      | Apr 15-June 15 | Adult only | 1                              | 16.0:1         |
| 3187         | <b>Omineca</b>  | 7-30  |      | Apr 15-June 15 | Adult only | I                              | 7.0:1          |
| 3188         | <b>Omineca</b>  | 7-37  |      | Apr 15-June 15 | Adult only | 48                             | 0.4:1          |
| 3189         | <b>Omineca</b>  | 7-38  |      | Apr 15-June 15 | Adult only | 75                             | 0.8:1          |
| 3190         | Omineca         | 7-39  |      | Apr 15-June 15 | Adult only | 50                             | 0.4:1          |
| 3191         | <b>Omineca</b>  | 7-40  |      | Apr 15-June 15 | Adult only | 75                             | 0.1:1          |
| 3192         | Omineca         | 7-41  |      | Apr 15-June 15 | Adult only | 50                             | 0.3:1          |
| 3193         | Peace River     | 7-19  |      | Apr 15-June 15 | Adult only | 2                              | 21.0:1         |
| 3194         | Peace River     | 7-20  |      | Apr 15-June 15 | Adult only | 16                             | 4.5:1          |
| 3195         | Peace River     | 7-21  |      | Apr 15-June 15 | Adult only | 3                              | 22.4:1         |
| 3196         | Peace River     | 7-22  |      | Apr 15-June 15 | Adult only | ļ.                             | 34.0:1         |
| 3197         | Peace River     | 7-31  |      | Apr 15-June 15 | Adult only | !                              | 66.0:1         |
| 3198         | Peace River     | 7-35  |      | Apr 15-June 15 | Adult only | <u> </u>                       | 16.0:1         |
| 3199         | Peace River     | 7-36  |      | Apr 15-June 15 | Adult only | 7                              | 3.2:1          |
| 3200         | Peace River     | 7-42  |      | Apr 15-June 15 | Adult only | Ī                              | 13.0:1         |
| 3201         | Peace River     | 7-43  |      | Apr 15-June 15 | Adult only | 5                              | 5.2:1          |
| 3202         | Peace River     | 7-44  |      | Apr 15-June 15 | Adult only | 22                             | 0.4:1          |
| 3203         | Peace River     | 7-45  |      | Apr 15-June 15 | Adult only | 2                              | 11.5:1         |
| 3204         | Peace River     | 7-48  |      | Apr 15-June 15 | Adult only |                                | 9.0:1          |
| 3205         | Peace River     | 7-49  |      | Apr 15-June 15 | Adult only | 21                             | 1.4:1          |
| 3206         | Peace River     | 7-50  |      | Apr 15-June 15 | Adult only |                                | 15.;1          |
| 3207         | Peace River     | 7-5 I |      | Apr 15-June 15 | Adult only | 50                             | 0.6:1          |
| 3208         | Peace River     | 7-52  |      | Apr 15-June 15 | Adult only | 50                             | 0.3:1          |
| 3209         | Peace River     | 7-53  |      | Apr 15-June 15 | Adult only | 50                             | 0.3;1          |
| 3210         | Peace River     | 7-54  |      | Apr 15-June 15 | Adult only | 17                             | 1.2:1          |
| 3211         | Peace River     | 7-57  |      | Apr 15-June 15 | Adult only | 2                              | 4.0:1          |
| 3212         | Peace River     | 7-58  |      | Apr 15-June 15 | Adult only | I                              | 6.0:1          |

Hunters are requested to select a male Grizzly Bear. For more details see page 15.

| OKANAGAN | REGION | Ω | (Soo LEH M | lan QA f | or bound | arios) |
|----------|--------|---|------------|----------|----------|--------|
| UKANAGAN | REGIUN | 0 | (See LEH M | IAD BAT  | or pound | ariesi |

| Hunt<br>Code | Area     | M.U. | Zone | Season Dates |            | Tentative Number of Authorizations Available | First<br>Choice<br>Odds |
|--------------|----------|------|------|--------------|------------|--|-------------------------|
| 3213         | Monashee | 8-24 | *    | Apr I-June 5 | Adult only | 4  | 39.5:1                  |

\* Also includes a portion of M.U. 8-23.

Hunters are requested to select a male Grizzly Bear. For more details see page  $\,$  15.

## **HUNTING AND TRAPPING ETHICS**

2011

It is extremely important for hunters and trappers to realize that they use a public resource! With this privilege it is vital to maintain a perception among the public that we hunt and trap in an ethical and humane manner. The majority of British Columbians support hunting and trapping to one degree or another, but there is a prevalent misunderstanding among the general public as to the role that hunters and trappers play in conservation and environmental stewardship. Fuelling that misunderstanding are images and media reports of hunters and trappers who are at least perceived to be acting in a less than upstanding manner, or who disrespect the wildlife they pursue.

It is important for all of us to remember not only the legal obligations, but also the unwritten rules of ethics that keep hunting a great sport.

- Safety for yourself, your companions, and the public is the most important aspect of hunter training. Hunting accidents continue to be very rare because we all know that there is no room for recklessness at the expense of safety and courtesy.
- Have respect for the sensitivities of others. Do not display your kill or firearms where it may offend other people. What may impress your friends may not have the same effect on your neighbours.
- Respect wildlife and the sanctity of the harvested animals' lives. Strive to make every kill a clean one. Prepare your firearm in advance of, and during, the season to ensure accuracy and dependability. Practice your marksmanship at a licensed firing range, and do not shoot unless you have a clear shot of a vital part of the animal. Remember: "you can't pull the bullet back."

- Prepare the meat properly. Proper handling of meat is easy to learn and to not do so is both illegal and wasteful.
- Respect the environment by packing out everything you packed in! Nobody wants to arrive at a campsite and clean up the mess left by the previous occupants.
- Do not consume drugs or alcohol while hunting or trapping.
- Respect private property. Always seek permission from landowners and thank them for the opportunities given. Unless explicitly stated, permission granted once does not entitle you to access the property on subsequent occasions.
- Please respect gates, fences and equipment as they are there for a reason. Leave everything the way you found it.
- Be the eyes and ears for the enforcement agencies and report those who break the law. Remember the RAPP program I-877-952-7277 (RAPP) or www.rapp.bc.ca/.
- Be aware that you are a mentor when youth are observing.
- Respect your fellow hunters. Work with one another to promote good relationships, safety, knowledge and a fair distribution of opportunity and harvest.
- Lead by example, you are an ambassador for the public and media image of hunting.

Ethical hunters and trappers are critical to effective and sustainable wildlife management, and to the ethical hunter we offer our sincerest gratitude; opportunities for the sustainable use of wildlife are possible because of you.

#### **IMPORTANT NOTICE TO GRIZZLY BEAR HUNTERS**

Before your hunt, we ask that you please take a few moments to consider the following information regarding harvesting a male or female Grizzly Bear. It is important that during your hunt you select a male Grizzly Bear, or future hunting opportunities may be reduced.

As with all game species, females play an important role in the sustainability of hunted populations. However, many hunters don't fully realize what effect the harvest of female bears has on both the viability of Grizzly Bear populations, and on future hunting opportunities. Modeling has repeatedly shown that a slight change in adult female survivorship, such as through hunting, can have a dramatic impact on a population's growth rate.

British Columbia's Grizzly Bear harvest is monitored very closely through compulsory inspection. Maintaining accurate records of the kill and sex of each Grizzly Bear is a key component of our comprehensive Grizzly Bear Harvest Management Procedure. In British Columbia, Grizzly Bear populations have been divided into 57 Grizzly Bear

Population Units (GBPU), and the Ministry is confident that current harvest levels are sustainable within all hunted GBPU's in the province. By policy, the total allowable mortality (including known illegal kills, motor vehicle accidents, rail kills, wildlife conflict kills and hunting) of Grizzly Bears in a given GBPU may not exceed 6% of the population (some exceptions apply). The maximum allowable mortality of females is 30% of the total known human-caused mortality. If the female mortality exceeds 30% of the total mortality, then the harvest will need to be reduced in future years. With the exception of hunting, it is usually not possible to limit the mortality of females. Thus, it is the hunter who has a choice, and it is the hunter who can choose not to harvest a female Grizzly Bear.

Your patience, self control, awareness, education and pride are all factors which can ensure BC's Grizzly Bear populations continue to be managed to a world class standard. Each year the number of Grizzly Bear LEH authorizations has the potential to be reduced because of female over-harvest. It often takes patience and perseverance to distinguish a male from

a female grizzly, and even then mistakes may be made. We are appealing that you and your fellow hunters consider the implications of harvesting a female bear and take the extra time to use your abilities of judgment and discrimination to identify the sex of each bear before shooting.


Please do your research on male and female Grizzly Bear identification. A good place to start is the Alaska Department of Fish and Game Bear Identification Video "Take a Closer Look" located the Alaska Department of Fish and Game Multimedia Library www.adfg.alaska. gov/index.cfm?adfg=multimedia.main" (note: coloration properties of Yukon bears may not apply to Grizzly Bears in British Columbia). Generally, males have larger, less streamlined skulls than females. Adult males are also larger than females, at least a third larger, and sometimes twice as large as adult females. Another identification feature is that a female Grizzly Bear urinates behind her back legs whereas a male Grizzly Bear urinates in front of his back legs.

# **Grizzly Bear**



## Colour and Size can be misleading

Look for a combination of characteristics



Black Bear


- Colour varies from blond to black.
- **Distinctive shoulder** hump.
- Rump is lower than shoulder hump.
- Face **profile** appears dished-in between eyes and snout.
- Ears are short and rounded.
- Front claws are 5-10 cm (2-4 inches) long, slightly curved. Claw marks are usually visible in tracks.

- Colour varies form blond to black, including white and blue.
- No **Distinctive** shoulder hump.
- **Rump** is higher than front shoulders.
- Face **profile** is straight.
- Ears are tall and pointed.
- Front claws are less than 4 cm (2 inches) long and curved. Claw marks are not usually visible in tracks.


## Region 1

Hunters should be aware access is limited in some areas and are advised to confirm access prior to applying. If you are successful in receiving an authorization for a Limited Entry Hunt, please review the appropriate LEH zone maps (page 16-27) to be sure of the area in which you are authorized to hunt. For assistance in identifying the Management Unit boundaries, consult the 2010/2012 Hunting Trapping Regulations Synopsis.


#### MAP 1A) VANCOUVER ISLAND - ELK




Map 1c) Vancouver Island - Elk




MAP 1B) VANCOUVER ISLAND - ELK




MAP 1D) VANCOUVER ISLAND - ELK




MAP 1E) VANCOUVER ISLAND - ELK




MAP 1F) VANCOUVER ISLAND - ELK



MAP 1G) VANCOUVER ISLAND - ELK




MAP 1H) VANCOUVER ISLAND - ELK




## Region 1


#### WAKEMAN SOUND GRIZZLY BEAR CLOSED AREA



KINGCOME INLET
GRIZZLY BEAR CLOSED AREA




Map 1i) Knight/Kingcome/Walkeman Sound and Glendale Cove Grizzly Bear Closed Area




## KNIGHT INLET GRIZZLY BEAR CLOSED AREA




## GLENDALE COVE GRIZZLY BEAR CLOSED AREA



Map 2a) Sechelt - Elk




Map 2d) Powell River - Elk



Management Unit 2-12 has many Firearm Restricted Areas. Please refer to the Hunting and Trapping Regulations Synopsis for Maps of these Areas.

MAP 2B) SECHELT - ELK




ZONES A AND C OF 2-05 HAVE MANY NO SHOOTING AND FIREARM RESTRICTED AREAS. PLEASE REFER TO THE HUNTING AND TRAPPING REGULATIONS SYNOPSIS FOR MAPS OF THESE AREAS.


MAP 2E) CLOWHOM//McNAB - ELK




Map 2c) Narrow/Tzoonie, Vancouver River, Deserted River, Brittain River and Skwawka River - Elk




Map 2f) Mt. Meager -Mountain Goat








Map 3c) Kamloops - Mountain Goat




MAP 3B) KAMLOOPS - MOOSE




MAP 3D) KAMLOOPS LAKE -MOUNTAIN SHEEP





MAP 3E) KAMLOOPS - MOUNTAIN GOAT






Map 3g) South Thompson - Mountain Sheep






## **Region 4**


MAP 4A) KOOTENAY - MOOSE




MAP 4c) KOOTENAY - GRIZZLY BEAR




MAP 4E) KOOTENAY - MOOSE



MAP 4B) KOOTENAY - ELK




MAP 4D) KOOTENAY - ANTLERLESS ELK




For more detail of this zone go to www.env.gov.bc.ca/fw/wildlife/hunting/resident/elk1100m.html

## **Region 4**


#### MAP 4F) KOOTENAY - MOUNTAIN GOAT




MAP 4G) KOOTENAY - ELK




MAP 4H) KOOTENAY - MOOSE



MAP 41) KOOTENAY - MOUNTAIN SHEEP




Map 4J) Kootenay - Moose




## **Region 4**







MAP 4L) MT. ASSINIBOINE PARK MOUNTAIN SHEEP




Map 4m) Kootenay - Mountain Goat




Map 4n) Kootenay - Moose



MAP 40) KOOTENAY - ANTLERLESS ELK



#### Map 4p) Kootenay - Grizzly Bear




MAP 5A) QUESNEL - MOOSE & GRIZZLY BEAR




Map 5B) John-McClinchy -**M**OUNTAIN GOAT



Map 5c) Cariboo - Bull Moose







Map 5e) Cariboo - Bull Moose




Map 5f) Eureka/Boss-Deception -**MOUNTAIN GOAT** 




MAP 5G) COASTAL - GRIZZLY BEAR




Map 5h) Cariboo - Bull Moose and Antlerless Deer




MAP 6A) STIKINE - MOUNTAIN GOAT




Map 6c) Spatsizi - Mountain Goat




\_\_\_




Map 6b) Atlin - Mountain goat




Map 6d) Smithers - Moose and Tweedsmuir - Mountain Goat




Map 6f) Stikine - Mountain goat




Map 6g) Tagish Highlands - Mountain goat



MAP 6H) SPATSIZI - MOUNTAIN SHEEP & CARIBOU AND STIKINE - MOOSE




MAP 6J) ATLIN - MOUNTAIN SHEEP



Map 6L) ATLIN - CARIBOU




Map 61) Edziza - Mountain Goat, MOUNTAIN SHEEP, CARIBOU AND GRIZZLY BEAR




- LIMITED ENTRY HUNTING FOR GRIZZLY BEAR, MOUNTAIN GOAT, MOUNTAIN SHEEP AND CARIBOU
- \*\* LIMITED ENTRY HUNTING FOR GRIZZLY BEAR ONLY

MAP 6K) SMITHERS - BULL MOOSE




Map 60) Francois Lake - Mule Deer






## Region 6


Map 6p) Bulkley - Tahtsa - Grizzly Bear




Map 6r) Teslin - Grizzly Bear




MAP 6v) SMITHERS - MOOSE



Map 6q) Meziadin - Grizzly Bear



Map 6s) Spatsizi - Grizzly Bear



Spatsizi Wilderness Park: There is no road access to Spatsizi Park. Before applying for hunts in this area please investigate means of transportation and costs involved.

Map 6u) Babine River Grizzly Bear Closed Area




BABINE RIVER GRIZZLY CLOSED
AREA IS CLOSED SEPT 1-NOV 15

MAP 6T) SKEENA - GRIZZLY BEAR




## Region 7


#### MAP 7A) PEACE - BISON




Map 7b) Peace River - Mountain Goat




Map 7c) Peace River - Mountain Goat



Map 7d) Parsnip - Moose and Grizzly Bear




MAP 7E) TOAD RIVER - ELK



Map 7f) Dore River - Mountain goat



MAP 7g) PEACE - ELK



SUCCESSFUL APPLICANTS FOR ZONE A OF 7-20 ELK MAY ALSO HUNT ON PRIVATE LAND ONLY AND ANY CROWN LAND WITHIN 2000 METRES OF PRIVATE LAND WITHIN M.U.'S 7-22, 7-43, 7-44, 7-58 AND ZONE A OF 7-45.

SEE THIS MAP FOR ZONE A OF 7-45 AND SE THE HUNTING AND TRAPPING SYNOPSIS FOR M.U.'S 7-22, 7-43, 7-44 AND 7-58.


#### Zone A of 7-20

Zone A of 7-20 is open to both Crown land and private land, this zone fully encompasses M.U.'s 7-32, 7-33, and 7-34 and portions of M.U.'s 7-20, 7-21, 7-35, 7-45 and 7-46


#### Zone A of 7-45

Zone A of 7-45 is open to PRIVATE LAND only. Also includes any Crown land only within 2000 metres of private land

#### Map 7h) Kiwa Creek - Mountain Goat




MAP 71) HOLMES RIVER AND CASTLE CREEK - MOUNTAIN GOAT




## Region 7

Map 7J) KINBASKET - MOUNTAIN GOAT




Map 7k) Prince George - Moose




Map 7L) EDOZADELLY - CARIBOU




Map 8a) Monashee - Grizzly Bear



Map 8b) Okanagan - Mule (Black-tailed) Deer



MAP 8c) ASHNOLA - MOUNTAIN SHEEP




Notice to Ashnola Mountain Sheep Hunters: Indian reserves are private land. Permission MUST BE OBTAINED FROM THE LOCAL INDIAN BUSINESS OFFICE TO HUNT ACROSS RESERVE LANDS.

Map 8d) Grandby - Mountain Sheep



Map 8E) Okanagan -



#### THE WILD SHEEP SOCIETY OF BRITISH COLUMBIA **HORN CURL EDUCATION PROGRAM**

The Wild Sheep Society of British Columbia has partnered with the British Columbia Ministry of Forests, Lands and Natural Resource Operations to develop an education program for hunters relating to horn curl restrictions that apply to the harvest of wild sheep in the province.

The Society and the Ministry have become increasingly concerned about the number of illegal sheep kills occurring in British Columbia, in some cases resulting from a lack of diligence. In some cases illegal kills may result in increasing hunting restrictions (such as Limited Entry seasons in place of general open seasons) or the complete closure of a season.

In an attempt to limit the number of illegal sheep harvested in British Columbia, the Wild Sheep Society has created a horn curl education program, with the support of the Ministry of Forests, Lands and Natural Resource Operations.

The Society's horn curl education program is divided into two sections: an education component, and a test component.

Both the Society and the Ministry highly recommend that all sheep hunters review the horn curl education program and participate in the horn curl test. Even for experienced sheep hunters this will provide a helpful review.



Please review the Education Page for the Horn Curl Education Program and take the Horn Curl Test at www.wildsheepsociety.net/

## TO HUNTERS

In-season regulation changes are posted on the Fish, Wildlife and Habitat Management website Regulations are subject to change from time to time, and it is the hunter's responsibility to be informed of current regulations. Please check our website for in-season changes before your hunt: www.env.gov.bc.ca/fw/wildlife/hunting/news/ Or subscribe to RSS a new internet-based service that allows users to sign up for instant web updates. See page 5 for details.

#### NOTICE TO MOUNTAIN GOAT HUNTERS

Minimizing the female (nanny) harvest of Mountain Goats has been identified as an important conservation action. Previously, the Ministry of Forests, Lands and Natural Resource Operations has addressed concerns with the harvest of females through voluntary compliance among hunters to select a male Mountain Goat (billy). While the proportion of females in the harvest has decreased, there continues to be concerns over the high harvest of female mountain goats in some areas. In order to address this concern, a regulation has been implemented that states

"It is unlawful to hunt a female Mountain Goat accompanying a kid or a female Mountain Goat in a group that contains one or more kids."


This regulation does not protect all female Mountain Goats as a solitary female Mountain Goat, or a female Mountain Goat within a group of goats that does not contain kids, would still be legal to harvest.

For more information on how to select a billy, you can borrow the video "Is it a Billy or is it a Nanny?" from any of the Ministry regional offices, or from the Fish, Wildlife and Habitat Management Branch in Victoria. The same video is also available from the BC Wildlife Federation. To test yourself on mountain goat sex identification go

to www.env.gov.bc.ca/fw/wildlife/ hunting/docs/goat\_orientation\_ 08Utah.pdf.

The recently completed "Management Plan for the Mountain Goat in British Columbia" contains detailed information on managing Mountain Goats in BC, and is available for downloading at

www.env.gov.bc.ca/eirs/bdp/ biodiversity\_publications\_index/ bdpStaticPageM.htm



Renewable Resources, Yukon Government.)