

**Snow Water Equivalent at B.C. Automated Snow Pillows, expressed as Percent of 1971-2000 Normal, or Percent of Long-Term Average**

Station	NAME	OWNER	ELEV	LAT	LONG	YRS	Mar. 8	Mar. 15	Mar. 22	Apr. 1	Apr. 8	Apr. 15	Apr. 22	May 1	May 8	May 15	May 22	Jun. 1
<b>UPPER FRASER</b>																		
1A01P	Yellowhead Lake	RFC	1847	52.906	-118.549	11	91%	87%	82%	83%	83%	78%	77%	78%	84%	86%	79%	50%
1A02P	McBride Upper	RFC	1608	53.306	-120.319	14	79%	76%	72%	68%	68%	69%	70%	74%	77%	80%	64%	16%
1A03P	Barkerville	RFC	1483	53.057	-121.492	31	90%	87%	86%	84%	86%	86%	91%	100%	105%	119%	93%	0%
1A14P	Hedrick Lake	RFC	1118	54.106	-121.006	8	129%	125%	126%	122%	125%	123%	126%	129%	130%	134%	151%	257%
1A17P	Revolution Creek	RFC	1676	53.784	-120.373	23	113%	114%	115%	110%	110%	109%	113%	119%	121%	130%	125%	123%
1A19P	Dome Mountain	RFC	1768	53.622	-121.024	2	102%	103%	107%	102%	100%	101%	103%	107%	113%	121%	118%	100%
<b>AVERAGE</b>							<b>101%</b>	<b>99%</b>	<b>98%</b>	<b>95%</b>	<b>95%</b>	<b>94%</b>	<b>96%</b>	<b>101%</b>	<b>105%</b>	<b>112%</b>	<b>105%</b>	<b>91%</b>
<b>NECHAKO</b>																		
1B01P	Mt Wells	Alcan	1489	53.731	-126.419	16	93%	94%	92%	91%	90%	88%	91%	93%	93%	89%	70%	10%
1B02P	Tahtsa Lake	Alcan	1319	53.586	-127.645	15	101%	102%	102%	101%	98%	98%	98%	99%	101%	97%	91%	84%
1B08P	Mt Pondosy	Alcan	1413	53.164	-126.873	16	84%	86%	84%	85%	81%	80%	81%	81%	81%	82%	M	M
<b>AVERAGE</b>							<b>93%</b>	<b>94%</b>	<b>92%</b>	<b>92%</b>	<b>90%</b>	<b>89%</b>	<b>90%</b>	<b>91%</b>	<b>92%</b>	<b>90%</b>	<b>80%</b>	<b>47%</b>
<b>MIDDLE FRASER</b>																		
1C12P	Green Mountain	BCHydro	1766	50.796	-122.924	14	95%	92%	91%	93%	91%	88%	89%	93%	100%	98%	100%	83%
1C18P	Mission Ridge	BCHydro	1903	50.764	-122.206	31	91%	89%	86%	85%	85%	85%	86%	91%	96%	114%	86%	3%
1C20P	Boss Mt Mine	RFC	1477	52.107	-120.868	14	119%	117%	115%	115%	116%	111%	116%	129%	134%	136%	128%	137%
1C41P	Yanks Peak	RFC	1683	52.832	-121.355	11	115%	112%	112%	111%	113%	108%	109%	115%	114%	127%	113%	101%
<b>AVERAGE</b>							<b>105%</b>	<b>102%</b>	<b>101%</b>	<b>101%</b>	<b>101%</b>	<b>98%</b>	<b>100%</b>	<b>107%</b>	<b>111%</b>	<b>119%</b>	<b>107%</b>	<b>81%</b>
<b>LOWER FRASER</b>																		
1D06P	Tenquille Lake	RFC	1669	50.536	-122.930	7	106%	101%	98%	98%	97%	94%	93%	100%	102%	104%	96%	87%
1D09P	Wahleach Lake	BCHydro	1408	49.233	-121.579	15	105%	104%	106%	112%	115%	118%	121%	131%	137%	156%	167%	190%
1D15P	Great Bear	RFC	1664	49.599	-121.178	17	105%	105%	102%	99%	97%	96%	98%	100%	101%	103%	105%	111%
1D17P	Chilliwack River	RFC	1621	49.032	-121.712	14	104%	100%	102%	102%	102%	101%	105%	110%	110%	119%	140%	143%
1D19P	Spuzzum Creek	RFC	1197	49.661	-121.659	9	111%	104%	105%	111%	113%	110%	115%	119%	121%	127%	130%	132%
<b>AVERAGE</b>							<b>106%</b>	<b>103%</b>	<b>103%</b>	<b>104%</b>	<b>105%</b>	<b>104%</b>	<b>107%</b>	<b>112%</b>	<b>114%</b>	<b>122%</b>	<b>127%</b>	<b>133%</b>
<b>THOMPSON</b>																		
1E02P	Mt. Cook	RFC	1574	52.182	-119.321	6	135%	130%	127%	127%	123%	120%	119%	122%	123%	129%	143%	153%
1E08P	Azure River	RFC	1625	52.596	-119.724	11	112%	110%	106%	108%	108%	109%	105%	108%	107%	106%	112%	88%
1E10P	Kostal Lake	RFC	1760	52.204	-120.032	23	114%	111%	111%	109%	109%	110%	114%	114%	111%	116%	118%	121%
1E14P	Cook Creek	RFC	1249	52.168	-119.303	8	111%	108%	104%	107%	113%	123%	139%	182%	181%	240%	351%	15%
1F03P	Park Mountain	RFC	1857	50.448	-118.618	23	99%	101%	102%	102%	100%	102%	101%	107%	103%	113%	115%	122%
1F06P	Celista Mountain	RFC	1533	51.406	-118.986	2	M	M	M	94%	94%	M	M	M	M	M	M	M
<b>AVERAGE</b>							<b>114%</b>	<b>112%</b>	<b>110%</b>	<b>108%</b>	<b>108%</b>	<b>113%</b>	<b>116%</b>	<b>127%</b>	<b>125%</b>	<b>141%</b>	<b>168%</b>	<b>100%</b>

**Snow Water Equivalent at B.C. Automated Snow Pillows, expressed as Percent of 1971-2000 Normal, or Percent of Long-Term Average**

Station	NAME	OWNER	ELEV	LAT	LONG	YRS	Mar. 8	Mar. 15	Mar. 22	Apr. 1	Apr. 8	Apr. 15	Apr. 22	May 1	May 8	May 15	May 22	Jun. 1	
<b>UPPER COLUMBIA</b>																			
2A06P	Mt. Revelstoke	BCHydro	1770	51.035	-118.147	15	109%	107%	106%	105%	104%	104%	104%	103%	96%	100%	94%	95%	
2A21P	Molson Creek	BCHydro	1930	52.221	-118.226	27	118%	114%	114%	114%	114%	114%	115%	119%	121%	127%	126%	123%	
<b>AVERAGE</b>							<b>114%</b>	<b>111%</b>	<b>110%</b>	<b>109%</b>	<b>109%</b>	<b>109%</b>	<b>109%</b>	<b>111%</b>	<b>108%</b>	<b>113%</b>	<b>110%</b>	<b>109%</b>	
<b>LOWER COLUMBIA</b>																			
2B06P	Barnes Creek	BCHydro	1595	50.069	-118.351	15	106%	104%	101%	102%	104%	103%	107%	114%	119%	157%	177%	145%	
2B08P	St. Leon Creek	BCHydro	1822	50.434	-117.701	15	90%	89%	89%	89%	89%	89%	91%	93%	94%	100%	104%	94%	
<b>AVERAGE</b>							<b>98%</b>	<b>97%</b>	<b>95%</b>	<b>95%</b>	<b>96%</b>	<b>96%</b>	<b>99%</b>	<b>104%</b>	<b>107%</b>	<b>129%</b>	<b>141%</b>	<b>119%</b>	
<b>KOOTENAY</b>																			
2C09Q	Morrissey Ridge	BCHydro	1966	49.451	-114.973	24	94%	95%	95%	95%	93%	93%	101%	110%	130%	159%	170%	174%	
2C10P	Moyie Mountain	RFC	1840	49.251	-115.774	28	124%	127%	128%	134%	130%	123%	134%	152%	154%	171%	115%	0%	
2C14P	Floe Lake	BCHydro	2110	51.060	-116.137	13	97%	95%	92%	94%	95%	96%	101%	102%	100%	107%	95%	90%	
2D08P	East Creek	BCHydro	2004	50.640	-116.926	27	101%	98%	97%	97%	97%	98%	104%	100%	101%	105%	98%	83%	
2D14P	Redfish Creek	RFC-MoF	2086	49.690	-117.086	6	119%	116%	112%	112%	113%	109%	110%	113%	111%	115%	86%	107%	
<b>AVERAGE</b>							<b>103%</b>	<b>102%</b>	<b>101%</b>	<b>102%</b>	<b>102%</b>	<b>100%</b>	<b>106%</b>	<b>111%</b>	<b>114%</b>	<b>126%</b>	<b>116%</b>	<b>95%</b>	
<b>OKANAGAN, KETTLE</b>																			
2E07P	Grano Creek	RFC	1874	49.551	-118.677	10	92%	92%	88%	89%	93%	90%	93%	105%	103%	118%	117%	110%	
2F05P	Mission Creek	RFC	1794	49.945	-118.950	37	98%	100%	100%	100%	100%	102%	102%	114%	121%	144%	143%	143%	
2F18P	Brenda Mine	BCHydro	1453	49.864	-119.984	15	84%	86%	86%	91%	96%	101%	122%	171%	206%	584%	0%	0%	
<b>AVERAGE</b>							<b>91%</b>	<b>93%</b>	<b>91%</b>	<b>93%</b>	<b>96%</b>	<b>98%</b>	<b>106%</b>	<b>130%</b>	<b>143%</b>	<b>282%</b>	<b>86%</b>	<b>85%</b>	
<b>SIMILKAMEEN BASIN</b>																			
2G03P	Blackwall Peak	RFC	1934	49.094	-120.771	40	100%	99%	98%	102%	101%	102%	104%	106%	111%	119%	112%	107%	
<b>SOUTH COAST</b>																			
3A22P	Nostetuko River	RFC	1457	51.244	-124.460	18	101%	98%	95%	95%	94%	93%	96%	102%	102%	111%	79%	0%	
3A24P	Upper Mosley Creek	RFC	1655	51.776	-124.622	19	81%	75%	75%	75%	75%	73%	82%	92%	119%	154%	9%	0%	
3A25P	Upper Squamish River	RFC	1387	50.156	-123.436	17	98%	96%	95%	99%	99%	99%	99%	103%	96%	100%	97%	97%	
<b>AVERAGE</b>							<b>93%</b>	<b>90%</b>	<b>89%</b>	<b>90%</b>	<b>89%</b>	<b>88%</b>	<b>93%</b>	<b>99%</b>	<b>106%</b>	<b>122%</b>	<b>62%</b>	<b>32%</b>	
<b>VANCOUVER ISLAND</b>																			
3B17P	Wolf River	BCHydro	1422	49.704	-125.679	25	100%	100%	97%	102%	102%	100%	99%	100%	102%	107%	94%	92%	
3B23P	Jump Creek	RFC	1134	48.970	-124.276	12	145%	146%	148%	158%	164%	167%	173%	173%	177%	193%	197%	236%	
<b>AVERAGE</b>							<b>123%</b>	<b>123%</b>	<b>123%</b>	<b>130%</b>	<b>133%</b>	<b>133%</b>	<b>136%</b>	<b>136%</b>	<b>140%</b>	<b>150%</b>	<b>146%</b>	<b>164%</b>	

**Snow Water Equivalent at B.C. Automated Snow Pillows, expressed as Percent of 1971-2000 Normal, or Percent of Long-Term Average**

Station	NAME	OWNER	ELEV	LAT	LONG	YRS	Mar. 8	Mar. 15	Mar. 22	Apr. 1	Apr. 8	Apr. 15	Apr. 22	May 1	May 8	May 15	May 22	Jun. 1	
<b>NORTH COAST</b>																			
3C08P	Burnt Bridge Creek	RFC	1329	52.481	-126.249	10	116%	113%	112%	109%	107%	109%	112%	120%	123%	134%	123%	90%	
<b>PEACE</b>																			
4A02P	Pine Pass	BCHydro	1386	55.353	-122.638	18	121%	120%	119%	118%	117%	116%	115%	115%	112%	122%	120%	133%	
4A09P	Pulpit Lake	BCHydro	1331	57.548	-126.749	17	123%	124%	125%	124%	121%	118%	122%	133%	147%	175%	199%	3%	
4A27P	Kwadacha River	BCHydro	1695	57.624	-125.073	20	109%	114%	115%	111%	110%	108%	107%	112%	121%	131%	129%	125%	
4A30P	Aiken Lake	BCHydro	1061	56.437	-125.742	19	105%	110%	112%	112%	108%	111%	126%	198%	309%	165%	19%	15%	
<b>AVERAGE</b>							<b>115%</b>	<b>117%</b>	<b>118%</b>	<b>116%</b>	<b>114%</b>	<b>113%</b>	<b>117%</b>	<b>140%</b>	<b>172%</b>	<b>148%</b>	<b>117%</b>	<b>69%</b>	
<b>LIARD</b>																			
4C09P	Deadwood River	RFC	1270	59.257	-128.322	14	111%	105%	111%	111%	110%	101%	121%	185%	322%	338%	183%	35%	
<b>SKEENA, NASS</b>																			
4B12P	Granduc Mine	RFC	832	56.247	-130.066	6	86%	84%	84%	83%	84%	81%	90%	97%	101%	108%	114%	128%	
4B15P	Lu Lake	RFC	1308	54.197	-126.304	10	93%	89%	87%	89%	85%	80%	82%	99%	96%	82%	6%	29%	
4B16P	Shedin Creek	RFC	1320	55.863	-127.698	12	110%	110%	111%	105%	M	M	M	M	M	M	M	M	
4B17P	Tsai Creek	RFC	1369	54.646	-127.675	10	112%	112%	113%	110%	108%	108%	109%	112%	116%	117%	106%	97%	
4B18P	Cedar-Kiteen	RFC	912	55.152	-128.710	7	103%	102%	106%	101%	103%	107%	114%	122%	127%	134%	128%	64%	
<b>AVERAGE</b>							<b>101%</b>	<b>99%</b>	<b>100%</b>	<b>97%</b>	<b>95%</b>	<b>94%</b>	<b>99%</b>	<b>108%</b>	<b>110%</b>	<b>111%</b>	<b>89%</b>	<b>79%</b>	
<b>NORTHWEST</b>																			
4D10P	Tumeka Creek	RFC	1270	57.239	-129.706	18	M	M	M	M	M	M	M	M	M	M	M	M	
4D11P	Kinaskan Lake	RFC	1070	57.579	-130.263	17	81%	80%	84%	83%	77%	79%	82%	91%	100%	108%	64%	0%	
4D14P	Wade Lake	RFC	1424	58.184	-128.912	18	121%	121%	120%	117%	115%	118%	122%	125%	136%	165%	191%	196%	
<b>AVERAGE</b>							<b>101%</b>	<b>101%</b>	<b>102%</b>	<b>100%</b>	<b>96%</b>	<b>99%</b>	<b>102%</b>	<b>108%</b>	<b>118%</b>	<b>137%</b>	<b>127%</b>	<b>98%</b>	
<b>AVERAGE OF ALL B.C. PILLOWS</b>							104%	103%	102%	102%	102%	102%	106%	115%	123%	140%	115%	91%	
<b>PERCENTAGE OF PEAK SNOW ACCUMULATION</b>							84%	88%	92%	96%	98%	100%	99%	97%	93%	85%	75%	60%	

Note: This table is derived from raw data collected from remote field stations located in harsh environments. Errors can exist in the data. Use at your own risk.