



Air

Status of Nitrogen Dioxide in B.C. (2021-2023 & 2022-2024)

British Columbia has a network of air quality monitoring stations that measure nitrogen dioxide and other air contaminants. This indicator reports on the concentration of nitrogen dioxide from two reporting periods, 2021-2023 and 2022-2024. The data are reported as two metrics: an annual metric based on one year of data, and a 1-hour metric based on three consecutive years of data. These metrics are compared against the [Canadian Ambient Air Quality Standards](#) to determine achievement and to define colour-based management levels. CAAQS were established by the [Canadian Council of Ministers of the Environment](#) in 2012 as a key element of the Air Quality Management System that collaboratively and comprehensively manages air quality in Canada.

Nitrogen Dioxide (NO₂): Canadian Ambient Air Quality Standard

NO₂ levels are calculated using **two** statistical forms called the annual metric and the 1-hour metric. The Canadian Ambient Air Quality Standard value for NO₂ annual is **17 parts per billion** and the standard value for NO₂ 1-hour is **60 parts per billion**

NO₂ standards are achieved when annual levels are ≤ 17 ppb and 1-hour levels are ≤ 60 ppb. More stringent 2025 CAAQS for NO₂ apply in the next reporting period (2023-2025), with an annual metric of 12 ppb and 1-hour metric of 42 ppb.

What is an Air Zone?


British Columbia is divided up into seven air zones, which are areas that typically exhibit similar air quality characteristics, issues, and trends.

- **Nitrogen dioxide (NO₂) is a gaseous pollutant.** It forms along with other nitrogen oxides (NO_x) when fossil fuels are burned in diesel trucks, cars, ships, power plants, and industrial facilities.
- **Nitrogen dioxide can harm human health.** Long-term exposure has been linked to allergic responses, asthma, greater susceptibility to respiratory infections (including COVID-19), and effects on the heart and reproductive system. Short-term exposure can reduce lung function and aggravate respiratory symptoms and airway inflammation. These effects have no known safe limits - they can occur even at low concentrations.
- **Nitrogen dioxide and other nitrogen oxides can also harm the environment.** They affect plant growth, contribute to acid rain, and play a role in forming ground-level ozone — all of which can damage ecosystems. NO₂ is also responsible for the reddish-brown haze sometimes seen over cities.
- **2021-2023: nitrogen dioxide levels met the Canadian Ambient Air Quality Standards at 100 percent of assessed monitoring stations in B.C.** There are two metrics for NO₂—an annual standard and a 1-hour standard (see sidebar). The annual and 1-hour standards were met at 100% of stations with sufficient data (47/47 and 46/46 stations, respectively).

- **2022-2024: nitrogen dioxide levels met the Canadian Ambient Air Quality Standards at 100 percent of assessed monitoring stations in B.C.** The annual and 1-hour standards were met at 100% of stations with sufficient data (48/48 and 47/47 stations, respectively).
- **During both periods, nitrogen dioxide levels met both of the Canadian Ambient Air Quality Standards in six of B.C.'s seven air zones.** Currently, there are no [air monitoring stations](#) in the Northwest air zone.
- **Nitrogen dioxide levels are used to set management levels for each air zone.** The four management levels and the recommended actions are: (1) green (actions for keeping clean areas clean); (2) yellow (actions for preventing air quality deterioration); (3) orange (actions for preventing Canadian Ambient Air Quality Standard exceedance); and (4) red (actions for achieving air zone Canadian Ambient Air Quality Standard). Each management level corresponds to actions that become more rigorous as the level of NO₂ approaches CAAQS. Suggested actions for each management level are outlined in the [Guidance Document on Air Zone Management](#).

The maps and charts below summarise the Canadian Ambient Air Quality Standard achievement status for nitrogen dioxide in B.C. air zones, as well as both the annual and 1-hour NO₂ levels at individual monitoring stations. Summaries are given for each monitoring station where sufficient data were available for the 2022-2024 and 2021-2023 reporting periods.

Status of 1-hour NO₂ Levels in B.C. Air Zones (2022-2024)




Airzones:

NO₂ 1-Hr Air Quality Standard


Insufficient Data
 Achieved
 Not Achieved

Monitoring Stations:

NO₂ 1-Hr Metric (ppb)



Status of Annual NO₂ Levels in B.C. Air Zones (2022-2024)



Airzones:

NO₂ Annual Air Quality Standard

Insufficient Data Achieved Not Achieved

Monitoring Stations:

NO₂ Annual Metric (ppb)




4 8 12

NO₂ Metrics for Air Monitoring Stations within B.C. Air Zones (2022-2024)



Status of 1-hour NO₂ Levels in B.C. Air Zones (2021-2023)




Airzones:

NO₂ 1-Hr Air Quality Standard


Insufficient Data Achieved Not Achieved

Monitoring Stations:

NO₂ 1-Hr Metric (ppb)



Status of Annual NO₂ Levels in B.C. Air Zones (2021-2023)



Airzones:

NO₂ Annual Air Quality Standard

Insufficient Data
 Achieved
 Not Achieved

Monitoring Stations:

NO₂ Annual Metric (ppb)



4 8 12

NO₂ Metrics for Air Monitoring Stations within B.C. Air Zones (2021-2023)



More about the Canadian Ambient Air Quality Standard nitrogen dioxide metrics:


- There are two Canadian Ambient Air Quality Standards for nitrogen dioxide (NO₂). The statistical form of the NO₂ annual metric is the average over a single calendar year of all 1-hour average concentrations of NO₂. The statistical form of the NO₂ 1-hour metric is the 3-year average of the annual 98th percentile (typically 8th highest) of the daily maximum 1-hr average concentrations of NO₂.
- The NO₂ metric for an air zone is the highest NO₂ metric value reported from monitoring stations within the air zone.
- Criteria for data completeness and sufficiency of the two NO₂ metrics are described in the [Guidance Document on Achievement Determination: Canadian Ambient Air Quality Standards for Nitrogen Dioxide \(2020\)](#).
- Air quality monitoring stations with at least two years of valid data from the 2022-2024 and 2021-2023 reporting periods were included in this indicator. Visit [Current Air Quality Data](#) for a complete list of currently active air quality monitoring stations across B.C.

Canada-wide Air Quality Management System


The Air Quality Management System is Canada's approach for protecting air quality. Under the Air Quality Management System, provinces and territories monitor, report and manage local air quality within air zones, with the goal of continuously improving air quality and keeping pollutants below the Canadian Ambient Air Quality Standards.

- There are seven air zones in British Columbia: Coastal, Georgia Strait, Lower Fraser Valley, Southern Interior, Central Interior, Northeast and Northwest.
- The Air Zone Management Framework defines air zone management levels for nitrogen dioxide based on the higher of the annual and 1-hour nitrogen dioxide levels reported from monitoring stations within the air zone.
- The four management levels are (1) green (actions for keeping clean areas clean); (2) yellow (actions for preventing air quality deterioration); (3) orange (actions for preventing Canadian Ambient Air Quality Standard exceedance); and (4) red (actions for achieving air zone Canadian Ambient Air Quality Standard). Each management level is associated with a suite of actions that become more rigorous as nitrogen dioxide levels approach the standard. Actions for each management level are detailed in the [Guidance Document on Air Zone Management \(2019\) \(PDF\)](#).
- The Lower Fraser Valley air zone was assigned to a red management level; the Central Interior, Georgia Strait, Northeast, and Southern Interior air zones were assigned to an orange management level; and the Coastal air zone was assigned to a yellow management level. There are currently no [air monitoring stations](#) in the Northwest air zone.

Air Quality Management Levels in B.C. Air Zones (2022-2024)




Station-Level Air Quality Management Levels Within Air Zones (2022-2024)




Air Zone Management Levels

- Actions for Preventing CAAQS Exceedance
- Actions for Preventing Air Quality Deterioration
- Actions for Keeping Clean Areas Clean
- Insufficient Data

Air Quality Management Levels in B.C. Air Zones (2021-2023)



Station-Level Air Quality Management Levels Within Air Zones (2021-2023)



Air Zone Management Levels

- Actions for Preventing CAAQS Exceedance
- Actions for Preventing Air Quality Deterioration
- Actions for Keeping Clean Areas Clean
- Insufficient Data

More about the Air Quality Management System management levels:

- There can be cases when an air zone does not achieve a given Canadian Ambient Air Quality Standard because of sources over which jurisdictions have little or no control, such as those related to transboundary flows and exceptional events, like forest fires.
- Prior to determining management levels, jurisdictions have the option of adjusting their air zone metric values to remove such external influences. These arrangements aim to ensure that jurisdictions are responsible for managing only the emissions sources they can control.

- Wildfires are generally the largest contributor to transboundary flows and exceptional events in B.C. Over the 2022-2024 reporting period, stations had one or more days during the wildfire season (May-October) where the daily nitrogen dioxide concentration was determined to be influenced by smoke from wildfires and exceeded the 1-hour standard of 60 ppb. The majority of wildfire influences occurred in 2018 and 2020. Those daily concentrations were removed from the calculations of management levels, resulting in a change from red to orange for the Central Interior and Georgia Strait air zones; from red to yellow for the Northeast air zone.

Methods

The methods used to develop this indicator—including procedures, data requirements, and calculation of the Canadian Ambient Air Quality Standard nitrogen dioxide metrics—are detailed in the [Guidance Document on Achievement Determination: Canadian Ambient Air Quality Standards for Nitrogen Dioxide \(2020\)](#) published by the [Canadian Council of Ministers of the Environment](#).

R package and code: We have developed an **R** package to facilitate the calculation of air quality metrics according to the [Canadian Ambient Air Quality Standards](#). Download the 'rcaqs' package from [GitHub](#). The source code for repeating the analysis presented on this page is also available on [GitHub](#).

References and Other Useful Links

- [Access B.C.'s real-time data on air pollutants and find locations of all provincial air monitoring stations in B.C.](#)
- [BC Lung Association's BC State of the Air Reports](#)
- [Canadian Ambient Air Quality Standards](#)
- [Canadian Council of Ministers of the Environment](#)
- [Canadian Environmental Sustainability Indicators: Air Indicators](#)
- [Canadian Smog Science Assessment: Highlights and Key Messages](#)
- [Guidance Document on Achievement Determination for Canadian Ambient Air Quality Standards for Nitrogen Dioxide](#)
- [Guidance Document on Air Zone Management](#)
- [Learn more about the implementation of the Air Quality Management System in British Columbia](#)
- [Read individual Air Zone reports on the achievement of the Canadian Ambient Air Quality Standards in B.C.](#)

Data

*By accessing these datasets, you agree to the licence associated with each file, as indicated in parentheses below.

- [Indicator data: BC Nitrogen Dioxide Canadian Ambient Air Quality Standards 2022-2024 \(Open Government Licence - British Columbia\)](#)
- [BC NO₂ Hourly Data & Air Monitoring Station locations \(Open Government Licence - British Columbia\)](#)
- [BC Air Zones \(Open Government Licence - British Columbia\)](#)

Published and Available On-Line at Environmental Reporting BC: http://www.env.gov.bc.ca/soe/indicators/air/fine_pm.html

Email correspondence to: envreportbc@gov.bc.ca

Suggested Citation:

Environmental Reporting BC. 2026. Status of Nitrogen Dioxide in B.C. (2021-2023 & 2022-2024). State of Environment Reporting, Ministry of Environment and Parks, British Columbia, Canada.


Appendix: Detailed nitrogen dioxide Canadian Ambient Air Quality Standard results for each monitoring station within air zones in B.C.

Air Zone: Central Interior

Monitoring Station: Prince George Plaza 400


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 44ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 8ppb (1 year average)




Air Zone: Central Interior

Monitoring Station: Quesnel


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 21.5ppb (3 year average)




NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 3.2ppb (1 year average)




Air Zone: Central Interior
Monitoring Station: Smithers

NO₂ 1-hour Air Quality Standard: Achieved
NO₂ 1-hour Metric: 25.8ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved
NO₂ Annual Metric: 5.7ppb (1 year average)




Air Zone: Central Interior

Monitoring Station: Williams Lake Columneetza School


NO₂ 1-hour Air Quality Standard: Insufficient Data

NO₂ 1-hour Metric: Unknown



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 4.2ppb (1 year average)




Air Zone: Coastal

Monitoring Station: Kitimat Whitesail


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 11ppb (2 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 1ppb (1 year average)




Air Zone: Coastal

Monitoring Station: Port Edward Sunset Drive


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 15.9ppb (2 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 1.4ppb (1 year average)




Air Zone: Coastal

Monitoring Station: Prince Rupert Fairview


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 20.1ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 3ppb (1 year average)




Air Zone: Coastal

Monitoring Station: Terrace Skeena Middle School


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 19.1ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 2.2ppb (1 year average)




Air Zone: Georgia Strait

Monitoring Station: Colwood City Hall


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 20.9ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 3.7ppb (1 year average)




Air Zone: Georgia Strait

Monitoring Station: Courtenay Elementary School


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 20.8ppb (3 year average)




NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 3.2ppb (1 year average)




Air Zone: Georgia Strait
Monitoring Station: Duncan

NO₂ 1-hour Air Quality Standard: Achieved
NO₂ 1-hour Metric: 19.7ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved
NO₂ Annual Metric: 3.9ppb (1 year average)




Air Zone: Georgia Strait

Monitoring Station: Langdale Elementary


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 21.8ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 3.6ppb (1 year average)




Air Zone: Georgia Strait

Monitoring Station: Nanaimo Labieux Road


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 24.9ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 4.7ppb (1 year average)




Air Zone: Georgia Strait

Monitoring Station: Squamish Elementary


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 20.6ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 4.4ppb (1 year average)




Air Zone: Georgia Strait

Monitoring Station: Victoria Topaz


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 35.1ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 6.8ppb (1 year average)




Air Zone: Georgia Strait

Monitoring Station: Whistler Meadow Park


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 16.4ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 3ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Abbotsford A Columbia Street


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 26.3ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 6.1ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Abbotsford Central


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 29.8ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 7.2ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Agassiz


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 29ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 5.8ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Burnaby Kensington Park


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 34.1ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 9.6ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Burnaby Mountain


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 28.4ppb (3 year average)




NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 5.8ppb (1 year average)




Air Zone: Lower Fraser Valley
Monitoring Station: Burnaby South

NO₂ 1-hour Air Quality Standard: Achieved
NO₂ 1-hour Metric: 36.3ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved
NO₂ Annual Metric: 11ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Chilliwack Airport


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 29.4ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 6.6ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Coquitlam Douglas College


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 30.6ppb (3 year average)




NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 8.2ppb (1 year average)




Air Zone: Lower Fraser Valley
Monitoring Station: Hope Airport

NO₂ 1-hour Air Quality Standard: Achieved
NO₂ 1-hour Metric: 25.5ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved
NO₂ Annual Metric: 5.8ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Horseshoe Bay


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 44.2ppb (3 year average)




NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 9.3ppb (1 year average)




Air Zone: Lower Fraser Valley
Monitoring Station: Langley Central

NO₂ 1-hour Air Quality Standard: Achieved
NO₂ 1-hour Metric: 23.2ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved
NO₂ Annual Metric: 5.4ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Maple Ridge Golden Ears School


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 28.8ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 6.3ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Mission School Works Yard


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 26.9ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 5.5ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: New Westminster Sapperton Park


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 41.6ppb (2 year average)




NO₂ Annual Air Quality Standard: Insufficient Data

NO₂ Annual Metric: Unknown




Air Zone: Lower Fraser Valley
Monitoring Station: North Delta

NO₂ 1-hour Air Quality Standard: Achieved
NO₂ 1-hour Metric: 38ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved
NO₂ Annual Metric: 10.5ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: North Vancouver Mahon Park


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 36.6ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 10.1ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: North Vancouver Second Narrows


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 50.4ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 11ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Pitt Meadows Meadowlands School


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 32.9ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 6.8ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Port Moody Rocky Point Park


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 34.4ppb (3 year average)




NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 9.9ppb (1 year average)




Air Zone: Lower Fraser Valley
Monitoring Station: Richmond South

NO₂ 1-hour Air Quality Standard: Achieved
NO₂ 1-hour Metric: 34.6ppb (3 year average)




NO₂ Annual Air Quality Standard: Achieved
NO₂ Annual Metric: 9.8ppb (1 year average)




Air Zone: Lower Fraser Valley
Monitoring Station: Surrey East

NO₂ 1-hour Air Quality Standard: Achieved
NO₂ 1-hour Metric: 29.2ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved
NO₂ Annual Metric: 7ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Tsawwassen


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 28.7ppb (3 year average)




NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 5.3ppb (1 year average)




Air Zone: Lower Fraser Valley
Monitoring Station: Vancouver Clark Drive

NO₂ 1-hour Air Quality Standard: Achieved
NO₂ 1-hour Metric: 43.6ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved
NO₂ Annual Metric: 15ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Vancouver International Airport 2


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 39.9ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 11.6ppb (1 year average)




Air Zone: Lower Fraser Valley

Monitoring Station: Vancouver Robson Square


NO₂ 1-hour Air Quality Standard: Insufficient Data

NO₂ 1-hour Metric: Unknown



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 15.9ppb (1 year average)




Air Zone: Northeast

Monitoring Station: Fort St John Key Learning Centre


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 46.1ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 6ppb (1 year average)




Air Zone: Northeast

Monitoring Station: Taylor Townsite


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 36.1ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 5.1ppb (1 year average)




Air Zone: Southern Interior

Monitoring Station: Castlegar Zinio Park


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 23.2ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 5.2ppb (1 year average)




Air Zone: Southern Interior

Monitoring Station: Cranbrook Muriel Baxter


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 27.3ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 4.3ppb (1 year average)




Air Zone: Southern Interior

Monitoring Station: Kamloops Federal Building


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 37.7ppb (3 year average)




NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 9.6ppb (1 year average)




Air Zone: Southern Interior
Monitoring Station: Kelowna

NO₂ 1-hour Air Quality Standard: Achieved
NO₂ 1-hour Metric: 25.7ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved
NO₂ Annual Metric: 4.6ppb (1 year average)




Air Zone: Southern Interior

Monitoring Station: Sparwood Centennial Square


NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 29.7ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 5.4ppb (1 year average)




Air Zone: Southern Interior

Monitoring Station: Vernon Science Centre

NO₂ 1-hour Air Quality Standard: Achieved

NO₂ 1-hour Metric: 34.1ppb (3 year average)



NO₂ Annual Air Quality Standard: Achieved

NO₂ Annual Metric: 8.2ppb (1 year average)

