


See Sheet 5



Use and Limitations of Floodplain Maps

- Users must note the dates of base mapping, aerial photography, river surveys and issue of mapping relevant to dates of development in the map area. Subsequent developments or changes within the floodplain or channel (natural or constructed) will affect flood levels and render site-specific map information obsolete.
- Floodplain maps are administrative tools which depict minimum flood elevations and floodplain boundaries. Flooding may occur outside of the designated floodplain boundary.
- Floodplain maps do not provide information on site-specific flood hazards such as, land erosion or high water velocity, sudden shifts in the channel of the watercourse, or alluvial and debris flow fan areas.
- Other sources of water, roads, railways or other barriers can restrict water flow and affect local flood levels. As well, obstructions such as ice and debris, flooding in surrounding areas, channel deposition, groundwater or other phenomena can cause flood levels to exceed those indicated on the map. Land adjacent to a floodplain may be subject to flooding from tributary watercourses.
- Floodplain maps do not indicate or locate legal survey boundaries. A site survey is required to reconcile property location, ground elevations, and designated flood level information.
- The accuracy of the location of a floodplain boundary as shown on this map is limited by the base topography. It is generally assumed to be plus or minus one-half the increment of the ground contours.
- Professional assistance and detailed engineering analysis are required to address any of the above considerations.



NOTES

Produced by British Columbia Environmental Services Division,
Floodplain Mapping Program.

Survey: Field survey done by Surveys Subsection,
Inventory and Engineering Branch (Oct 76 & Feb 79)
a) Horizontal control based on principal network
b) Vertical control based on fixed datum (1950)
c) Indicates Survey Monument

Mapping: Base mapping done by Mapping Section, Surveys
and Mapping Branch
a) Contour interval - 1 metre and greater, spot elevations shown
to 0.1 metres, with accuracy to ± 0.3 metres, except
as noted
b) Grid origin referred to U.T.M. Projection Zone 10 (1975)
Field Floodplain Mapping produced by Planning Subsection,
Inventory and Engineering Branch.


FLOODPLAIN DATA

- Floodplain limits and flood profiles were computed using a standard
step method modelling technique.
- Floodplain limits shown assume the absence of all dykes.
- Floodplain limits and flood level include allowance for
freeboard.
- Position of floodplain boundary not established on the ground
by legal survey.
- See Fraser-Cham Regional District Zoning Bylaw for Electoral Area 'E'
for minimum distances allowed from building to natural boundaries of
lakes or watercourses.
- Floodplain limits are not delineated for side stream or
tributaries.

LEGEND

- 200 Year
Floodplain Limit
- Flood levels in metres
above G.S.C. Datum
- 92.5 200 Year Frequency
91.7 20 Year Frequency
(freeboard added)

KEY MAP



REVISIONS

No.	DESCRIPTION	DATE
1	SURVEY MONUMENT DATA ADDED	DEC. 1986

ORTHOPHOTO MAPPING	DATE OF PHOTOGRAPHY June 1976
MAPPING INFORMATION	CHECKED L.S.
FLOODPLAIN MAPPING	CHECKED R.W.N.
ISSUE OF MAPPING	DATE February 1981



Province of
British Columbia

Ministry of Environment
INVENTORY AND ENGINEERING BRANCH

FLOODPLAIN MAPPING
CHILLIWACK RIVER
Vedder Crossing — Slesse Creek

Scale in metres
100 50 0 100 200 300 400 500

Recommended:
Section Head *DeBath*

Approved/Assistant:
Deputy Minister *McConnell*

FILE No.

0305030-13

SCALE

1:5000

DRAWING No.

A5283-6

SHEET

6 of 6