



Use and Limitations of Floodplain Maps

- Users must note the dates of base mapping, aerial photography, river surveys and issue of mapping applied to zones of development in the map area. Subsequent developments or changes within the floodplain (or channel (natural or constructed)) will affect flood levels and render site-specific map information obsolete.

- Floodplain maps are administrative tools which depict minimum flood elevations and floodplain boundaries. Flooding may occur outside of the designated floodplain boundary.

- Floodplain maps do not provide information on site-specific flood hazards such as, land erosion or high water velocity, sudden shifts in the channel of the watercourse, or alluvial and debris flow fan areas.
- Other sources of water, roads, railways or other barriers can restrict water flow and affect local flood levels. As well, obstructions such as ice and debris, flooding in surrounding areas, channel deposition, groundwater or other phenomena can cause flood levels to exceed those indicated on the map. Land adjacent to a floodplain may be subject to flooding from tributary watercourses.
- Floodplain maps do not indicate or locate legal survey boundaries. A site survey is required to reconcile property location, ground elevations, and designated flood level information.
- The accuracy of the location of a floodplain boundary as shown on this map is limited by the base topography. It is generally assumed to be plus or minus one-half the increment of the ground contours.
- Professional assistance and detailed engineering analysis are required to address any of the above considerations.

MAPPING		LEGEND		KEY MAP		REVISIONS		ORTHOPHOTO MAPPING		BRITISH COLUMBIA DEPARTMENT OF ENVIRONMENT WATER RESOURCES SERVICE WATER INVESTIGATIONS BRANCH		FILE NUMBER	
BRITISH COLUMBIA WATER RESOURCES SERVICE FLOODPLAIN MAPPING PROGRAM						NO.	DESCRIPTION	DATE	DATE OF PHOTOGRAPHY OCT. 14, 1974			0310213-4	
Flood surveys and map production done by Planning & Survey Division, Water Investigations Branch, Water Resources Service. Photogrammetric Mapping done by Map Production Division, Surveys & Mapping Branch, Lands Service.		FLOODPLAIN LIMITS a) Flood profiles were computed by a standard step method modelling technique. b) Floodplain Limits shown assume absence of all dykes. c) Floodplain Limits and Flood Levels include 2 ft. (0.61 m) allowance for freeboard. d) Position of floodplain boundary not established on ground by legal survey. e) See "Flood Control Requirements" * for minimum distance allowed from building to natural boundaries of water courses and lakes. f) Floodplain Limits are not delineated for side streams or tributaries. * Correspondence to Municipalities October 30, 1973.		 200 Year Frequency Floodplain Limit 20 Year Frequency Floodplain Limit 351.2 Flood Level 200 Year Frequency Flood in Metres 349.6 Flood Level 20 Year Frequency Flood in Metres		 ZONE 10 SCALE 1:250,000					KAMLOOPS AREA FLOOD PLAIN MAPPING THOMPSON AND NORTH THOMPSON RIVERS		SCALE 1:2500
1) <u>SURVEYS</u> (a) <u>Horizontal Control</u> based on Provincial Network (b) <u>Vertical Control</u> based on Geodetic Survey of Canada (1968)									MAPPING INFORMATION CHECKED:			DWG NO.	
2) <u>MAPPING</u> (a) Contour interval 1 metre and greater. Spot elevations shown to 0.1 metres with accuracy ± 0.15 metres. (b) Grid origin referred to UTM Projection Zone 10 (c) Cadastral detail approximate only and based on best local information.									FLOOD PLAIN INFORMATION CHECKED:	 SCALE IN METRES		5112	
									ISSUE OF MAPPING DATE JUNE, 1976	RECOMMENDED DIVISION CHIEF: <i>[Signature]</i> APPROVED DEPUTY MINISTER: <i>[Signature]</i>		12 SHEET OF 19	