



Use and Limitations of Floodplain Maps

- Users must note the dates of base mapping, aerial photography, river surveys and issue of mapping relevant to dates of development in the map area. Subsequent developments or changes within the floodplain or channel (natural or constructed) will affect flood levels and render site-specific map information obsolete.
- Floodplain maps are administrative tools which depict minimum flood elevations and floodplain boundaries. Flooding may occur outside of the designated floodplain boundary.
- Floodplain maps do not provide information on site-specific flood hazards such as, land erosion or high water velocity, sudden shifts in the channel of the watercourse, or alluvial and debris flow fan areas.
- Other sources of water levels, obstructions or other barriers can restrict water flow and affect local flood levels. As well, obstructions such as logs and debris, flooding in surrounding areas, channel deposition, groundwater or other resources can cause flood levels to exceed those indicated on the map. Land adjacent to a floodplain may be subject to flooding from tributary watercourses.
- Floodplain maps are not intended to create legal survey boundaries. A site survey is required to reconcile property locations, general elevations, and designated flood level information.
- The accuracy of the location of a floodplain boundary as shown on this map is limited by the base photography to a general location of plus or minus one-half the increment of the ground contours.
- Professional assistance and detailed engineering analysis are required to address any of the above considerations.

MAPPING

BRITISH COLUMBIA WATER RESOURCES SERVICE FLOODPLAIN MAPPING PROGRAM

- SURVEYS**
 - Horizontal Control based on Provincial Network
 - Vertical Control based on Geodetic Survey of Canada (1968)
- MAPPING**
 - Contour interval 1 metre and greater. Spot elevations shown to 0.1 metres with accuracy ± 0.15 metres. Zone 10
 - Grid origin referred to the projection Zone 10
 - Cadastral details approximate only and based on best local information.


FLOODPLAIN LIMITS

- Flood profiles were computed by a standard step method modelling technique.
 - Floodplain limits shown assume absence of all dikes.
 - Floodplain Limits and Flood Levels include 2 ft. (0.61 m) allowance for freeboard.
 - Position of floodplain boundary not established on ground by legal survey.
 - See "Flood Control Requirements" * for minimum distance allowed from building to natural boundaries of water courses and lakes.
 - Floodplain Limits are not delineated for side streams or tributaries.
- * Correspondence to Municipalities October 30, 1973.

LEGEND

- 200 Year Frequency Floodplain Limit
- 20 Year Frequency Floodplain Limit
- 351.2 Flood Level 200 Year Frequency Flood in Metres
- 349.6 Flood Level 20 Year Frequency Flood in Metres

KEY MAP



REVISIONS

NO	DESCRIPTION	DATE

ORTHOPHOTO MAPPING

DATE OF PHOTOGRAPHY OCT. 14, 1974
MAPPING INFORMATION
CHECKED
FLOOD PLAIN INFORMATION
CHECKED
ISSUE OF MAPPING
DATE JUNE, 1976

BRITISH COLUMBIA DEPARTMENT OF ENVIRONMENT WATER RESOURCES SERVICE WATER INVESTIGATIONS BRANCH	FILE NUMBER 0310213-4
KAMLOOPS AREA FLOOD PLAIN MAPPING THOMPSON AND NORTH THOMPSON RIVERS	SCALE 1:2500
50 0 50 100 150 200 250 SCALE IN METRES	DWG NO. 5112
RECOMMENDED DIVISION CHIEF APPROVED DEPUTY MINISTER	SHEET 17 OF 19