

THE PROVINCE OF BRITISH COLUMBIA—WATER ACT
CONDITIONAL WATER LICENCE

Boy Scouts of Canada of 2188 West 12th Avenue, Vancouver, B.C.
V6K 2N2

is/are hereby authorized to divert and use water as follows:—


- (a) The source(s) of the water-supply is/are **Cabus Creek**.
- (b) The point(s) of **diversion** is/are located as shown on the attached plan.
- (c) The date from which this licence shall have precedence is **27th April, 1972**.
- (d) The purpose for which the water is to be used is **industrial (camp)**.
- (e) The maximum quantity of water which may be **diverted is 10,000 gallons a day,**
and such additional quantity
as the Engineer may from time to time determine should be allowed for losses.
- (f) The period of the year during which the water may be used is **the whole year**.
- (g) The land upon which the water is to be used and to which this licence is appurtenant is
that part of Section 3, Township 5, Range 29, West 6th Meridian,
held under Special Use Permit 7222.
- (h) The works authorized to be constructed are **diversion structure and pipe,**

which shall be located approximately as shown on the attached plan.
- (i) The construction of the said works **has been commenced, and shall be completed**
and the water beneficially used on or before the 31st day of
December, 1979.


H.D. DeBeck,
Comptroller of Water Rights.

File No. 0309999 Date issued: 1 February, 1977

Conditional Licence No. 47707





ORDER

WATER ACT

Section 21


FILE NO. 0309999

In the matter of Conditional Water Licence 47707, which authorizes the diversion of 10,000 gallons of water a day from Cabus Creek to be used for industrial (camp) purpose on that part of Section 3, Township 5, Range 29, West 6 Meridian, held under Special Use Permit 7222.

Having received an abandonment of part of the rights from the licensee and being satisfied that no person's rights will be injuriously affected, I hereby amend Clause (e) of the said licence to read as follows:

- (e) The maximum quantity of water which may be diverted is 1,000 gallons a day, and such additional quantity as the Engineer may from time to time determine should be allowed for losses.

Dated at Victoria, B.C. this 14th day of August, 1979.


J.E. Farrell,
Deputy Comptroller of Water Rights.

British




Columbia

NEW WESTMINSTER WATER DISTRICT
GP. 1, NEW WESTMINSTER DISTRICT

Scale: 20 Chains to 1 inch

TP. 5 R. 29 W. 6M.



LEGEND

- Point of Diversion ●
- Ref. Map ~~92H.031.4.2~~ 92H.031.4.2
- Pipe ————
- Right of Way **—————**

The boundaries of the land to which this licence is appurtenant are shown thus: **—————**

Signature *[Handwritten Signature]*

Date 1st Feb. 1977
CL 47707
File 0309999
R/W Permit No. 10877

Kent Precinct



Province of British Columbia
Water Act

ORDER
Section 23

File No. 0309999

In accordance with the Notice of Proposed Cancellation, dated the 19th day of October, 2015,
Conditional Water Licence C047707 is hereby cancelled.

Dated at Surrey, British Columbia, this 16th day of November, 2015.

Remko Rosenboom, M.Sc., A.Ag.
Regional Water Manager