

## Province of British Columbia Water Act

## CONDITIONAL WATER LICENCE

The owner(s) of the land to which this licence is appurtenant is/are hereby authorized to divert and use water as follows:

- a) The stream on which the rights are granted is Tinmusket Spring.
- b) The point of diversion is located as shown on the attached plan.
- c) The date from which this licence shall have precedence is 16th February, 2014.
- d) The purpose for which this licence is issued is Industrial (stock watering).
- e) The maximum quantity of water which may be diverted for Industrial (stock watering) is 2.72760 cubic metres (600 gallons) per day.
- f) The period of the year during which the water may be used is the Whole year.
- g) The land upon which the water is to be used and to which this licence is appurtenant is East 1/2 of District Lot 3268 Lillooet District.
- h) The authorized works are diversion structure, pipe and trough which shall be located approximately as shown on the attached plan.
- i) The construction of the said works shall be completed and the water shall be beneficially used prior to April 30, 2018. Thereafter, the licensee shall continue to make regular beneficial use of the water in the manner authorized herein.
- j) This licence is issued under the Water Act (the Act). The exercise of rights under the licence is subject to the Act and its regulations, the terms and conditions of the licence, orders under the Act and the rights of licensees whose rights have precedence on the stream. The licensee must comply with all such requirements, as well as the provisions of all other applicable enactments. In exercising rights under the licence, the licensee must exercise reasonable care to avoid damaging land, works, trees or other property, and must make full compensation to the owners for damage or loss resulting from construction, maintenance, use, operation or failure of the works.

File No. 3005454 Date issued: March 11, 2015 Licence No.: C132139

k) The industrial stockwatering purpose authorized by this licence is for use outside the wetted perimeter of the source in a trough located approximately as shown on the attached plan.

Rick Sommer

Assistant Regional Water Manager/District Manager