



Province of British Columbia

Water Sustainability Act

CONDITIONAL WATER LICENCE

The owners of the land to which this licence is appurtenant are hereby authorized to divert, use, and store water as follows:

- a) The stream on which the rights are granted is Siigaay Gyaawgii Gandlaay Creek and storage is in a dugout.
- b) The point of diversion on Siigaay Gyaawgii Gandlaay Creek, denoted by PD189088, and the dugout are located as shown on the attached plan.
- c) The date from which this licence shall have precedence is August 19, 2015.
- d) The purposes for which this licence is issued are storage and power (residential).
- e) The maximum quantity of water which may be diverted and held in storage is 2 cubic metres per year, and the maximum quantity of stored water which may be diverted for power (residential) purpose is 0.014 cubic metres per second.
- f) The period of the year during which the water may be held in storage is the whole year, with diversion into storage from October 1 to May 31, and the period of the year during which the stored water may be used for power (residential) purpose is October 1 to May 31. Subject to water being available from storage.
- g) The land upon which the water is to be used on which a powerhouse is situated and the land to which the licence is appurtenant is Lot 5, District Lot 2361, Queen Charlotte District, Plan PRP14885.
- h) The authorized works are screened intake, dugout, pump, hydraulic ram, powerhouse, meter, transmission line, pipe, and tailrace, all of which have not been constructed, and shall be located approximately as shown on the attached plan.
- i) The construction of the said works shall be completed and the water shall be beneficially used prior to December 31, 2019. Thereafter, the licensee shall continue to make regular beneficial use of the water in the manner authorized herein.
- j) The term of this licence is 40 years from the date of issuance of this licence.
- k) The power generation pursuant to this licence may be supplied to one dwelling on Lot 5, District Lot 2361, Queen Charlotte District, Plan PRP14885, as shown on the attached plan.

- l) The water used in the generation of power shall be returned to the stream above any downstream points of diversion.
- m) The licensee shall retain flow meter records for inspection upon request by a Water Officer under the *Water Sustainability Act*.



L. Munt
Assistant Water Manager